

# Routing



## Routers

### Trend T4 1/4" Router



The Trend T4 router is compact, lightweight and easy to control for home use and is suitable for such jobs as hinge recessing and edge work. Dismountable from the base the unit can be used for freehand carving, die grinding or used in drill stand or clamp. The 850W variable speed motor runs between 1,1500 - 3,2000rpm and will accept 1/4", 6mm and 8mm cutter shanks. Spindle lock aids cutter changing. The base will accept standard guide bushes. Supplied complete with 3 collets, 34mm dust spout, 16mm guide bush, side fence and storage case.

|                  | Inc.vat | Ex.vat | Code   |
|------------------|---------|--------|--------|
| T4 Router 230V   | £84.95  | £70.79 | 701789 |
| T4 Router 110V   | £84.95  | £70.79 | 701790 |
| T4 Fine Adjuster | £14.45  | £12.04 | 701791 |

### Trend T5EK/MK2 v2 Router

Well built and easy to handle, the Trend Router has a soft start 1,000W variable speed motor with full wave electronics for better cutter feedback and stable rpm, suitable for use with a wide range of cutter profiles and diameters. Using the Trend/DeWalt/Elu base configuration, this router is ideal for use with a very wide range of proprietary jigs and accessories. The spindle lock is positioned to the front of the machine so cutter changing is made easier, the switch can be locked for use in a router table. **Supplied with a robust storage case, side fence with fine micro adjuster, beam trammel attachment, fine height adjuster, 6.35mm (1/4") and 8mm collets, 35mm clip-in dust spout and 20mm template guide bush and trigger lock clip for use inverted in a table.** Accepts the full range of Axminster 60mm O/S diameter guide bushes.



|                      | Inc.vat | Ex.vat  | Code   |
|----------------------|---------|---------|--------|
| T5 v2 Router 230V    | £239.94 | £199.95 | 211246 |
| Fine Height Adjuster | £15.95  | £13.29  | 500011 |

### Bosch POF 1200AE 1/4" Router



This Bosch router has a powerful 1,200W variable speed motor. The balanced design and well positioned handles means it is easy to control, giving smooth clean routing. Use it free hand, with the side fence or mounted in a table. Speed is controlled via a dial speed selector, the maximum cutter plunge is 55mm and a turret with variable depths allow you to locate the depth stop bar for cutter height; the depth can also be locked with a large red lever. Fitted with a spindle lock for easy cutter change.

**Supplied with a side fence, 17mm template guide, bearing follower, centring pin, 6mm, 8mm and 1/4" (6.35mm) collets and 8mm straight cutter and dust extraction adaptor. 2 year warranty.**

|                             | Inc.vat | Ex.vat | Code   |
|-----------------------------|---------|--------|--------|
| POF 1200AE 1/4" Router 230V | £69.95  | £58.29 | 212272 |



### Makita RP0900X 1/4" Router

This compact Makita router will accept 1/4" and 3/8" shank router cutters. With a maximum 35mm plunge and fitted with a height adjuster, it is suitable for many smaller scale routing tasks. **Supplied complete with side fence, 1/4" and 3/8" collet cones, 13mm and 22mm wrenches and storage case.**

|                     | Inc.vat | Ex.vat  | Code   |
|---------------------|---------|---------|--------|
| RP0900X Router 230V | £139.96 | £116.63 | 952326 |

### Makita RP1110C 1/4" Router



This industrially rated, quality built, precision router features a highly efficient built-in dust extraction system, providing optional take-off points. This system achieves a high level of extraction for both health and safety, working visibility and workspace cleanliness. **Supplied with a steel side fence, detachable dust extraction tube and swivelling connector, 1/4" and 8mm collets and turret stop spanners, a 12mm diameter template guide.**

|                     | Inc.vat | Ex.vat  | Code   |
|---------------------|---------|---------|--------|
| RP1110C Router 230V | £304.94 | £254.12 | 810150 |

### Makita RP2301FCX 1/2" Router



This Makita RP2301FCX Makita 1/2" router has a powerful 2.1kW motor and is suitable for a range of routing tasks either as a hand router or fixed to a router table. The cutter depth adjuster has a scale so that you can set your cutter height easily, plunge depth is 70mm and there are twin LED job lights fitted so your cutter is never in shadow. Speed range is 9,000 - 22,000rpm and can be selected for whatever size of cutter you are using. The grip handles make the router easy to control and the base is round with a flat side so it can be guided along a straight edge if required. Also included is a 1/2" - 1/4" collet reducer. A guide rail adaptor is also available so that you can use the router on the Makita guide rail system, for extra precision when doing straight routing cuts when moulding and jointing.

|                       | Inc.vat | Ex.vat  | Code   |
|-----------------------|---------|---------|--------|
| RP2301FCX Router 230V | £329.94 | £274.95 | 210800 |
| RP2301FCX Router 110V | £329.94 | £274.95 | 950705 |
| Guide Rail Adaptor    | £38.94  | £32.45  | 501718 |
| 16mm OD Guide Bush    | £9.95   | £8.29   | 100336 |
| 20mm OD Guide Bush    | £12.95  | £10.79  | 100337 |
| 30mm OD Guide Bush    | £10.94  | £9.12   | 100343 |
| 1/2"-8mm Sleeve       | £3.14   | £2.62   | 340306 |
| 1/2"-3/8" Sleeve      | £3.14   | £2.62   | 340305 |

#### Comparison Chart - Routers

| Model                | T4               | T5EK/MK2        | Bosch POF 1200AE | RP0900X             | RP1110C         | RP2301FCX       |
|----------------------|------------------|-----------------|------------------|---------------------|-----------------|-----------------|
| Rating               | Hobby            | Industrial      | Hobby            | Industrial          | Industrial      | Industrial      |
| Power                | 850W             | 1,000W          | 1,200W           | 900W                | 1,100W          | 2,100W          |
| Speed                | 11,500-32,000rpm | 9,000-27,000rpm | 11,000-28,000rpm | 27,000              | 8,000-24,000rpm | 9,000-22,000rpm |
| Collets Supplied     | 1/4", 6 & 8mm    | 1/4" & 8mm      | 6mm, 8mm & 1/4"  | 1/4" and 3/8" cones | 1/4" & 8mm      | 1/2"            |
| Plunge Stroke        | 0 - 35mm         | 50mm            | 55mm             | 35mm                | 57mm            | 70mm            |
| Fine Height Adjuster | No               | Yes             | No               | No                  | Yes             | -               |
| Fine Fence Adjuster  | No               | Yes             | -                | No                  | -               | Yes             |
| Spindle Lock         | Yes              | Yes             | Yes              | No                  | Yes             | Yes             |
| Weight               | 2.4kg            | 2.7kg           | 3.4kg            | 2.7kg               | 3.4kg           | 6Kg             |



**BOSCH**

Kit supplied with the GKF600 Router, 3 bases (133mm round, extension with handle and tilting), side fence, roller guide, insulation cover and collect spawner

**BOSCH**  
3 year  
Warranty  
Registration reqd.

Online  
VIDEO  
available

## Bosch GKF 600 Palm Router Kit



The parallel side fence guides the router along an edge. Ideal for rebating and grooving, 160mm in length

Tilting base adds a unique feature to this router. Angled cuts can be achieved without the need for many different cutters

The clear extended base gives increased stability whilst working on an edge or larger areas. It is also fitted with a dust extraction outlet

A true gem of a tool, this has to be one of the best small routers on the market, perfectly formed, adding huge potential to your tool kit. We just love this tool.

Totally controllable for trimming, adding a decorative mould to edges or panel work, this is such a versatile router. Supplied with 3 additional bases: 95 x 84mm base, 133mm diameter round base and a unique tilting base as well as a parallel fence. All are easy to swap when required and give the machine more versatility. The compact design (overall size 94 x 190mm high) allows for single handed use if required and means it is also good for confined areas. All contained in a strong storage case to keep everything together.

Also available is a set of 4 small TCT cutters containing a 45° chamfer cutter, 3/16" radius ovolo and rounding over cutter, self guided trimming and a template profile cutter.

### Bosch TE 600 Plunge Base

Allows you to achieve precise routing

- Accessory for your GKF600 palm router
- Depth scale in metric and imperial
- Clear sub base opening of 54mm
- Maximum bit size of 44mm
- Motor body locks with quick clamp
- Micro fine depth adjustment, 7-step turret depth stop
- Smooth plunge action (max 55mm) with lock lever
- Bosch parallel fence and rail adaptor can be fitted



|                                      | Inc.vat | Ex.vat  | Code   |
|--------------------------------------|---------|---------|--------|
| Palm Router Kit 230V                 | £144.95 | £120.79 | 702335 |
| Palm Router Kit 110V                 | £144.95 | £120.79 | 950704 |
| Router Kit & Cutter Set Package 230V | £179.95 | £149.96 | 719995 |
| Router Kit & Cutter Set Package 110V | £179.95 | £149.96 | 718677 |
| TE 600 Plunge Base                   | £69.95  | £58.29  | 503891 |
| Additional Side Fence for Router     | £59.94  | £49.95  | 447252 |
| Router Kit & Plunge Base 230V        | £209.95 | £174.96 | 717435 |
| Router Kit & Plunge Base 110V        | £209.95 | £174.96 | 717436 |



**DEWALT**

## DeWalt D26204K Plunge and Fixed Base 2 in 1 Router 1/4"

Use as a plunge or fixed router by simply swapping bases, this 2 in 1 router covers many applications. Compact and solidly built it handles well and is easy to control. The powerful variable speed 900W motor has full wave electronics to ensure the selected speed is maintained under any load for the best finish and there is a spindle lock for ease of cutter change. Each base fits to the motor body with a quick lever. The plunge base has precise depth adjustment and a five position adjustable turret for stepped/repeated plunge cuts, moulded handles ensure a positive grip. The fixed base has a wide depth ring collar that moves up and down the scroll in the motor body allowing for depth setting; fine adjustment is made with a thinner calibrated ring. The machine is supplied with a kit of accessories including: parallel fence with fine adjuster, 2 dust extraction adaptors, 1/4" collet, centring cone, 17mm guide bush, collet spanner and storage case. N.B. Optional 8mm collet available.

|                     | Inc.vat | Ex.vat  | Code   |
|---------------------|---------|---------|--------|
| D26204K Router 230V | £244.96 | £204.13 | 952707 |
| 8mm Collet          | £14.45  | £12.04  | 211306 |

## Trend T11EK 1/2" Router in Case

**trend**

The Trend T11EK router is the highest spec router that Trend produce and has many features for use freehand or when mounted in a router table. One main advantage is being able to adjust the cutter height with the fine adjuster from above as well as below the router's base, making adjustment in a table a lot easier. The 2,000W motor has soft start with full wave electronic variable control for constant speed under load for a fine finish on all types of material. The 80mm plunging accuracy is assured with two column precision and phosphor bronze bushes and the maximum cutter diameter is 70mm through the base for the fitting of larger cutters. Other features include spindle lock for easy cutter change, fine adjuster and 3 position revolving depth stop, a quick release dust spout that takes 35mm hose and side fence with micro adjuster. Fitting for optional Trend clamp guide system is included (bracket required) and quick release recesses to fit a quick release kit for quick fitting in Trend tables. Both clamp guide kit and quick release kits are optional. **Supplied complete with fine adjuster, 30mm guide bush, dust spout, side fence with micro adjuster and storage case.**



|                 | Inc.vat | Ex.vat  | Code   |
|-----------------|---------|---------|--------|
| T11 Router 230V | £339.95 | £283.29 | 701792 |



**BOSCH**

## Bosch GMF1600CE 1/2" Router



The GMF1600CE Combo is a universal router supplied with a single motor and 2 bases; fixed and plunge in one tool gives you the best of both worlds. The fixed base is perfect for repetitive and precise work or free hand intricate work, lockable switch on the fixed handle for table use. The centre of gravity is lower with handles closer to the work piece making the router easier to control. When inverted, there is provision for height adjustment from above by drilling a hole in the router table top. No tools are required to change the bases. The plunge base is for precise plunging or dowels, multi-pass cutting of channels and rebates. Amongst the finer features are powerful 1,600W motor with Constant Electronic power booster, Soft start and variable speed, simple cutter change with the motor unit removed from the base, LEDs light the cutter and work. Fine depth adjustment system gives outstanding precision. Lightweight, robust compact aluminium housing.

**Supplied with a robust L-Boxx case, side fence with fine adjuster and a range of accessories including dust extraction cowls for the fence and fixed base.**

**BOSCH**  
3 year  
Warranty  
Registration reqd.

|                                  | Inc.vat | Ex.vat  | Code   |
|----------------------------------|---------|---------|--------|
| GMF 1600CE Router - 230V         | £414.95 | £345.79 | 950897 |
| Additional Side Fence for Router | £59.94  | £49.95  | 447252 |

**DEWALT**

## DeWalt DW625EK 1/2" Router

This 2,000W router is solid, reliable and a pleasure to use. With its die-cast aluminium housing and twin columns, the plunging action is smooth and accurate. Constant electronic variable speed means the selected speed is maintained under load and a fine finish is achievable in a wide variety of materials. The soft start feature eliminates any small initial movement on start-up. The depth stop has a magnified scale, plus a 3 stage turret enables staged routing to full depth without time consuming re-setting. A precision hardened and ground collet grips the cutter ensuring that it is held true and eliminating vibration. The spindle-lock mechanism makes changing cutters quick and easy. **Supplied complete with 1/4" and 1/2" collets, guide bush, micrometer adjustable side fence, dust extraction outlet and carrying case.**



|                     | Inc.vat | Ex.vat  | Code   |
|---------------------|---------|---------|--------|
| DW625EK Router 230V | £264.95 | £220.79 | 610735 |
| DW625EK Router 110V | £264.95 | £220.79 | 610736 |
| 1/4" Collet         | £26.95  | £22.46  | 410260 |
| 1/2" Collet         | £27.46  | £22.88  | 410265 |
| 8mm Collet          | £20.95  | £17.46  | 410261 |

| GKF600     | D26204K                                 | T11         | GMF1600CE                               | DW625EK         |
|------------|-----------------------------------------|-------------|-----------------------------------------|-----------------|
| Industrial | Industrial                              | Industrial  | Industrial                              | Industrial      |
| 600W       | 900W                                    | 2,000W      | 1,600W                                  | 2,000W          |
| 33,000rpm  | 16,000-27,000rpm                        | 8-20,000rpm | 10,000-25,000rpm                        | 8,000-20,000rpm |
| 1/4"       | 1/4"                                    | 1/2"        | 1/4" & 1/2"                             | 1/2" and 1/4"   |
| -          | 55mm for both bases                     | 0 - 80mm    | 46mm                                    | 80mm            |
| Yes        | Yes on fixed base                       | Yes         | Yes                                     | Optional extra  |
| -          | Yes                                     | Yes         | Yes                                     | Yes             |
| Yes        | Yes                                     | Yes         | Yes                                     | Yes             |
| 1.5kg      | 2.9kg (plunge base), 1.9kg (fixed base) | 6.3kg       | 4.5kg (plunge base), 3.7kg (fixed base) | 5.1kg           |

# Routers



FESTOOL



Shown with optional trammel unit Unique handle allows easy one hand operation

## Festool OF 1010 EBQ-Plus Router

Made to Festool's fabled high quality design and manufacturing standards, this router offers easier safer operation, along with the power and accuracy to perform a wide range of precision routing applications. The OF 1010 EBQ-Plus is ideal for all jointing, grooving and decorative moulding as well as fine inlay and trimming operations.

Supplied with 1/4" and 8mm collets, side fence, collet spanner, guide rail adaptor, chip deflector, 3 year warranty, which needs to be registered, and a Festool SYSTAINER® T-LOC storage case.

Also available with an 800mm Festool guide rail for straight panel cutting and grooving applications, eliminating the need for additional clamps or guide battens.

FESTOOL  
3 year  
Warranty  
Registration req'd



|                                     | Inc.vat | Ex.vat  | Code   |
|-------------------------------------|---------|---------|--------|
| 1010EBQ Router 230V                 | £339.95 | £283.29 | 143022 |
| 1010EBQ Router c/w 800mm Guide Rail | £369.95 | £308.29 | 719689 |
| 10.8mm OD G/Bush                    | £7.94   | £6.62   | 486029 |
| 13.8mm OD G/Bush                    | £7.94   | £6.62   | 484176 |
| 24mm OD G/Bush                      | £7.94   | £6.62   | 486031 |
| 30mm OD G/Bush                      | £7.94   | £6.62   | 486033 |
| 40mm OD G/Bush                      | £7.94   | £6.62   | 486034 |
| Parallel Fence Fine Adjuster        | £23.94  | £19.95  | 483358 |
| 1/4" Collet                         | £32.94  | £27.45  | 483356 |
| Extraction Hose D27 x 3.5m          | £56.45  | £47.04  | 452877 |
| Trammel Unit 153mm-760mm            | £16.25  | £13.54  | 483922 |
| Guide Rail 800mm                    | £44.94  | £37.45  | 491499 |
| Guide Rail 2,700mm                  | £199.94 | £166.62 | 930862 |
| Guide Rail 3,000mm                  | £214.94 | £179.12 | 930820 |
| Clamp Set (Pkt 2)                   | £28.94  | £24.12  | 489570 |



FESTOOL



Tool less changing of copy rings Precise depth adjuster, play free with zero function Central clamp, with a single rotary knob

## Festool OF 1400 EBQ-Plus 1/2" Router

Maintaining the high quality synonymous with Festool, the OF 1400 EBQ-Plus is a rugged, precision router suited to all joinery, cabinet making, plastic and aluminium fabrication as well as all other routing applications. Ergonomically designed for easy, safe and comfortable handling, the 1,400W motor is controlled by MMC electronics incorporating variable speed, soft start and electronic braking. Rocker/ratchet spindle; no need to remove spanner when changing cutter.

Supplied with 1/4" and 1/2" collets, side fence with fine adjuster, collet spanner, 30mm guide bush, T-LOC SYSTAINER® stacking storage case.

FESTOOL  
3 year  
Warranty  
Registration req'd

|                                 | Inc.vat | Ex.vat  | Code   |
|---------------------------------|---------|---------|--------|
| OF1400EBQ-Plus Router 230V      | £469.94 | £391.62 | 333081 |
| OF1400EBQ-Plus Router 110V      | £469.94 | £391.62 | 950778 |
| 1/4" Collet                     | £38.94  | £32.45  | 100604 |
| 8mm Collet                      | £38.94  | £32.45  | 100605 |
| Threaded Guide Bush Adaptor     | £17.45  | £14.54  | 493566 |
| 24mm O/D Guide Bush             | £13.44  | £11.20  | 100606 |
| 30mm O/D Guide Bush             | £13.44  | £11.20  | 100608 |
| 40mm O/D Guide Bush             | £13.44  | £11.20  | 100609 |
| 13.8mm O/D Guide Bush           | £13.44  | £11.20  | 100610 |
| 17mm O/D Guide Bush             | £13.25  | £11.04  | 100611 |
| Base Aperture Reducer           | £21.95  | £18.29  | 100612 |
| Rail Adaptor for OF 1400 Router | £44.94  | £37.45  | 100613 |



FESTOOL

## Festool OF 2200 EB-Plus 1/2" Router

Features include enormous cutter depth range of 80mm, quick height adjustment and an exact fine adjuster in 1/10mm steps with a zero function. Fine adjuster can also be locked to the base allowing easy base adjustment to the cutter. Once set the lock on the handle clamps to both columns simultaneously for total accuracy. The innovative dust extraction system ensures that a very high level of waste is removed with a combination of extraction ring, chip catcher and exhaust adaptor. The extraction ring is cleverly controlled from the handle to allow you to view the cutter for position, then lowered for extraction. The spindle lock has a rocker and ratchet system for fast cutter changing and the base can be changed without tools. When used with a guide fence or a guide rail the rods are offset at 30° to the machine for safer, easier, guiding and working.

Supplied with 1/2" collet, 30mm guide bush and chip deflector in a Festool SYSTAINER® storage case, or as a package with the accessory kit (702452). This comprises of four base plates, parallel side fence with fine adjustment, extraction hood, two guide rods, 17mm, 24mm, 27mm and 40mm guide bushes and a guide rail adaptor, supplied in their own T-LOC SYSTAINER® case.

Please note 110V is supplied without a plug.



Router shown fitted to optional guide rail

FESTOOL  
3 year  
Warranty  
Registration req'd

|                                     | Inc.vat | Ex.vat  | Code   |
|-------------------------------------|---------|---------|--------|
| OF 2200 Router 230V                 | £649.94 | £541.62 | 702448 |
| OF 2200 Router 110V                 | £649.94 | £541.62 | 702449 |
| OF 2200 Router & Accessory Kit 230V | £889.94 | £741.62 | 719998 |
| OF 2200 Router & Accessory Kit 110V | £889.94 | £741.62 | 719999 |

### Comparison Chart - Festool Routers

|                      | OF 1010 EBQ-Plus | OF 1400 EBQ-Plus | OF 2200EB-Plus     |
|----------------------|------------------|------------------|--------------------|
| Model                | OF 1010 EBQ-Plus | OF 1400 EBQ-Plus | OF 2200EB-Plus     |
| Rating               | Industrial       | Industrial       | Industrial         |
| Power                | 1,010W           | 1,400W           | 2,200W             |
| Speed                | 10,000-24,000rpm | 10,000-22,500rpm | 10,000 - 22,000rpm |
| Collets Supplied     | 1/4" & 8mm       | 1/4" - 1/2"      | 1/2"               |
| Plunge Stroke        | 55mm             | 70mm             | 80mm               |
| Fine Height Adjuster | Yes              | Yes              | Yes                |
| Fine Fence Adjuster  | Optional Extra   | Yes              | No                 |
| Spindle Lock         | Yes              | Yes              | Yes                |
| Weight               | 2.7kg            | 4.5kg            | 7.8kg              |

FESTOOL



## Festool OF 2200 Router Accessory Kit

A SYSTAINER T-LOC storage case and a whole kit of accessories packed inside for the Festool OF 2200 router, the set includes 4 baseplates, parallel side fence with fine adjustment, extraction hood, 2 guide rods, 17mm, 24mm, 27mm and 40mm guide bushes and guide rail adaptor.

**FESTOOL**  
3 year  
Warranty  
Registration reqd

|                      | Inc.vat | Ex.vat  | Code   |
|----------------------|---------|---------|--------|
| Router Accessory Kit | £269.94 | £224.95 | 702452 |

FESTOOL



## Festool Modular CMS-OF Router Insert & Fence

The CMS-OF Router Insert is one of a range of modules offered by Festool for the fitting of their power tools into their basic CMS unit. When fitted into this base unit, it provides the user with a router table of outstanding quality and precision. Designed to take the Festool OF1010, the OF1400 and the OF 2200, it offers the user some excellent features. Taking up just 0.5m<sup>2</sup> of floor space makes this system perfect for situations where space is limited. It comes complete with a router stop, router guard, press down fixture and assembly lugs.

**FESTOOL**  
3 year  
Warranty  
Registration reqd




|                        | Inc.vat | Ex.vat  | Code   |
|------------------------|---------|---------|--------|
| Router Insert - CMS-OF | £459.95 | £383.29 | 702779 |

## Festool FS Guide Rail & Accessories


The combination of a Festool router and the Festool Guide Rail creates a superb system for routing long straight mouldings and joints.

**Guide rails** have two neoprene strips on the underside which hug the surface of the material, reducing slippage.



Guide rails

**Splinter guard** minimises splintering on the top surface of the board. This strip is cut by the saw blade on the first cut and thereafter supports the upper face of the material whilst it is being cut.



Splinter guard

**Slideway lining** for top of guide rail. Ensures smooth and easy guidance, preventing the machine from catching or stopping. 10 metre length.



Slideway lining

**Cushion strip** self-adhesive cushion strip for under guide rails. 10 metre length.



Cushion strip

**Clamp set** for securing the rail to the board.



Clamp set

**Joining bar** which will enable two lengths to be accurately joined together to form one long length. (Joining bars are supplied singly, two are recommended to join rails).



Joining bar

**Ratchet clamp** fast and easy this is a quick set clamp.



Ratchet clamp

**Cable deflector** prevents cables and extraction hose catching on the rail end.



Cable deflector

**Carry case** for rails up to 1.4m with shoulder strap.



Carry case

**GECKO Suction Set** is a quick lock dual suction clamp supplied with a rail adaptor, use instead of rail clamps.



GECKO suction set. (rail not included)

## Festool CMS Compact Modular Systems

Festool tools are all about a system, making life a lot easier for the user. This CMS modular system has so many possibilities making your portable tools bench top so able to do even more. The key to the system is its portability, storage and versatility. The Compact Modular System starts with the base unit and you

then add the insert that you require to hold your portable tool. Inserts are available for circular saws, routers, jigsaws and belt sanders. Further accessories are also available to extend the table, extract or guide.



## Festool Compact Modular System (CMS-GE) Basic Unit

The Basic Unit forms the base of the Compact Modular System (CMS) and provides a sturdy frame for all modules in the Festool range to fit into. The base unit is made of aluminium and magnesium, making it very light at 10.8kg and stable whilst being robust and very portable. The table has a no-volt-release switch fitted with a socket to plug the power tool into, ensuring maximum safety, control and ease of use. The legs fold for use on a bench and for transport. The feet have rubber caps and one is adjustable for uneven floors. Available for the 110V and 230V versions. Please refer to Routing Section for router insert.

**FESTOOL**  
3 year  
Warranty  
Registration reqd

**230V**  
or  
**110V**

|                         | Inc.vat | Ex.vat  | Code   |
|-------------------------|---------|---------|--------|
| Base Unit (CMS-GE) 230V | £409.94 | £341.62 | 561261 |
| Base Unit (CMS-GE) 110V | £404.94 | £337.45 | 931682 |



|                                       | Inc.vat | Ex.vat | Code   |
|---------------------------------------|---------|--------|--------|
| Guide Rail 800mm                      | £44.94  | £37.45 | 491499 |
| Guide Rail 1,400mm                    | £64.94  | £54.12 | 491498 |
| Joiner Bar (each)                     | £12.95  | £10.79 | 482107 |
| Carrying Bag for 800mm and 1.4m Rails | £49.94  | £41.62 | 466357 |
| Clamp Set (Pkt 2)                     | £28.94  | £24.12 | 489570 |
| Steel Ratchet Lever Clamp             | £39.95  | £33.29 | 491594 |
| Cable Deflector                       | £15.44  | £12.87 | 489022 |
| Splinter Guard 1,400mm                | £8.45   | £7.04  | 483164 |
| Clear Splinter Guard 5000mm           | £20.94  | £17.45 | 931328 |
| Adhesive Rail Cushion Strip 1000mm    | £14.75  | £12.29 | 211238 |
| Suction Set                           | £64.94  | £54.12 | 493507 |
| Kick Back Stop                        | £12.44  | £10.37 | 491582 |

# Laminate Trimmers



**BOSCH**

Kit supplied with the GKF600 Router, 3 bases (133mm round, extension with handle and tilting), side fence, roller guide, insulation cover and collect spanner

## Bosch GKF 600 Palm Router Kit

**BOSCH**  
3 year  
Warranty  
Registration req'd

Online  
VIDEO  
available



The parallel side fence guides the router along an edge. Ideal for rebating and grooving, 160mm in length

Tilting base adds a unique feature to this router. Angled cuts can be achieved without the need for many different cutters

The clear extended base gives increased stability whilst working on an edge or larger areas. It is also fitted with a dust extraction outlet

A true gem of a tool, this has to be one of the best small routers on the market, perfectly formed, adding huge potential to your tool kit. We just love this tool.

Totally controllable for trimming, adding a decorative mould to edges or panel work, this is such a versatile router. Supplied with 3 additional bases: 95 x 84mm base, 133mm diameter round base and a unique tilting base as well as a parallel fence. All are easy to swap when required and give the machine more versatility. The compact design (overall size 94 x 190mm high) allows for single handed use if required and means it is also good for confined areas. All contained in a strong storage case to keep everything together.

Also available is a set of 4 small TCT cutters containing a 45° chamfer cutter, 3/16" radius ovolo and rounding over cutter, self guided trimming and a template profile cutter.



## Bosch TE 600 Plunge Base

Allows you to achieve precise routing

- Depth scale in metric and imperial
- Micro fine depth adjustment, 7-step turret depth stop
- Good cutter visibility, clear sub base opening of 54mm
- Maximum bit size of 44mm
- Motor body locks with quick clamp
- Smooth plunge action (max 55mm) with sprung lock lever
- Bosch parallel fence and rail adaptor can be fitted

|                                      | Inc.vat | Ex.vat  | Code   |
|--------------------------------------|---------|---------|--------|
| Palm Router Kit 230V                 | £144.95 | £120.79 | 702335 |
| Palm Router Kit 110V                 | £144.95 | £120.79 | 950704 |
| Router Kit & Cutter Set Package 230V | £179.95 | £149.96 | 719995 |
| Router Kit & Cutter Set Package 110V | £179.95 | £149.96 | 718677 |
| TE 600 Plunge Base                   | £69.95  | £58.29  | 503891 |
| Additional Side Fence for Router     | £59.94  | £49.95  | 447252 |
| Router Kit & Plunge Base 230V        | £209.95 | £174.96 | 717435 |
| Router Kit & Plunge Base 110V        | £209.95 | £174.96 | 717436 |

**Makita**



## Makita RT0700CX2 Router Trimmer

Compact router trimmer that combines one motor with different bases. This machine is great for a host of small routing and trimming tasks in the workshop or on site. The motor is fitted with variable speed control and has soft start. It can be quickly interchanged and locked into the required base. This kit comes complete with 3 bases: trimming, plunge and bevel base.

**Makita**  
3 year  
Warranty  
Registration req'd

**Plunge base** turns the machine into a plunge router with 2 solid grip handles, a height adjuster with fine adjustment and a stepped turret for repetitive depth setting. The side fence fits left or right and has a 130mm reach from centre, however, you may wish to add a wooden sub fence which would reduce this. Dust extraction outlet is also supplied with a 35mm outlet. Easy to control suitable for decorative edge working as well as small mortises and grooves.

**Trimming base** this small 90mm round base turns the machine into a trimmer for single handed use. Use with or without the height adjustable bearing guide for cutters without bearings, rolling on the curve for a fine cut. A 10mm template guide is supplied to fit this and the side fence can also be used for straight work. The dust guard has a 35mm outlet to attach an extractor hose if required.

**Bevel base** a small square 90mm base that can tilt and be locked at a required angle (45°-0°-30°), allows for more scope when profiling and jointing.

The machine is also supplied with 1/4" & 3/8" collet, 16mm & 10mm template guides, side fence, side grip handle (can replace right plunge base handle), 2 dust extraction shrouds, 13 and 22mm wrenches and tool bag.

|                                   | Inc.vat | Ex.vat  | Code   |
|-----------------------------------|---------|---------|--------|
| RT0700CX2 Router Trimmer Kit 230V | £214.94 | £179.12 | 501867 |

## More laminate trimmers available online...

[axminster.co.uk/laminatetrimmers](http://axminster.co.uk/laminatetrimmers)



**Lamello**

## Lamello Cantex Lipping Machine



|                             | Inc.vat   | Ex.vat    | Code   |
|-----------------------------|-----------|-----------|--------|
| Cantex MkII 230V            | £1,449.95 | £1,208.29 | 702777 |
| Set of 3 Replacement Blades | £27.44    | £22.87    | 131822 |

## Festool MFK 700 EQ-Set Edge Router

**FESTOOL**

Known as a module edge router by Festool, this is a very versatile tool with interchangeable bases to widen its uses and ensure very positive handling and accuracy. Just by handling this tool you will see the advantage of the bases being easily interchangeable, and how simple handling and guiding the cutter is, as well as the adjustability. The standard base can be used with or without the side fence. The motor being in the vertical position allows for a wide range of hand routing, guiding the router where needed. With the extended trimming base fitted, the motor is in a horizontal position. The cutter is then guided by the bearing assembly to give extremely accurate trimming of solid edges and laminates, with pressure applied exactly where needed. Extraction outlets are fitted on the bases as well as the fence for optimum extraction. The 720W motor has an electronic speed adjustment switch to ensure maximum power and speed selection depending on material and cutter. The motor also has a temperature monitor for long service life.

**FESTOOL**  
3 year  
Warranty  
Registration req'd

Supplied as a set in a SYSTAINER® T-LOC case with the following accessories: 1/4" and 8mm collets, parallel side fence with fine adjuster and extraction hood, 1.5° router table trimming base and bearing follower, tarnishing pad and extraction hood.

|                                  | Inc.vat | Ex.vat  | Code   |
|----------------------------------|---------|---------|--------|
| MFK 700 Trimmer 230V             | £424.94 | £354.12 | 211222 |
| 1/4" Collet                      | £32.94  | £27.45  | 483356 |
| Extraction Hose D27 x 3.5m       | £56.45  | £47.04  | 452877 |
| 19mm Straight cutter, 16mm depth | £35.45  | £29.54  | 211223 |
| Chamfer cutter 22°               | £37.44  | £31.20  | 211224 |
| Chamfer cutter 45°               | £41.94  | £34.95  | 211226 |



Using the roller guide assembly

## Makita 3708F Trimmer

This versatile little machine doubles as a small router for edge moulding, trimming and grooving or as a laminate trimmer complete with a tilting base for chamfer work. The combined guard and base unit is fitted with a height adjustment wheel to set the depth of cut and a quick action toggle clamp. The adjustable fence is used to set both the distance in from the edge of the work and the chamfer angle and has an integral handle for safe two-handed control. An edge follower roller guide is also supplied for trimming curves. An auxiliary side fence can be fitted to convert the machine into a small router for edge moulding, grooving and trimming applications. The machine is also fitted with a pair of high intensity light bulbs that illuminate the cutter and work piece.

**Makita**  
3 year  
Warranty  
Registration req'd

Supplied with tilting trimming fence, router cutter, adjustable routing fence, roller guide assembly, two collet spanners and 10mm guide bush.

|                    | Inc.vat | Ex.vat  | Code   |
|--------------------|---------|---------|--------|
| 3708F Trimmer 230V | £179.94 | £149.95 | 300248 |

### Comparison Chart - Laminate Trimmers


| Model                | GKF600     | 3708F      | RT0700CX2                  | MFK 700        |
|----------------------|------------|------------|----------------------------|----------------|
| Rating               | Industrial | Industrial | Industrial                 | Industrial     |
| Power                | 600W       | 440W       | 710W                       | 720W           |
| Speed                | 33,000rpm  | 35,000rpm  | 10,000-30,000rpm           | 10000-26000rpm |
| Collets Supplied     | 1/4"       | 1/4"       | 1/4"                       | 8mm            |
| Plunge Stroke        | -          | -          | Plunge 0-35mm, Trim 0-40mm |                |
| Fine Height Adjuster | Yes        | Yes        | On plunge base             | Yes            |
| Fine Fence Adjuster  | -          | Yes        | -                          | Yes            |
| Spindle Lock         | Yes        | -          | -                          | Yes            |
| Weight               | 1.5kg      | 1.2kg      | 1.8kg                      | 1.9kg          |



Clamp not supplied

## Axminster Universal Hinge Jig


To speed up the fitting of hinges, this simple device will soon pay for itself in the time saved when cutting the recesses. Using suitable guide bush cutter combinations, hinge recesses of 50mm, 75mm and 100mm can be routed quickly and accurately. Suggested combinations are 26mm guide bush used with a 20mm cutter for 100mm or 50mm hinges; 40mm guide bush with a 9mm cutter for 75mm or 25mm hinges. Just take out the waste from the corners with our Axminster corner chisel 340437 and your hinges will drop in nicely. Concealed cabinet hinges can also be fitted by using a 24mm guide bush with a 12mm cutter giving a 35mm hole and a 30mm guide bush with a 9mm cutter giving a 26mm hole. Full instructions supplied with jig.



| Hinge Length | Guide bush dia. | Cutter dia. | Template  |
|--------------|-----------------|-------------|-----------|
| 100mm        | 26mm            | 20mm        | 106mm     |
| 75mm         | 40mm            | 9mm         | 106mm     |
| 50mm         | 26mm            | 20mm        | 50mm      |
| 25mm         | 40mm            | 9mm         | 50mm      |
| 35mm dia.    | 24mm            | 12mm        | 40mm dia. |
| 26mm dia.    | 30mm            | 9mm         | 40mm dia. |

|                        | Inc.vat | Ex.vat | Code   |
|------------------------|---------|--------|--------|
| ASHJ100/50 Hinge Jig   | £33.95  | £28.29 | 100714 |
| Set of 12 Guide Bushes | £19.94  | £16.62 | 340936 |

## ProGrip Hinge Mate Morticing System



The Hinge Mate Morticing Jig, based on the very popular ProGrip clamping system, offers a secure and accurate method of routing out a variety of recesses, including those for butt hinges, locks, lock plates, stopped housings and mortices. The jig consists of two cam clamping arms, a cross bar and an adjustable stop and, once assembled, can be quickly set up to rout a wide range of recess sizes. Although bearing-guided trimming cutters can be used, we recommend the use of a suitable guide bush and straight cutter. Full instructions on setting the jig and on the choice of cutter and guide bush are included.

|                  | Inc.vat | Ex.vat | Code   |
|------------------|---------|--------|--------|
| Morticing System | £55.94  | £46.62 | 200204 |

## The Corner Chisel

Tools do not get any simpler than this one. A high quality tungsten steel corner chisel is sharpened in-cannel fashion and held into a spring-loaded steel bodied jig. Absolutely perfect for knocking the rounded corners out of a routed hinge recess; simply place the chisel into the rounded corner, hit once with a hammer or mallet and then pare out the waste for a perfect cut every time!



|               | Inc.vat | Ex.vat | Code   |
|---------------|---------|--------|--------|
| Corner Chisel | £6.74   | £5.62  | 340437 |



trend

## Trend 2 Piece Hinge Jig Set A

Easy to use with minimal set up this two piece hinge jig allows you to produce clean and accurate hinge recesses in both the door and frame, with a high degree of accuracy, with the use of a router. On site or in the workshop, it takes away the need for conventional marking out.

The template is for door sizes up to 2,100mm in height, (with a minimum thickness of 16mm). Fitted with four apertures it will even cope with fire door requirements; the same template being used for door and frame without the need for any adjustment. Fit the router with the supplied 16mm guide bush; a 12mm diameter long reach cutter is available separately. Adjustable blocks positioned within the apertures allow for variations to both hinge position and hinge length. Stops locate the jig on an edge to give the recess width, and a swivel plate on the top of the jig is used to position the jig and give a set 2mm spacing between the door and the head of the frame. After routing, the recess is simply squared off by hand or with a corner chisel. Suitable for hinges 67mm (2.5/8") to 125mm (5") long, 9.5mm (3/8") to 35mm (1.3/8") wide and for doors 16mm (5/8") to 38mm (1.3/4") thick. The jig is designed for use with 1/4" shank routers due to their compact size. The 16mm guide bush will fit a large range of routers, however some may require a universal base. **Supplied with four apertures, Bradawl with spacers, 16mm guide bush (universal base maybe required), T-handle hex key, 4mm spacing gauge and fabric storage case.**

|                    | Inc.vat | Ex.vat  | Code   |
|--------------------|---------|---------|--------|
| Two Part Hinge Jig | £224.94 | £187.45 | 501664 |
| Long Reach Cutter  | £24.95  | £20.79  | 300276 |



trend

## Trend Door Lock Jig

The Door Lock Jig uses a set of interchangeable templates to produce the mortice and faceplate recesses for all popular sizes of door lock with up to 3" deep mortices and 1" wide faceplates. Deeper mortices can be achieved with a suitable size of auger bit. Also suits the faceplate on a 1" mortice latch. The jig requires a router fitted with a 30mm guide bush and 12mm diameter long reach cutter. If deep mortices are to be cut then the use of a 1/2" shank router is recommended. Comes with a range of templates to suit most popular locks and latches, also a chart for the selection of the correct template.

|                          | Inc.vat | Ex.vat | Code   |
|--------------------------|---------|--------|--------|
| Door Lock Jig            | £99.95  | £83.29 | 600188 |
| 1/4" Cutter 12mm x 70mm  | £22.94  | £19.12 | 910103 |
| 1/2" Cutter 12mm x 115mm | £29.94  | £24.95 | 910104 |



Guide bush not included



## UJK Techology Universal Sub-Base

Some routers can be difficult to match up with suitable guide bushes and a universal sub-base can be the only solution. A round base can be preferable in many circumstances too. The UJK technology sub-base is precision machined from aluminium and fitted with a low friction surface for ease of use. It is designed to accept standard Axminster or Trend style guide bushes and holes for these are drilled with an M4 thread. It is also designed for mounting to a very wide range of different routers including Bosch, Makita, Elu, Dewalt, Festool, Trend, Ryobi and Hitachi models to name a few and a fixing kit is included to cover a variety of thread types. 176mm diameter x 7mm thickness.

|                    | Inc.vat | Ex.vat | Code   |
|--------------------|---------|--------|--------|
| Aluminium Sub-Base | £24.95  | £20.79 | 718650 |

## Axminster Staircase Jig

For producing closed tread and open tread staircases, this professional jig is easy to set up using the integral, reversible setting bar. Supplied with a universal sub-base and four radius bushes (in two sets) to achieve the correct router offset. Suitable cutters are available separately (16mm diameter for 22mm and 25.4mm tread thickness and 22mm diameter for 28.1mm and 32mm tread. The jig is simply located using your own G clamps. Full instructions supplied.



|               | Inc.vat | Ex.vat | Code   |
|---------------|---------|--------|--------|
| Staircase Jig | £95.94  | £79.95 | 910198 |



## Trend 'A' Staircase Jig

This jig is an invaluable aid for routing out housings for treads and risers on closed staircases. It is designed for use with any 1/2" shank heavy duty router fitted with a 30mm diameter guide bush, it has a reversible fence for exact pairing of the stair strings. Supplied complete with spanners, lock nuts and full instructions. Staircase jigs are a well proven means of routing out stair housings quickly and accurately, they can easily pay for themselves in the speed of production and quality of the end result. Suitable Axcaliber cutters are available for this jig as follows: 22mm tread thickness select 14mm diameter cutter, 25.4mm select 16mm diameter, 28.1mm select 19mm diameter and 32mm select 22mm diameter.

|               | Inc.vat | Ex.vat  | Code   |
|---------------|---------|---------|--------|
| Staircase Jig | £159.95 | £133.29 | 900225 |



## Axcaliber Dovetail Cutters for Stair Jigs - 1/2" (12.7mm)

A choice of cutters for Staircase Jigs to suit various string and tread thicknesses. The cutters are dovetailed at an angle of 5° resulting in tight fitting joints between the treads/risers and strings when assembled and wedged. Select the diameter of cutter to suit your tread thickness and stair jig.



|                      | Inc.vat | Ex.vat | Code   |
|----------------------|---------|--------|--------|
| Cutter 14mm diameter | £11.45  | £9.54  | 666073 |
| Cutter 16mm diameter | £12.44  | £10.37 | 666072 |
| Cutter 19mm diameter | £13.44  | £11.20 | 666071 |
| Cutter 22mm diameter | £14.45  | £12.04 | 666070 |

# Mortice & Tenon Jigs

**trend**

## Trend Varijig Adjustable Frame System



Fully adjustable frame for rectangles and squares, use as a guide for the router. Cut recesses, grooves and slots, suitable for creating panels, great for making kitchen doors. The kit contains four lengths of 700mm extrusion with dual metric/imperial scales. The working area is 600 x 600mm. Frame can be easily adjusted using the clamp screws. Standard clamps can be used to clamp to your work piece. Use guide bush with a minimum 8mm spigot (not supplied). Supplied with anti-tilt shoe, fixing screws and 4 x corner brackets.


|                      | Inc.vat | Ex.vat | Code   |
|----------------------|---------|--------|--------|
| Varijig Frame System | £74.94  | £62.45 | 501663 |

## Trend Mortice & Tenon Jig



This innovative jig enables quick and accurate mortice and tenon joints to be cut with any router. Variations in joint width are achieved by using different guide bush and cutter combinations, while a two-piece template can be adjusted to establish the length. The jig is supplied with a setting bar, a set of plastic guide bushes and full instructions. Rigid construction and accurate cutter control ensures precise well-fitting round ended, square, angle and compound angle, mortice and tenon joints for chairs, tables and many other applications. Cutters are required, a 5/8" diameter straight two flute cutter for forming the tenons and the relevant diameter two flute cutter equal to the required mortice width (e.g. a 3/8" cutter for routing a 3/8" mortice). Standard 60mm flange diameter metal guide bushes can be purchased separately and used as alternatives to the plastic guide bushes supplied with the jig (not exchangeable).

|                            | Inc.vat | Ex.vat  | Code   |
|----------------------------|---------|---------|--------|
| Mortice & Tenon Jig        | £209.94 | £174.95 | 610106 |
| Axcaliber Cutter D=1/4"    | £9.95   | £8.29   | 666123 |
| Axcaliber Cutter D=5/16"   | £10.44  | £8.70   | 666125 |
| Axcaliber Cutter D=3/8"    | £10.94  | £9.12   | 666127 |
| Axcaliber Cutter D=1/2"    | £11.45  | £9.54   | 666131 |
| Axcaliber Cutter D=5/8"    | £17.45  | £14.54  | 341159 |
| Set of 5 Axcaliber Cutters | £54.95  | £45.79  | 718416 |



Clamp not included

## Axminster Slot Cutting Jig

This simple slot cutting jig can be used with any router fitted with a 30mm guide bush to cut slots, mortices, etc. It is designed to be simple to set up and quick to position and secure, particularly when machining a batch of similar size components. In use, the router is positioned on the template face with the guide bush engaged in the slot, ensuring that the cut is both vertical and accurate in width. N.B. The thickness of the template is 5.75mm and some guide bushes may need to be modified if too long. Also included as standard is a cross fence for use when cutting cross housings etc. Clamp not included.

|                    | Inc.vat | Ex.vat | Code   |
|--------------------|---------|--------|--------|
| Slot Cutting Jig   | £49.94  | £41.62 | 100792 |
| Aluminium Sub-Base | £24.95  | £20.79 | 718650 |
| 30mm OD Guide Bush | £2.75   | £2.29  | 340934 |

# Leigh Mortice & Tenon Jigs

**LEIGH**

**5**  
WARRANTY  
YEAR

## Leigh FMT Pro Mortice & Tenon Jig



The Leigh FMT Pro is an outstanding product with superb build quality. No other jig or method can match the ease, versatility and absolute precision of this jig. It brings the possibility of professional quality mortice and tenon joints to any workshop and any woodworker. Mortice and tenon joints routed on the FMT are immensely strong and virtually indestructible. This centuries-old joint is the thoroughbred of all woodworking joints and is used in fine furniture and cabinetmaking everywhere. Bench mounted, the FMT takes up little room in the workshop and is always readily available for use with little setting up. Many makes of router can be fitted to the Leigh FMT jig using the router's side fence rod clamps. This system allows the router to be quickly fitted to or removed from the jig, no need for a dedicated router. N.B. The FMT is available in both imperial and metric versions and all optional guide sets are compatible with the FMT and Super FMT models

### Features

- Over 70 sizes of mortices and tenons
- Standard joint guides available in 1/4", (5/16" included with jig), 3/8" and 1/2"
- Maximum 1/2" x 5" joint size
- Double, triple and quadruple joints
- Easily recorded, repeatable joint tightness adjustment
- Angled and compound angled joints
- Works with virtually any plunge router




Online VIDEO available

### Standard Equipment (Imperial version)

- Universal sub-base that attaches to virtually any plunge router
- Five 5/16" joint guides (5/16" by 1/2", 3/4", 1", 1 1/4" and 1 1/2"), which can make over 21 sizes of mortices and tenons
- Joint guide stand
- 5/16" HSS spiral upcut bit with 1/2" shank
- Two cam-action speed clamps
- Adjustable sidestop fence for tenoning
- Two outrigger bars
- Screwdrivers and mounting hardware
- Illustrated user guide

|                                        | Inc.vat | Ex.vat  | Code   |
|----------------------------------------|---------|---------|--------|
| Mortice & Tenon Jig - Metric FMT       | £899.94 | £749.95 | 100777 |
| Optional Guide Sets - 6, 10 & 12mm     | £79.94  | £66.62  | 474684 |
| Mortice & Tenon Jig - Imperial         | £899.94 | £749.95 | 210505 |
| Optional Guide Sets - 1/4"/3/8" & 1/2" | £69.95  | £58.29  | 100782 |



## Leigh Super FMT Mortice & Tenon Jig

The Super FMT which can produce exactly the same joints as the original version but at a fraction of the cost. It is supported by all the same guides and accessories that are available for the FMT and it has the same capability and capacity. The cost has been kept low by using steel instead of aluminium in the manufacture of this model and F clamps. The accuracy and quality have not been compromised on this very affordable jig and you will be impressed by the excellent range of joints it produces.

The optional vacuum box (211377) which, when used with a suitable extractor, helps to keep airborne dust to a minimum in the workshop.

### Simplicity is the Key

The Leigh FMT and Super FMT use just one bit, one guide and one set-up for every standard joint. It's that easy. There are no



Angled joints easily accomplished

bit or guide changes to fuss with and the set-up stays the same for both parts of the joint. Joint fit is easily adjusted for perfect results every time. FMT guides and bits allow you to create any size mortice and tenon from a tiny 1/16" x 1/8" to a massive 1/2" x 5"

### Standard Equipment

- Universal sub-base that attaches to virtually any plunge router
- Six standard joint guides 8mm x 15mm, 20mm, 25mm, 30mm, 35mm, 40mm
- Joint guide stand
- Leigh 170-500 5/16" HSS spiral upcut bit 1/2" shank

|                                        | Inc.vat | Ex.vat  | Code   |
|----------------------------------------|---------|---------|--------|
| Super Mortice & Tenon Jig - Metric     | £429.95 | £358.29 | 211376 |
| Optional Vacuum Box                    | £42.44  | £35.37  | 211377 |
| Set of four Square Tenon Guides        | £59.94  | £49.95  | 474713 |
| Louvre Door Guides (FMT and Super FMT) | £39.95  | £33.29  | 475070 |
| Y-Axis Mortice Guide                   | £24.44  | £20.37  | 475611 |
| Additional Clamps for Super FMT        | £22.25  | £18.54  | 951101 |



## Leigh D4R Pro Dovetail Jig


**D4R Pro**  
for joints with  
the classic  
hand-cut look



Shown with  
optional VRS



The best way to  
see how easy Leigh  
dovetailing is!



Through Dovetails




Half-blind Dovetails



Sliding Dovetails



Single Pass



Finger Joints



Isoloc Joints  
(with optional template)

## The Ultimate award winning dovetail jig from Leigh

The ultimate dovetailing jig with a full 24"(600mm) capacity, the Leigh D4R Pro easily produces through dovetails, half-blind, end to end and sliding dovetails with infinite adjustment of pins and tail widths, single pass half-blind dovetails and two sizes of box joints straight out of the box. A precision extruded aluminium body, with non-marring textured clamping surfaces and machined-in side stops adds rigidity and accuracy. Supplied with three robust 8mm diameter shank cutters for chatter free routing; the e7 elliptical guide bush which fits many routers; some routers may require a different guide bush and/or adaptor. Very full specification includes 8" and 14" dovetail cutters, 5/16" diameter straight cutter, comprehensive user guide, instructional DVD, cam action material clamps and guide bars for cutting sliding dovetails.

|                              | Inc.vat | Ex.vat  | Code   |
|------------------------------|---------|---------|--------|
| D4RM Metric Dovetail Jig     | £499.94 | £416.62 | 200690 |
| D4R Imperial Dovetail Jig    | £499.94 | £416.62 | 952572 |
| D4RM + 710 adaptor           |         |         |        |
| fits MOF 96, 96E, DW615(UK)  | £489.95 | £408.29 | 717378 |
| D4RM + 702R adaptor          |         |         |        |
| fits DW625EK MOF177E CMT2000 | £494.95 | £412.46 | 717379 |

## Leigh VRS Vacuum & Router Support

### Dust free Leigh Jig routing is here!

Easier dovetailing with a safer, cleaner workshop.

#### Features:


- Full width router support
- Park the router when not in use
- Vacuum box glides effortlessly under router support beam
- Control arms position vacuum box
- Control arms adjust to any router
- Easy On Easy Off
- Adapt to any hose size
- Powerful rare earth magnets secure router support beam
- No hoses to obstruct view
- No jig modifications necessary
- Models for all Leigh jigs
- All mounting hardware included

#### Standard Equipment:

- Router Support Beam
- Vacuum chute
- Hose adaptor small
- Hose adaptor large
- Support rails
- Screws and washers
- Hex key
- Finger assembly support brackets where required



Park the router while you change the board. VRS stays in place.



Highly efficient dust collection

## Leigh VRS Vacuum Router Support & Cutter Bit Set

This is the very best value with your Leigh Jig. Super Jig Kit contains VRS and 1607-8 Cutter Set, D4R Kit contains VRD524 and 2411-8 Cutter Set.

|                                      | Inc.vat | Ex.vat | Code   |
|--------------------------------------|---------|--------|--------|
| Vacuum & Router Support for Super 12 | £61.96  | £51.63 | 701484 |
| Vacuum & Router Support for Super 18 | £69.50  | £57.92 | 701485 |
| Vacuum & Router Support for Super 24 | £69.50  | £57.92 | 701486 |
| For D4R, D4RM                        | £77.50  | £64.58 | 701487 |

|                  | Inc.vat | Ex.vat  | Code   |
|------------------|---------|---------|--------|
| Kit for Super 12 | £159.95 | £133.29 | 701481 |
| Kit for Super 18 | £168.95 | £140.79 | 701482 |
| Kit for Super 24 | £168.95 | £140.79 | 701483 |
| Kit for D4RM Jig | £224.94 | £187.45 | 701499 |



## Leigh Dovetail Jig Cutter Sets

The larger cross section (58% more mass) of 8mm shank bits makes them considerably stronger than 1/4" shank bits, resulting in smoother, faster cuts with less chatter and greater safety.

Three sets are available:

7 piece set suitable for Super Jigs containing Leigh cutters 50-8, 60-8, 70-8, 75-8, 101-8, 112-8 and 128-8.

12 piece set contains all the cutters in the 7 piece set plus Leigh cutters 90,100, 150,160 and a 1/2" - 8mm reduction sleeve (172-8).


16 piece set contains the cutters included in the 12 piece set plus Leigh cutters 80-8,120-8,140-8, and two 1/2" - 8mm reduction sleeves(172-8). N.B.12 and 16 piece sets include 1/2"(12.7mm) shank cutters not suitable for use with the Leigh Super jigs.

|                                  | Inc.vat | Ex.vat  | Code   |
|----------------------------------|---------|---------|--------|
| 7 Piece Router Bit Set 8mm Shank | £107.94 | £89.95  | 701475 |
| 12 Piece Router Bit Set          | £159.95 | £133.29 | 701474 |
| 16 Piece Router Bit Set          | £199.96 | £166.63 | 300382 |





Shown with optional VRS




Precise easy-to-read scales



Rugged Cam-action clamps



Under cut side stops for rabbeted drawer fronts



Non-slip material on both clamping surfaces



Sliding dovetails made easy



Rout pins and tails in one pass

## Leigh Dovetail Super Jigs

- Infinitely adjustable guide fingers
- Non slip clamping surface
- Variably spaced through and half blind dovetails
- 5/16" & 5/8" box joints
- Easy to read scales in metric or imperial
- Includes three 8mm shank cutters 80-8, 120-8 and 140-8

|                                        | Inc.vat | Ex.vat  | Code   |
|----------------------------------------|---------|---------|--------|
| Super 12 (Imperial)                    | £269.94 | £224.95 | 701478 |
| Super 18 (Imperial)                    | £349.94 | £291.62 | 701479 |
| Super 24 (Imperial)                    | £409.94 | £341.62 | 701480 |
| Super 12 (Metric)                      | £269.94 | £224.95 | 952569 |
| Super 18 (Metric)                      | £349.94 | £291.62 | 952570 |
| Super 24 (Metric)                      | £409.94 | £341.62 | 952571 |
| 7 Piece Router Bit Set 8mm Shank       | £107.94 | £89.95  | 701475 |
| Replacement Elliptical Guide Bush (e7) | £10.94  | £9.12   | 478260 |

## Make your Leigh Jig even more versatile Leigh Multiple Mortice & Tenon Attachment



The layout and cutting of multiple mortice and tenon joints demands such a high level of time-consuming care and craftsmanship that these striking joints are usually found only in the most sophisticated handmade furniture. The Leigh Multiple Mortice and Tenon Attachment brings this previously challenging joint within easy reach of any woodworker who owns a 24" D-series Dovetail Jig and a plunge router with a 1/2" collet!

The M2 brings you two additional unique capabilities as well. Multiple mortice and tenon joints are closely related to finger joints and the M2 can be used as a finger joint jig for producing large scale, variably spaced finger joints from 5/8" wide and larger, in timber up to 1.1/8" thick.

|                                     | Inc.vat | Ex.vat  | Code   |
|-------------------------------------|---------|---------|--------|
| Multiple Mortice & Tenon Attachment | £269.94 | £224.95 | 474191 |
| Guidebush 17.1mm                    | £16.44  | £13.70  | 476145 |



## Leigh F3 Finger Joint Bit Set

Eight piece boxed bit sets for the F3 finger joint template. A great way to buy all the cutters you will need for the Leigh F3 finger joint template. A very durable solid carbide set.

**Set includes the following cutters in solid carbide:**  
3/32"(163), 1/8"(164C), 5/32"(165C), 3/16"(166C), 1/4"(168C), 5/16"(170C), 3/8"(173C) and 1/2"(180C) diameter bits plus 1/2"-8mm(172-8) and 1/2"-3/8"(172-375) collet reducers, all neatly contained in a wooden storage box.

|                                | Inc.vat | Ex.vat  | Code   |
|--------------------------------|---------|---------|--------|
| Bit Set for F3 (Solid Carbide) | £259.94 | £216.62 | 951153 |


## Leigh F3 Finger Joint Template

- Precision CNC machined aluminium alloy template
- The F3 will produce 11 sizes of finger joint (9 for metric version)
- 3 sizes of square half-blind joints
- The F3 attaches to the D4R Pro or any D-series 24" dovetail jig

### Standard Equipment Includes

- e7, e8 and e10 template guidebushes
- Pin wrench for e-Bush adjustment
- Fully illustrated user guide

|                      | Inc.vat | Ex.vat  | Code   |
|----------------------|---------|---------|--------|
| F3 Imperial Template | £197.94 | £164.95 | 951150 |
| F3M Metric Template  | £197.94 | £164.95 | 951151 |



## Leigh Isoloc Joint Templates

Isoloc Joint Templates are revolutionary and represent the first entirely practical alternative to traditional dovetail joinery. With a Leigh Dovetail Jig and an Isoloc template, even novice woodworkers can produce strong, functional and distinctively attractive joints!

### Isoloc Joint Templates

- Precision CNC machined aluminium alloy template
- Scales include inch and metric measurement
- Fully adjustable joint tightness with the VGS
- 11 Templates attach directly to the D4R and all 24" D-series jigs
- 118, 124 Templates attach directly to Super Jigs

### Standard Equipment

- Leigh 5 pc VGS Variable Template Guidebush System
- Fully illustrated User Guide

|                                       | Inc.vat | Ex.vat  | Code   |
|---------------------------------------|---------|---------|--------|
| Isoloc Templates (D4R Set of 3)       | £499.94 | £416.62 | 474086 |
| Isoloc (I24A) Template A for Super 24 | £184.94 | £154.12 | 474224 |



LEIGH

# Dovetail Jigs



## Leigh R9 Plus Joinery System



- Produce three sizes of through dovetails in any board width
- Produce three sizes of box comb joints in any board width
- Adjustable and recordable joint fit
- Works on your router table or with a stand-alone router
- Mounts to shop made beam to keep production cost low
- Replaceable backer board eliminates tear out
- N.B. 1/2" Router required

|                            | Inc.vat | Ex.vat  | Code   |
|----------------------------|---------|---------|--------|
| R9 Plus                    | £139.94 | £116.62 | 952568 |
| Pin Plates (Pair)          | £9.74   | £8.12   | 952575 |
| R9 Plus with Accessory Kit | £214.96 | £179.13 | 717056 |

## Leigh Adaptors for Threaded Guide Bushes

A range of adaptors which will enable the 1.3/8" diameter American style threaded guide bushes, including Leigh, to be fitted to most UK and EU routers. Suitable for Leigh 711TP, 716TPe7,e8 and e10 guidebushes.

|                                                                    | Inc.vat | Ex.vat | Code   |
|--------------------------------------------------------------------|---------|--------|--------|
| Fits Bosch GOF900/1300/GMF1400/1600                                | £21.95  | £18.29 | 800439 |
| Fits Elu 177E CMT2000 DW 625EK (702R)                              | £20.75  | £17.29 | 410001 |
| Fits Elu 177E/177/131/DW625                                        | £12.35  | £10.29 | 410003 |
| Fits Festool OF1000, OF1010 (704R)                                 | £20.75  | £17.29 | 310023 |
| Fits Festool OF1400                                                | £17.45  | £14.54 | 493566 |
| Fits Festool OF2000/2000E (705R)                                   | £20.75  | £17.29 | 310024 |
| Fits Freud, Hitachi & Ryobi (703)                                  | £12.35  | £10.29 | 410006 |
| Fits Makita 3612C (721)                                            | £17.94  | £14.95 | 210889 |
| Fits Trend T5,T9, T11, Elu MOF 96, 96E, Dewalt D26204K (Leigh 710) | £17.94  | £14.95 | 210500 |
| Fits DW621K, MakitaRP1110C, Elu MOF97E(Leigh 706R)                 | £20.94  | £17.45 | 706    |
| Fits Festool OF2000/2000E (705)                                    | £9.95   | £8.29  | 476736 |

## Leigh Router Collet Reduction Sleeves

- Enables 3/8" or 8mm router cutters to be used in 1/2" collets
- Shouldered design for positive location



|           | Inc.vat | Ex.vat | Code   |
|-----------|---------|--------|--------|
| 1/2"-8mm  | £6.44   | £5.37  | 477046 |
| 1/2"-3/8" | £6.44   | £5.37  | 476897 |

## Leigh Elliptical Guide Bushes

A range of three elliptical guide bushes for use with the Leigh F3 finger joint templates and other Leigh jigs. N.B. The e7 guide bush can be used with all Leigh dovetail jigs.



|                             | Inc.vat | Ex.vat | Code   |
|-----------------------------|---------|--------|--------|
| Elliptical guide bush (e8)  | £10.94  | £9.12  | 951154 |
| Elliptical Guide Bush (e7)  | £10.94  | £9.12  | 478260 |
| Elliptical guide bush (e10) | £10.94  | £9.12  | 951155 |

## Cutters for Leigh Dovetail Jigs

High quality individual cutters for Leigh D4R and Superjigs. Mostly with 8mm shank size for added strength and accuracy.



### Through Dovetail Cutters

| D      | X      | K  | S      | Leigh No. | Inc.vat | Ex.vat | Order No |
|--------|--------|----|--------|-----------|---------|--------|----------|
| 1/4"   | 1/4"   | 8° | 8mm    | 50-8      | £14.15  | £11.79 | 476322   |
| 5/16"  | 3/8"   | 8° | 8mm    | 60-8      | £14.15  | £11.79 | 476323   |
| 3/8"   | 1/2"   | 8° | 8mm    | 70-8      | £14.15  | £11.79 | 476030   |
| 7/16"  | 5/8"   | 8° | 8mm    | 75-8      | £14.15  | £11.79 | 476031   |
| 1/2"   | 13/16" | 8° | 8mm    | 80-8      | £14.15  | £11.79 | 808MM    |
| 11/16" | 1"     | 8° | 1/2"   | 90        | £16.44  | £13.70 | 476039   |
| 13/16" | -      | 8° | 1/2"   | 100       | £16.44  | £13.70 | 476038   |
| 13/16" | 1.1/4" | 8° | 12.7mm | 100       | £13.94  | £11.62 | 666025   |

### Straight Cutters

| D     | X      | K    | S     | Ln | Inc.vat | Ex.vat | Code   |
|-------|--------|------|-------|----|---------|--------|--------|
| 5/16" | 1"     | 8mm  | 140-8 | -  | £14.15  | £11.79 | 1408MM |
| 7/16" | 1.1/4" | 1/2" | 150   | -  | £13.74  | £11.45 | 476387 |
| 1/2"  | 1.1/4" | 1/2" | 160   | -  | £13.74  | £11.45 | 476388 |

### Half-blind dovetail Cutters

| D    | X     | K   | S   | Ln    | Inc.vat | Ex.vat | Code   |
|------|-------|-----|-----|-------|---------|--------|--------|
| 1/2" | 3/8"  | 18° | 8mm | 128-8 | £14.15  | £11.79 | 476385 |
| 1/2" | 7/16" | 14° | 8mm | 120-8 | £14.15  | £11.79 | 476384 |
| 1/2" | 1/2"  | 12° | 8mm | 112-8 | £14.15  | £11.79 | 476383 |
| 1/2" | 5/8"  | 10° | 8mm | 101-8 | £14.15  | £11.79 | 476382 |



Boards are offset in the jig

Both boards machined in one pass

## Axcaliber Dovetail Jigs



Bearing guided cutter follows template for a perfect joint



## Axcaliber Dovetail Jig

- Easy to set up and use
- Heavy gauge steel pressings
- Steel clamp bars and handles
- 6mm thick aluminium guide template
- Comprehensive instruction manual
- Bearing guided dovetail cutter included
- 275mm board width capacity
- Takes material 15 to 35mm thick



|              | Inc.vat | Ex.vat | Code   |
|--------------|---------|--------|--------|
| Dovetail Jig | £69.95  | £58.29 | 502514 |

## Axcaliber Extra Dovetail Jig

- Easy to set up and use
- Heavy gauge steel pressings
- Steel clamp bars and handles
- 8mm thick aluminium plate guide template
- Instruction manual supplied
- Bearing guided dovetail cutter included
- 575mm board width capacity

|                    | Inc.vat | Ex.vat  | Code   |
|--------------------|---------|---------|--------|
| Dovetail Jig 600mm | £144.95 | £120.79 | 953312 |
| Replacement Comb   | £34.94  | £29.12  | 953313 |

## Axcaliber dovetail jig accessories



### Axcaliber Fine Dovetail Set

- Fine Dovetail set for cutting 6.3mm dovetails
- Suitable for the Axcaliber, Axminster and Perform dovetail jigs
- Supplied with guide bush and solid tungsten carbide dovetail cutter
- 275mm width capacity; material thickness 7-10mm
- Super precision alloy comb

|                                           | Inc.vat | Ex.vat | Code   |
|-------------------------------------------|---------|--------|--------|
| Fine Dovetail Set                         | £43.94  | £36.62 | 410227 |
| Replacement Dovetail Cutter               | £28.94  | £24.12 | 666266 |
| Axcaliber Comb Jointing Cutter            | £8.94   | £7.45  | 666267 |
| Cutter - D=6.35, X=25.4mm, S=1/4"(6.35mm) | £9.95   | £8.29  | 666123 |



### Through Dovetail Comb for Axcaliber Dovetail Jig

- Through Dovetail Jig Comb 8°
- Expands the range of joints your dovetail jig can produce
- Complete with two cutters and two guide bushes

|                           | Inc.vat | Ex.vat | Code   |
|---------------------------|---------|--------|--------|
| Through Dovetail Template | £39.95  | £33.29 | 953315 |



### Through Dovetail Comb for Axcaliber Extra Dovetail Jig

- Through Dovetail Jig Comb 8°
- Expands the range of joints your dovetail jig can produce
- Complete with two cutters and two guide bushes

|                           | Inc.vat | Ex.vat | Code   |
|---------------------------|---------|--------|--------|
| Through Dovetail Template | £49.94  | £41.62 | 953314 |



## Axminster Extra Kitchen Worktop Jig

Router not included

The Axminster extra kitchen worktop jig was designed by us after studying the features other worktop jigs were offering. This resulted in several innovations not found on similar jigs of this type. With precise positioning and sighting of the cut line, this postform jig is intended for the discerning user who requires an easy to use jig that gives consistent results. It will accept a worktop up to 700mm wide with a jointing facility at 22.5° and 45°. The main template body is 16mm thick synthetic resin laminate plate, machined to very fine tolerances which will guide your router accurately using a standard 30mm guide bush. Cutting errors are often caused by an inaccurately located guide bush. To eliminate this we provide a check centre for the guide bush to ensure its precise concentricity when mounting and securing it to the router. The guide slots and preset angles are located with 10mm metal dowel pins to ensure exact positioning against the edge of your worktops and encompass the principal angles required, plus positioning for the new style connectors and various inserts. Flush face clamping provides a totally unimpeded working face whilst enabling the template to be held securely to the worktop using any combination of the eight sliding locations for the recessed clamp heads. To ensure error-free cutting of the female part of the joint so that it perfectly matches the mating worktop we have incorporated a width measuring locator facility on this jig. Set between static dowel pins and a sliding pin, the width of the top can be gauged without measuring or guesswork, providing the exact amount of cut in to accommodate the worktop end. The jig also has 3 circular holes to cut pockets at 50, 70 and 80mm diameter, 3 preset connector pockets with 200mm spacing, a 45° corner guide edge, Long sweep radius guide edge (approximate 460mm radius), 100mm radius guide edge and a single uninterrupted guide edge 880mm long. Numerous slots to enable sub-surface clamping (using Axminster clamp and head combination), variable positioning to set length of butt socket joint for 45° joining, positioning for setting length of butt socket joint for 22.5° joining and also positioning (using dowel pins) to set jig long edges to 22.5°, 30° and 45°. All machining is carried out using a 30mm guide bush and a 1/2" diameter router cutter. Supplied with step by step instructions for perfect results.

|                                  | Inc.vat        | Ex.vat  | Code   |
|----------------------------------|----------------|---------|--------|
| <b>AWTJ1 Kitchen Worktop Jig</b> | <b>£187.94</b> | £156.62 | 702284 |
| <b>30mm Guide Bush</b>           | <b>£11.75</b>  | £9.79   | 211308 |
| <b>Replacement Pins</b>          | <b>£9.95</b>   | £8.29   | 952462 |

## Multipurpose Worktop Jig

The Multipurpose Jig is designed for use with a wide variety of worktops. As the jig will cut an inset of 10mm and 23mm it can be used to cut the following worktops: composite, solid wood, small radius (less than 6mm) laminate worktops and standard radius (more than 6mm) laminate worktops. It cuts 300mm, 400mm, 500mm, 600mm, 616mm, 650mm and 700mm worktops. Features include cuts 90° left and right joints, corner cooking solution and 3 bolt slots. All that is required to complete the job is a 1/2" x 50mm straight router cutter, 30mm guide bush and a couple of F-Clamps.

|                        | Inc.vat       | Ex.vat | Code   |
|------------------------|---------------|--------|--------|
| <b>Worktop Jig</b>     | <b>£79.94</b> | £66.62 | 702801 |
| <b>30mm Guide Bush</b> | <b>£11.75</b> | £9.79  | 211308 |

## Accessories

### Unika Heavy Duty Double Sided 5m Tape

Quick and easy to apply with strong adhesion, creating a permanent bond to materials like wood, metal, varnish and any low energy surfaces. Ideal for attaching worktop edging and trims. It has a good resistance to extreme temperatures, chemicals and solvents, humidity and UV radiation with a high shear resistance. Because of high adhesive mass, it is also appropriate for rough or structured surfaces. Consisting of a hard PVC film carrier, layered on both sides with a modified acrylate adhesive. The adhesive is lined with a double-sided silicone paper. Temperature resistant -40° to +70°C.

5 metre length X 40mm width

|                             | Inc.vat      | Ex.vat | Code   |
|-----------------------------|--------------|--------|--------|
| <b>HD Double Sided Tape</b> | <b>£5.24</b> | £4.37  | 952233 |

### Worktop Connectors

Plated steel connectors for a firm joint between sections of worktop.

|                         | Inc.vat       | Ex.vat | Code   |
|-------------------------|---------------|--------|--------|
| <b>Connectors (10)</b>  | <b>£3.95</b>  | £3.29  | 910194 |
| <b>Connectors (100)</b> | <b>£35.95</b> | £29.96 | 717018 |

### Unika Heat Reflective Aluminium Tape and Sheet

This self-adhesive tape and sheet will protect edges and faces against radiant heat on surfaces like worktops, shielding the edges of a hob cut out or worktop underside from heat from a cooker or dishwasher. Available as heat reflective aluminium tape 50mm wide x 3m or a sheet 1m x 600mm.

|                         | Inc.vat      | Ex.vat | Code   |
|-------------------------|--------------|--------|--------|
| <b>Tape - 50mm x 3m</b> | <b>£2.45</b> | £2.04  | 952231 |
| <b>Sheet 1m x 600mm</b> | <b>£3.95</b> | £3.29  | 952232 |

### Zipbolt Worktop Connectors

- Fast, strong and secure worktop connectors
- Use a drill driver with a hex bit to install
- Cost effective solution for kitchen worktop joints
- Requires 4mm or 5mm hex bit for tensioning
- Zinc finish

|                                | Inc.vat      | Ex.vat | Code   |
|--------------------------------|--------------|--------|--------|
| <b>Worktop Connector 170mm</b> | <b>£2.45</b> | £2.04  | 504439 |
| <b>Worktop Connector 85mm</b>  | <b>£2.24</b> | £1.87  | 504438 |
| <b>Mini Benchtop Connector</b> | <b>£2.64</b> | £2.20  | 504434 |

## Accessories



### Unika TopMarker

This very accurate marker is basically a large square with a 45° angle and will assist in all marking out tasks especially when fitting a kitchen. It is designed for the positioning of apertures, door handles, and 45° and 22.5° angles. Specific holes can be marked up from the edge of your worktop for cut-outs, plus it has a pre-determined slot with measurements for more sizes. Designed especially for kitchen fitters, it will also have a general use in the workshop for marking panels.

|                        | Inc.vat       | Ex.vat | Code   |
|------------------------|---------------|--------|--------|
| <b>Unika TopMarker</b> | <b>£56.94</b> | £47.45 | 503841 |

### Unika ColorFill Worktop Sealer and Repair

ColorFill performs many tasks; bonds the joint together, seals the joint against water and domestic detergents and can be colour matched to the worktop so making the finished joint almost invisible. It will also repair scratches and chips in laminate and melamine surfaces. Scientifically formulated and tested to resist moisture, detergent and other household products as efficiently as the laminate and will withstand heat and direct sunlight. Although it is recommended that hot pans and dishes from the oven should not be placed over joints. ColorFill requires no mixing, is easy to apply and is available in handy sized 25g tubes sufficient for one worktop joint and 20ml of clean-up solvent is included.

|                      | Inc.vat      | Ex.vat | Code   |
|----------------------|--------------|--------|--------|
| <b>Black Granite</b> | <b>£7.44</b> | £6.20  | 952234 |
| <b>Black Beech</b>   | <b>£7.44</b> | £6.20  | 952235 |
| <b>Soft White</b>    | <b>£7.44</b> | £6.20  | 952236 |



### Unika Plinth Lock

This patented plinth lock system is a unique way of firmly securing kitchen plinths, corner posts, filler panels as well as many other applications. This concealed fixing is quick and easy to fit and eliminates unsightly screw fixings, maintaining a 90° solid fitting. Simply line up and screw each half of the plinth lock onto the work using two screws in each, the plinth is then pushed in place securely, wedging the joint tightly together. Supplied as a pack of six.

|                        | Inc.vat      | Ex.vat | Code   |
|------------------------|--------------|--------|--------|
| <b>Plinth Lock (6)</b> | <b>£5.94</b> | £4.95  | 952238 |

## uvex

### uvex 3 Professional Ear Defenders

- 31dB protection against your machinery noise
- Ear cups have super soft cushions
- Very comfortable; easy to adjust
- Neatly folds for storage

|                                   | Inc.vat       | Ex.vat | Code   |
|-----------------------------------|---------------|--------|--------|
| <b>Professional Ear Defenders</b> | <b>£18.44</b> | £15.37 | 210774 |

## Axminster Hole & Corner Template

An exceptionally useful workshop jig made of heavy duty transparent 10mm plastic which enables the production of internal and external radii or holes with the aid of bearing guided cutters or suitably sized guide bushes. Internal diameters are from 30mm to 85mm by 5mm increments and external radii are 20mm, 30mm, 40mm and 50mm. Final hole size will depend on cutter and guide bush diameters.



|                   | Inc.vat | Ex.vat | Code   |
|-------------------|---------|--------|--------|
| Hole & Corner Jig | £27.95  | £23.29 | 400384 |



## Trend Letter & Number Templates

Strong, clear plastic letter and number templates for use with any plunge router to write words for signs, including house names and numbers. The templates are used with a 13mm guide bush (not supplied) in the base of the router and standard 8mm cutter to produce 57mm high letters in upper case block characters in Trend Vogue type face. Available individually or as a complete set including cutter and template guide bush. The guide bush and cutter are also available as a set. For certain routers the purchase of the universal sub base may be necessary.

|                                 | Inc.vat | Ex.vat | Code   |
|---------------------------------|---------|--------|--------|
| A-Z Templates (4)               | £40.94  | £34.12 | 600222 |
| 0-9 Templates (2)               | £19.94  | £16.62 | 610324 |
| Guide Bush & Cutter             | £15.44  | £12.87 | 900391 |
| 6 Templates, Cutter, Guide Bush | £68.95  | £57.46 | 600182 |
| Aluminium Sub-Base              | £24.95  | £20.79 | 718650 |

## Axminster Router Compass

Machined from 8mm thick transparent plastic and with a circle radius capacity from 100mm to 610mm. The plastic must be centred, drilled and countersunk to suit the base mounting configuration of your router. The router end is 140mm in diameter and hole in centre is 38mm. A sliding pivot point running in a central slot allows the exact circle radius to be set off against graduations along the edge of the trammel plate. The width of the plate ensures the router remains vertical and the pivot fully engaged while cutting.


|                | Inc.vat | Ex.vat | Code   |
|----------------|---------|--------|--------|
| Router Compass | £33.44  | £27.87 | 810024 |

## Trend Guide Bush Collars

Three sizes of aluminium collar to fit guide bushes when doing inlay work. They enable a single shaped template to be used to cut both the pocket and the matching inlay. Collars have integral rubber 'O' rings to ensure that they stay securely on the guide bush. N.B. Guide bush not included.

500273 gives 14.3mm (9/16") OD. Use with 3.2mm dia cutter.  
500271 gives 30mm OD. Use with 7mm dia cutter.  
500272 gives 40mm OD. Use with 10mm dia cutter.


|                     | Inc.vat | Ex.vat | Code   |
|---------------------|---------|--------|--------|
| 7.93mm ID/14.3mm OD | £6.44   | £5.37  | 500273 |
| 16mm ID/30mm OD     | £6.44   | £5.37  | 500271 |
| 20mm ID/40mm OD     | £6.44   | £5.37  | 500272 |



## Fisch Flexi Curve

Flexible jigs that can be affixed with screws to the underside of any material that needs to be cut cleanly to a defined line with a bearing guided router cutter or on a spindle moulder with a bearing ring guide. These flexible jigs are secured to a scribed or drawn line on the underside of the material to be cut and forms the guide onto which bearing guided cutters run. Whilst in many instances material could be cut with a jigsaw and sanded or planed, this simple but effective jig allows the ultra clean cut of a router cutter or cutter block to finish the job in one simple cut. Available in either 600mm, 1000mm or 3,000mm lengths, the Flexi jigs are an invaluable addition to any joinery workshop either making jigs or cutting material to defined lines. The two longer versions are 18 x 18mm in section with a minimum radius of approx 150mm and the low cost mini version is 12 x 12 x 600mm with a minimum radius of approx 75mm. This would be particularly useful for the manufacture of small jigs or routing operations where a smaller radius curve is required. Please note the mini version is not supplied with screws.

|                        | Inc.vat | Ex.vat  | Code   |
|------------------------|---------|---------|--------|
| Flexi Curve Mini 600mm | £26.45  | £22.04  | 211366 |
| Flexi Curve 1m         | £57.95  | £48.29  | 702518 |
| Flexi Curve 3m         | £174.95 | £145.79 | 702519 |




## Axminster Scribe-n-Trace

Scribing is necessary when fitting a variety of materials in common use around the home. Classic examples include fitting a kitchen worktop back against an uneven wall, or fitting skirting board down onto an undulating floor surface. The Axminster Scribe-n-Trace makes these tasks so much easier to carry out with precision. Once you have one of these, we're sure you will wonder how you ever managed without it.

The body of the Scribe-n-Trace features an eccentric locking pencil holder which ensures the pencil is always firmly locked and centrally located. Scribe-n-Trace is supplied with its very own Axminster pencil and sharpener. The 17.3mm diameter tracing bush is used to trace scribing lines giving an offset of 8.65mm, the all important measurement that is needed when using a 30mm guide bush in conjunction with a 1/2"(12.7mm) diameter router cutter. The complete Scribe-n-Trace consists of a scribe body with the cam lock feature to secure the pencil, 80mm, 50mm, 30mm and 17.3mm bushes and a metal pencil sharpener.

|                | Inc.vat | Ex.vat | Code   |
|----------------|---------|--------|--------|
| Scribe-n-Trace | £32.45  | £27.04 | 702689 |



## Trend Offset Trenching Base

Specially made for routing out housings where oversized or undersized board is used. The template allows the groove width to be enlarged by simply rotating the base to a new position. The distance from the centre hole to the shortest edge is 100mm, subsequent edge distances are 101mm, 102mm, 103mm, 104mm and 105mm. Supplied with dual 1/4", 8mm Centring Pin. Pre-drilled for Trend, Elu and DeWalt routers. Can be re-drilled by user to suit other makes of router. Size: 200mm x 200mm x 8mm with 1.0mm offset.

|                       | Inc.vat | Ex.vat | Code   |
|-----------------------|---------|--------|--------|
| Offset Trenching Base | £31.94  | £26.62 | 900392 |



## Trend Combination Router Base

The Trend Combination Router Base is a retro-fit, quick change, multi-functional router base. When fitted to your router, this jig allows better control when edge moulding by preventing the router tilting. Supplied with a handle for control. The CRB has seven functions - an offset baseplate, router compass from 19mm to 224mm radius, adjustable trenching with a clamp guide with 40mm micro-adjustment, adjustable anti-tilt support, adjustable mortising of timber from 50mm to 200mm width, adjustable false panel groove copier and also enhances the Varijig frame system as an anti-tilt device when used with routers that can accept Euro style guide bushes (a special guide bush ref GB40/B is required). The CRB will fit most routers with two 8mm, 10mm or 12mm fence rod holes at centres of 78mm to 130mm.

An optional quick fit edge trimming base is available for trimming lipping up to 16mm wide and 6mm projection. A pair of extension rods are also available to increase the circle cutting radius by 580mm.

**Includes 1 x Plastic baseplate with handle, 1 x Bridge, 2 x Rods 8mm dia x 270mm, 1 x Bridge shim pack, 1 x Scale, 1 x Pivot pin, 1 x Pair of mortice pillars**

|                               | Inc.vat | Ex.vat | Code   |
|-------------------------------|---------|--------|--------|
| Trend Combination Router Base | £79.94  | £66.62 | 504402 |
| Trim Base                     | £28.94  | £24.12 | 504403 |
| Extension Rods                | £22.44  | £18.70 | 504487 |



## Trend Airace Respirator


- For all woodworking applications including MDF dust
- P2 respiratory protection
- Head strap adjustment and rubber face seal
- One-way exhaust stops specs and goggles fogging
- P2 electrostatic replaceable filter
- Approved to standard BS EN 140/143 P2
- Supplied with 2 x P2 filters

|                   | Inc.vat | Ex.vat | Code   |
|-------------------|---------|--------|--------|
| Airace Respirator | £39.95  | £33.29 | 323773 |
| P2 filter (5)     | £21.24  | £17.70 | 100759 |

# Templates & Bases

## UJK Technology Universal Sub-Base

- Aluminium sub-base with low friction surface
- Suitable for a wide variety of routers
- Accepts standard Axminster or Trend guide bushes **not included**
- Fixing kit is included



|                    | Inc.vat | Ex.vat | Code   |
|--------------------|---------|--------|--------|
| Aluminium Sub-Base | £24.95  | £20.79 | 718650 |

## Precision Steel Guide Bushes


Used for guiding the router when using a template. Outside diameters range from 7.74mm to 40mm and with 6mm bush projection. The guide bushes have an outside diameter of 60mm and fit directly to Axminster AW635R and AW127R, Trend T3 and T5 routers and some others with the Trend base configuration. They will fit other makes of router when used with the Axminster universal sub-base.



|                             | Inc.vat | Ex.vat | Code   |
|-----------------------------|---------|--------|--------|
| 10.0mm OD                   | £2.45   | £2.04  | 340924 |
| 12.0mm OD                   | £2.45   | £2.04  | 340925 |
| 14.0mm OD                   | £2.45   | £2.04  | 340926 |
| 16.0mm OD                   | £2.45   | £2.04  | 340927 |
| 18.0mm OD                   | £2.45   | £2.04  | 340928 |
| 20.0mm OD                   | £2.45   | £2.04  | 340929 |
| 22.0mm OD                   | £2.75   | £2.29  | 340930 |
| 24.0mm OD                   | £2.75   | £2.29  | 340931 |
| 26.0mm OD                   | £2.75   | £2.29  | 340932 |
| 28.0mm OD                   | £2.75   | £2.29  | 340933 |
| 30.0mm OD Guide Bush        | £2.75   | £2.29  | 340934 |
| 32.0mm OD                   | £2.75   | £2.29  | 340935 |
| Set of 12                   | £19.94  | £16.62 | 340936 |
| 10.8mm OD                   | £8.24   | £6.87  | 500255 |
| 11.0mm OD                   | £8.45   | £7.04  | 500256 |
| 15.8mm OD                   | £8.45   | £7.04  | 500257 |
| 17.0mm OD                   | £8.45   | £7.04  | 500258 |
| 30.0mm OD (10mm projection) | £8.94   | £7.45  | 500265 |
| 40.0mm OD                   | £8.45   | £7.04  | 500268 |
| 7.74mm OD                   | £8.45   | £7.04  | 500269 |
| 7.93mm OD                   | £8.45   | £7.04  | 500270 |

## Bosch Guide Bushes

A range of alternative guide bushes is available in the unique Bosch quick release guide bush system. Simply locked into the base by a spring loaded lever mechanism, they will fit the Bosch GKF 600; GMF 1400 CE; GOF 900; GOF 900 ACE, GOF 900 CE; GOF 2000 CE Professional.



|          | Inc.vat | Ex.vat | Code   |
|----------|---------|--------|--------|
| 13mm O/D | £15.74  | £13.12 | 300075 |
| 17mm O/D | £13.74  | £11.45 | 300076 |
| 24mm O/D | £18.74  | £15.62 | 300077 |
| 27mm O/D | £18.74  | £15.62 | 300078 |
| 30mm O/D | £16.25  | £13.54 | 300079 |
| 16mm O/D | £13.74  | £11.45 | 503666 |

## Trend Guide Bush Mounting Screw Kit

A pack of ten screws (2BAx1/4") for attaching standard guide bushes to a router base. Perfect for when you can't find that elusive screw that disappeared into the shavings on the floor.



|           | Inc.vat | Ex.vat | Code   |
|-----------|---------|--------|--------|
| Screw Kit | £3.05   | £2.54  | 702700 |

## Makita Guide Bushes

Used for guiding the router when using a template. The guide bushes fit directly to Makita routers. These bushes fit the Makita 3612C, RP1801X or RP2301FCX 1/2" routers only.



|         | Inc.vat | Ex.vat | Code   |
|---------|---------|--------|--------|
| 20mm OD | £12.95  | £10.79 | 100337 |
| 30mm OD | £10.94  | £9.12  | 100343 |

## Metric Threaded Guide Bush Set

A carefully selected set of metric sized guide bushes for carrying out many of your template routing requirements. These threaded American style of guide bushes offer excellent accuracy and will fit most UK routers with the addition of a threaded guide bush adaptor. Just select the correct adaptor for your router and enjoy the precision and accuracy of this great set. They will also fit many router table insert plates that have a stepped central hole to accommodate them. Set includes 10,12,14,16,18,20,24 and 30mm guide bushes plus a locking ring, all neatly contained in a robust storage case.



|                         | Inc.vat | Ex.vat | Code   |
|-------------------------|---------|--------|--------|
| Guide Bush Set (Metric) | £29.94  | £24.95 | 502571 |

## Leigh Adaptors for Threaded Guide Bushes

A range of Leigh adaptors which will enable the 1.3/8" diameter American style threaded guide bushes, including Leigh standard guide bushes, to be fitted to most British and European routers. Suitable for Leigh 711TP(7/16"), 716TP(5/8") e7,e8 and e10 (Elliptical).



|                                         | Inc.vat | Ex.vat | Code   |
|-----------------------------------------|---------|--------|--------|
| Fits Bosch GOF900/1300/GMF1400CE        | £21.95  | £18.29 | 800439 |
| Fits Elu 177E Type 4 CMT2000            |         |        |        |
| Dewalt 625EK (702R)                     | £20.75  | £17.29 | 410001 |
| Fits Elu 177E/177/131/DW625             | £12.35  | £10.29 | 410003 |
| Fits Festool OF1000, OF1010 (704R)      | £20.75  | £17.29 | 310023 |
| Fits Festool OF1400                     | £17.45  | £14.54 | 493566 |
| Fits Festool OF2000/2000E (705R)        | £20.75  | £17.29 | 310024 |
| Fits Freud, Hitachi & Ryobi (703)       | £12.35  | £10.29 | 410006 |
| Fits Makita 3612C (721)                 | £17.94  | £14.95 | 210889 |
| Fits Trend T5,T9, T11, Elu MOF 96, 96E, |         |        |        |
| Dewalt D26204K (Leigh 710)              | £17.94  | £14.95 | 210500 |
| Fits Dewalt 621K, Makita RP1110C,       |         |        |        |
| Elu OF97E (Leigh 706R)                  | £20.94  | £17.45 | 706    |
| Fits Festool OF2000/2000E (705)         | £9.95   | £8.29  | 476736 |

## Axminster 30mm Super Precision Guide Bush

If you desire accuracy in your work, then we are sure you will appreciate the new Super Precision 30mm guide bush from our own machine shop here in Axminster. Turned from a solid billet of steel and then bright nickel plated, this guide bush offers the ultimate in accuracy for the discerning tradesperson.



|            | Inc.vat | Ex.vat | Code   |
|------------|---------|--------|--------|
| Guide Bush | £11.75  | £9.79  | 211308 |

## Trend Fixing Kit

This screw fixing pack contains a good assortment of machine screws washers and nuts for fitting the Trend Universal Sub Base to a variety of different routers. It would also be useful for the mounting of routers into a suitable table.




|                          | Inc.vat | Ex.vat | Code                         |
|--------------------------|---------|--------|------------------------------|
| Contents of kit:         |         |        |                              |
| 2BAx1/4" Countersunk x 2 |         |        | M6 x 16mm pan head x 3       |
| M4 x 10mm pan head x 4   |         |        | M6 x 30mm pan head x 3       |
| M4 x 12mm pan head x 4   |         |        | No. 10 UNFx1/2" pan head x 3 |
| M5 x 16mm pan head x 4   |         |        | M6 Washer x 3                |
| M5 x 20mm pan head x 2   |         |        | M5 Nut x 2                   |
| M6 x 12mm pan head x 2   |         |        | M6 Nut x 3                   |
| Fixing Kit               | £2.75   | £2.29  | 702699                       |

# Accessories & Hardware

## UJK Technology Depth Gauge

A really useful robust gauge for setting router cutter depths, fence positions and saw blade heights. The precision cast aluminium body houses a metric laser etched measuring scale that enables measurement above and below the base of the gauge. This is very useful if you want to measure the depth of a groove or housing for example. The measuring scale is securely locked in position by a knurled knob to the rear of the gauge and the setting is easily checked against a clearly visible line on the locking mechanism. Internal width 60mm with an adjustable height and depth range up to 60mm. Made of cast aluminium.



|             | Inc.vat | Ex.vat | Code   |
|-------------|---------|--------|--------|
| Depth Gauge | £18.95  | £15.79 | 504485 |

## trend

## Trend Digital Depth Gauge


This digital depth gauge makes setting router cutter depths, fence positions and saw blade heights more accurate than ever before. With a measuring speed of 1.5m/s, it's also faster. The LCD read-out displays in mm, inches or fractions, with a resolution of 0.05mm (0.002"). The read-out has relative co-ordinate and absolute function. The gauge has an internal width of 60mm with an adjustable height range up to 80mm. You can use it vertically and horizontally. Magnets in the feet keep it in place on cast iron tables. A removable pin allows you to measure holes or mortice depths up to 50.8 (2") deep. Auto shut-off after 5 minutes. Made of plastic.



|                     | Inc.vat | Ex.vat | Code   |
|---------------------|---------|--------|--------|
| Digital Depth Gauge | £22.94  | £19.12 | 504063 |

## Axminster HG-1 Height Gauge

The HG-1 is designed to take the guesswork out of setting up routers, router tables and saw tables. It is great when needing to set up or replicate exact settings. Made with a solid cast iron base, it provides a strong, fixed point that allows adjustment of the gauge without any movement. Providing both imperial and metric scales, this gauge also has a vernier scale for increased accuracy to 0.05mm, allowing for micro adjustments to settings. Measures to a maximum height of 180mm.



|                   | Inc.vat | Ex.vat | Code   |
|-------------------|---------|--------|--------|
| HG-1 Height Gauge | £21.95  | £18.29 | 600886 |

## Axminster 148 Piece Jig Making Set

If you need to make up jigs for routing or sawing operations, then this is the kit for you. It contains a comprehensive selection of knobs and fittings, both male and female, which offers a wide range of jig making solutions. Kit contains 10 x 90mm tee bolts, 10 x 65mm tee bolts, 20 x 40mm tee bolts, 20 x 25mm tee bolts, 26 female knobs in various sizes, 10 male knobs with 25mm threaded rod, 20 x 16mm diameter washers with 6mm hole, 16 x screw in threaded inserts, 16 x spiked nut inserts. N.B. All fittings are threaded 1/4" Whitworth.



|                  | Inc.vat | Ex.vat | Code   |
|------------------|---------|--------|--------|
| Jig Hardware Set | £36.95  | £30.79 | 950114 |

**Bulk discount available!**



## UJK Technology Universal T-Track

A very useful section of aluminium T-Track which can be utilised for all manner of routing jigs, clamps and devices. The external measurements are 19 x 9.5mm deep, the slot is 8.9 x 6.4mm deep and the T-section is 13.6mm wide. Available in 610mm(24") or 915mm(36") lengths.

|                 | Inc.vat | Ex.vat | Code   |
|-----------------|---------|--------|--------|
| T-Track 610mm   | £5.95   | £4.96  | 502716 |
| T-Track 915mm   | £7.45   | £6.21  | 502717 |
| Hold Down Clamp | £5.35   | £4.46  | 502715 |



## UJK Technology Dovetailed T-Track

A very useful section of aluminium T-Track which can be utilised for all manner of routing jigs, clamps and devices. The unique 14° dovetail shaped section makes the track extremely useful for jig making, especially if a clamping action is pulling against the track. The external measurements overall are 915mm(36") long, 23 x 9.5mm deep, the slot is 8.9 x 7mm deep and the T-section is 13.6mm wide.

|                          | Inc.vat | Ex.vat | Code   |
|--------------------------|---------|--------|--------|
| Dovetailed T-Track 915mm | £9.95   | £8.29  | 502712 |
| Hold Down Clamp          | £5.35   | £4.46  | 502715 |



## UJK Technology Dovetailed Mitre Slot Track

A very useful standard mitre slot track but with a unique 14° dovetail shaped section which offers extra security for attaching the track. The external measurements overall are 915mm(36") long, 31 x 12.7mm deep and the slot is 19 x 9.7mm deep. These tracks would be useful if making up your own router table or other applications where a mitre fence is used.

|                              | Inc.vat | Ex.vat | Code   |
|------------------------------|---------|--------|--------|
| Dovetailed Mitre Track 915mm | £9.95   | £8.29  | 502713 |

## UJK Technology Mitre Slot Bar

The UJK Technology mitre slot bar is a solid aluminium section designed to fit the standard 19mm mitre slot in your machine table. Overall dimensions are 457 x 9.5 x 19mm wide. There are four grub screws spaced equally along the length of the bar to fine tune the sliding fit of the bar in your machine table slot. Three 1/4" whitworth threaded holes are spaced equidistant along the length to accommodate any jigs and fixtures that you wish to attach. A very useful accessory for either saw tables or router tables where jigs for repeated operations help to speed up the production of machined components. N.B. 1/4" Whitworth bolts will need to be sourced separately.

|                      | Inc.vat | Ex.vat | Code   |
|----------------------|---------|--------|--------|
| Mitre Slot Bar 457mm | £9.95   | £8.29  | 502714 |

## Threaded Metal Inserts for Wood

Threaded metal inserts are simple but useful items for making accurate and useful jigs for workshop use. To insert, drill hole to size, 8mm for the M6 or 10mm for the M8. The larger M8 insert taps into place and the smaller M6 version threads in by using a hex key. Available in packs of 10.



|                                 | Inc.vat | Ex.vat | Code   |
|---------------------------------|---------|--------|--------|
| M6 Inserts (8mm Hole) (Pkt 10)  | £2.64   | £2.20  | 510240 |
| M8 Inserts (10mm Hole) (Pkt 10) | £3.84   | £3.20  | 510241 |

## Threaded Pronged 'T' Nuts

Threaded pronged 'T' nuts are simple but useful items for making accurate and useful jigs for use in the workshop. To insert, drill hole to size, 8mm for the M6, 10mm for the M8 and 12mm for the M10 and gently tap home. Packs of 10.



|                              | Inc.vat | Ex.vat | Code   |
|------------------------------|---------|--------|--------|
| M6 Nuts (8mm O/D) (Pkt 10)   | £2.45   | £2.04  | 800402 |
| M8 Nuts (10mm O/D) (Pkt 10)  | £2.54   | £2.12  | 800403 |
| M10 Nuts (12mm O/D) (Pkt 10) | £2.94   | £2.45  | 800401 |

## Axminster Flush Mounting Clamp

This clamp is an integral component included with our Axminster kitchen worktop jigs. We think that it would be so useful for other applications that we are now offering it as a separate product. If you make your own routing jigs, this clamp becomes indispensable for holding the jig down onto the workpiece, while allowing the router to pass over the top of it, due to its clever design. Simply cut a slot in the jig for the narrow stem of the clamp head and a shallow recess for the wider top part and this will allow unhindered routing on the top of the jig.



|                | Inc.vat | Ex.vat | Code   |
|----------------|---------|--------|--------|
| Mounting Clamp | £5.95   | £4.96  | 718700 |



## Bessey Self Adjusting Toggle Clamp

- Automatically adjusts to the clamping height
- Clamping force is variable up to 2,500 N
- Sturdy, tempered steel for a long service life
- Swivel clamp shoe with plastic protector
- High-quality, wide, two-component plastic
- Choose 0 to 45mm or 0 to 65mm capacities



|                                       | Inc.vat | Ex.vat | Code   |
|---------------------------------------|---------|--------|--------|
| Self Adjusting Toggle Clamp 0 to 45mm | £19.74  | £16.45 | 502275 |
| Self Adjusting Toggle Clamp 0 to 65mm | £19.94  | £16.62 | 502276 |



## Bessey Self Adjusting Hold Down Toggle Clamp Angled Base

This Bessey self adjusting toggle clamp automatically adjusts to the height of your workpiece within a 20mm range, whilst the clamping force remains unchanged. This means the fiddly manual adjustment of the pressure screw is a thing of the past. A set screw, on the cantilevered joint, adjusts the clamping force to your particular needs, up to 1,100N. The clamp is mounted with the angled baseplate. The injection moulded handle is broad which makes setting the clamp a comfortable operation. As a result they are perfectly suited for use in small-scale production situations. In clamped position the handle is horizontal.

|                          | Inc.vat | Ex.vat | Code   |
|--------------------------|---------|--------|--------|
| Toggle Clamp Angled Base | £19.94  | £16.62 | 503892 |



## Bessey Self Adjusting Push Pull Toggle Clamp

This Bessey self adjusting toggle clamp allows movement of the handle to be converted into an axial movement of the push/pull rod. It has automatic distance adjustment up to 16mm with unchanged clamping force without manual changes. A set screw, on the cantilevered joint, adjusts the clamping force to your particular needs: 10mm up to 1,100N and 16mm up to 2,500N. The injection moulded handle is broad which makes setting the clamp a comfortable operation.

|                               | Inc.vat | Ex.vat | Code   |
|-------------------------------|---------|--------|--------|
| Push/Pull 0-10mm Length 181mm | £20.94  | £17.45 | 503893 |
| Push/Pull 0-16mm Length 225mm | £21.95  | £18.29 | 503894 |

## Toggle Clamp Type A

When the clamp is locked, the handle is in the vertical position.



|                    | Inc.vat | Ex.vat | Code   |
|--------------------|---------|--------|--------|
| 20mm (Holds 50kg)  | £5.24   | £4.37  | 500314 |
| 35mm (Holds 100kg) | £5.54   | £4.62  | 500315 |
| 45mm (Holds 180kg) | £6.84   | £5.70  | 500316 |
| 62mm (Holds 250kg) | £7.94   | £6.62  | 378001 |
| 75mm (Holds 360kg) | £9.95   | £8.29  | 500317 |

## Toggle Clamp Type B

When the clamp is locked, the handle is in the horizontal position.



|                       | Inc.vat | Ex.vat | Code   |
|-----------------------|---------|--------|--------|
| 15-35mm (Holds 50kg)  | £5.45   | £4.54  | 810468 |
| 15-50mm (Holds 90kg)  | £5.54   | £4.62  | 500319 |
| 30-65mm (Holds 227kg) | £5.94   | £4.95  | 500321 |
| 35-95mm (Holds 340kg) | £8.24   | £6.87  | 500320 |

## Toggle Clamp Type C

A simple piston action with 20mm travel operated with handle in the horizontal position.



|             | Inc.vat | Ex.vat | Code   |
|-------------|---------|--------|--------|
| 20mm Travel | £9.74   | £8.12  | 810469 |

# Routing Hardware

More accessories for routing available online...

[axminster.co.uk/routing](http://axminster.co.uk/routing)



## Axminster Star Knobs

|                      | Inc.vat | Ex.vat | Code   |
|----------------------|---------|--------|--------|
| Female M6 Knob       | £0.95   | £0.79  | 953478 |
| Female M8 Knob       | £1.04   | £0.87  | 953479 |
| Female M10 Knob      | £1.14   | £0.95  | 953480 |
| Male M6 x 20mm Knob  | £1.04   | £0.87  | 953481 |
| Male M8 x 30mm Knob  | £1.14   | £0.95  | 953482 |
| Male M10 x 40mm Knob | £1.34   | £1.12  | 953483 |



## Axminster Locking Levers

|                       | Inc.vat | Ex.vat | Code   |
|-----------------------|---------|--------|--------|
| Female M6 ABS         | £1.64   | £1.37  | 953457 |
| Female M8 ABS         | £1.74   | £1.45  | 953458 |
| Female M10 ABS        | £2.15   | £1.79  | 953459 |
| Female M12 ABS        | £2.75   | £2.29  | 953460 |
| Male M6 x 40mm ABS    | £1.64   | £1.37  | 953461 |
| Male M8 x 40mm ABS    | £1.85   | £1.54  | 953462 |
| Male M10 x 50mm ABS   | £2.24   | £1.87  | 953463 |
| Male M12 x 50mm ABS   | £2.94   | £2.45  | 953464 |
| Female M6 Alloy       | £1.55   | £1.29  | 953465 |
| Female M8 Alloy       | £1.64   | £1.37  | 953466 |
| Female M10 Alloy      | £2.04   | £1.70  | 953467 |
| Female M12 Alloy      | £2.64   | £2.20  | 953468 |
| Male M6 x 40mm Alloy  | £1.64   | £1.37  | 953470 |
| Male M8 x 40mm Alloy  | £1.74   | £1.45  | 953471 |
| Male M10 x 50mm Alloy | £2.15   | £1.79  | 953472 |
| Male M12 x 63mm Alloy | £2.84   | £2.37  | 953473 |
| Male M16 x 63mm Alloy | £3.95   | £3.29  | 953474 |



## Axminster Control Handles

|                        | Inc.vat | Ex.vat | Code   |
|------------------------|---------|--------|--------|
| M6 x 50 Parallel Knob  | £1.64   | £1.37  | 953475 |
| M8 x 63 Parallel Knob  | £1.94   | £1.62  | 953476 |
| M10 x 80 Parallel Knob | £2.15   | £1.79  | 953477 |



## Double Sided Tape

|            | Inc.vat | Ex.vat | Code   |
|------------|---------|--------|--------|
| 50m x 19mm | £11.45  | £9.54  | 211301 |



## Slick Low Friction Material

|                           | Inc.vat | Ex.vat | Code   |
|---------------------------|---------|--------|--------|
| Sheet 915mm x 100mm x 3mm | £7.25   | £6.04  | 340218 |
| Sheet 915mm x 100mm x 6mm | £12.44  | £10.37 | 340219 |
| Tape 915mm x 75mm x 1mm   | £7.14   | £5.95  | 340221 |
| Tape 915mm x 19mm x 1mm   | £4.94   | £4.12  | 340222 |

# Workholding



## Leigh Surface Hold-Down Clamp



No holes, no problem! Leigh Surface Clamps can be mounted wherever that "third hand" is needed. Like the Bench Clamp, the Surface Clamp mounts on any flat surface and at any angle. Use them anywhere, on the top of your workbench or mount them vertically on the side of the bench. Or, use a combination of Surface and Bench Clamps together.

The large holes in the anchor act as drill guides. Just position the large holes where you want the centre line of the clamp and drill two 7mm(9/32") holes. Rotate the anchor 180° and use two 1/4" - 20 machine screws from the bottom of the bench to hold the anchor securely.

|                   | Inc.vat | Ex.vat | Code   |
|-------------------|---------|--------|--------|
| Surface Clamp (1) | £38.75  | £32.29 | 702818 |



## Leigh Bench Hold-Down Clamp



Leigh Bench Clamps provide exceptional holding power and that "extra hand" you need for many tasks in the workshop. These clamps were designed to be used in the 19mm(3/4") bench dog holes found in most workbenches. The long 9.5mm(3/8") threaded rod and speed nut allow the clamp to be used in benches up to 108mm(4.1/4") thick.

Alternatively, the unique design of the included threaded brass nut allows the Bench Clamp to be used in any size hole from 11mm(7/16") to 28mm(1.1/8") and on any flat surface. You can even mount them vertically!

|                 | Inc.vat | Ex.vat | Code   |
|-----------------|---------|--------|--------|
| Bench Clamp (1) | £38.75  | £32.29 | 702817 |



## UJK Technology Hold Down Clamps



These low cost hold down clamps are designed to be used with the standard UJK Technology T-tracks or the Dovetailed T-track. With a clamping width of 30mm and a thickness capacity of up to 50mm these clamps would be excellent for use with your own custom-made jigs.

|                 | Inc.vat | Ex.vat | Code   |
|-----------------|---------|--------|--------|
| Hold Down Clamp | £5.35   | £4.46  | 502715 |



## UJK Technology Universal Fence Clamps (Pair)



A very useful pair of clamps for attaching a wooden sub-fence to your circular saw or bandsaw.

The clever design allows you to drill an 8.5mm hole in the top of your fence and the clamp holds the fence securely in place leaving the face free from obstruction. The unique clamping action could be useful for many other jig type applications where the top surface needs to be free from obstructions.

|                     | Inc.vat | Ex.vat | Code   |
|---------------------|---------|--------|--------|
| Fence Clamps (Pair) | £11.45  | £9.54  | 502711 |



Rail fitted with Universal Base and saw (not included)

Adjustable back stop

## ProGrip Guide Clamp

ProGrip guide clamps offer a versatile and secure work holding/clamping method and also form the basis of a power tool guide system for routers, circular saws etc. They are available in three lengths, based on an aluminium extrusion. All the clamps incorporate a scale for setting lengths and stop positions and T-slots for attaching an assortment of accessories forming an exceptionally versatile system. The positive clamping mechanism has three progressive clamping pressures, allowing for final positioning before securely locking.

Accessories available for the ProGrip clamps are - **Back to back adaptors** secure two clamps back to back so one clamps to the bench whilst the other holds a workpiece.

**Length stop** for limiting the travel of the router when cutting stopped grooves, panel mouldings etc. **Featherboard** for use with fences and guides. **Adjustable backstop** for setting the position of the clamp guides relative to the edge of a bench or worktable. **Jaw blocks** fit over the existing jaw and widen the grip area. **Universal base** for your router or portable circular saw. **450mm fence** will attach to the guide clamp and replace an existing fence.

|                               | Inc.vat | Ex.vat | Code   |
|-------------------------------|---------|--------|--------|
| Clamp Guide 610mm             | £22.74  | £18.95 | 010018 |
| Clamp Guide 915mm             | £27.44  | £22.87 | 010019 |
| Clamp Guide 1,270mm           | £33.44  | £27.87 | 010020 |
| Back to Back Adaptors (Pkt 8) | £12.95  | £10.79 | 010021 |
| Adjustable Back Stop          | £19.44  | £16.20 | 200203 |
| Featherboard                  | £12.24  | £10.20 | 010022 |
| Jaw Blocks (Pair)             | £7.94   | £6.62  | 600854 |
| Universal Base                | £19.94  | £16.62 | 210007 |
| Aluminium Fence 450mm         | £23.45  | £19.54 | 210016 |
| 90° Head                      | £6.65   | £5.54  | 950113 |
| Side by Side Adaptors         | £16.25  | £13.54 | 950112 |

## Axminster Anti-Slip Mat



For free hand routing or orbital sanding this sheet of special non-slip material makes clamps unnecessary. The open weave allows dust or chips to fall through preventing a build-up of waste causing a loss of grip. Works like magic, with many and varied uses. Size 600 x 900mm.

|               | Inc.vat | Ex.vat | Code   |
|---------------|---------|--------|--------|
| Anti-Slip Mat | £6.95   | £5.79  | 340208 |



## Guide Clamps


Very useful dual purpose clamp and guide rails. Used as a guide rail, they can be clamped across the width of a board to provide a firm straight edge to guide a jigsaw, router or circular saw and as a clamp they can be used to provide light pressure when gluing up multi-board panels. Two clamps bolted back-to-back will grip both the bench and the work at the same time, leaving both hands free to work with the tools. A pair of nuts and bolts are supplied with the clamp for this purpose.

|                  | Inc.vat | Ex.vat | Code   |
|------------------|---------|--------|--------|
| 610mm(24")       | £14.45  | £12.04 | 340950 |
| 610mm(24") x 2   | £27.44  | £22.87 | 340951 |
| 915mm(36")       | £17.45  | £14.54 | 340952 |
| 915mm(36") x 2   | £32.95  | £27.46 | 340953 |
| 1,270mm(50")     | £19.44  | £16.20 | 340954 |
| 1,270mm(50") x 2 | £35.95  | £29.96 | 340955 |




## Axminster Premier Benchtop Router Table

Stop block attaches to fence for stopped chamfers or rebates



Supplied fingerboard attached to fence for safer controlled cutting



This is an excellent compact router table. With a 609 x 406mm router table top and a useful base cabinet, this table is designed with space saving in mind, but still offers great facilities for use on site or in the workshop. Included is a full width fence with a feather board and length stop running in a T track. The fence wings are adjustable for width and the whole assembly can be moved backwards or forwards in T section tracks embedded in the table surface. A 58mm dust extraction port and an adjustable safety guard are also provided. The cabinet is made from melamine coated composite material and has two doors with concealed cabinet hinges. Internal dimensions are 530 x 330mm with a height of 395mm. The phenolic insert plate is the same size as used in our other Axminster router tables and can be upgraded with our aluminium router plate if required. Many types of router can be accommodated by simply drilling the insert plate to suit the base of your router and instructions for this are included. This router table is the nicest bench top unit we have ever seen and justifies a place in many small workshops.



## Axminster Trade LSD7 Router Table



This router table has many great features that will benefit the trade or keen hobby woodworker, including an extra thick, coated MDF top and a robust 38mm box section steel stand. The top is 30mm thick and is fitted with alloy "T" tracks for the fence and a 19mm "T" track for optional mitre fences etc. It is also fitted with the UJK Technology 6mm aluminium insert plate which is adjustable for height to make it flush with the top surface. The stand lends itself to a shelf or storage cupboard to be fitted and has height adjustable feet to accommodate the inevitable uneven workshop floor! A comprehensive fence is included, with adjustable wings for small planing work as well as a featherboard and 65mm diameter dust extraction hood. Several UJK Technology accessories can be fitted, such as the Precision Mitre Fence and Router Elevator system to further upgrade this table. This is a great mid priced router table, well made and with great functionality.

|                         | Inc.vat | Ex.vat  | Code   |
|-------------------------|---------|---------|--------|
| Trade LSD7 Router Table | £259.94 | £216.62 | 505125 |

## Axminster Arched Featherboard



Featherboards are a great accessory for the safe and efficient use of router tables, circular saws and spindle moulders. The Axminster arched featherboard offers increased functionality for the machining of wider boards and is well suited for use on a router table set-up. This clever, robust design also acts as an efficient guard during use and has a natural tendency to pull the material towards the fence. Dimensions are 260 x 115 x 60mm and the vertical slots are 238mm between centres.

|                     | Inc.vat | Ex.vat | Code   |
|---------------------|---------|--------|--------|
| Arched Featherboard | £7.25   | £6.04  | 950028 |

### Comparison Chart - Router Tables

| Model                  | Trade LSD7    | Benchtop Router Table |
|------------------------|---------------|-----------------------|
| Rating                 | Trade         | Light Trade           |
| Table Size             | 800mm x 600mm | 609 x 406mm           |
| Table Height           | 915mm         | -                     |
| Fence Size             | 820mm         | 600mm                 |
| Dust Extraction Outlet | 65mm          | 58mm                  |

## Axcaliber Router Collet Extension



- Made in Axminster using the latest CNC production techniques
- Perfect for router table use
- Collet supplied for 1/2" shank cutters
- Range of collet sizes available
- Shank length 35mm Body length 40mm
- Please note : Collet nut requires a 27mm spanner



|                            | Inc.vat | Ex.vat | Code   |
|----------------------------|---------|--------|--------|
| Collet Extension           | £34.94  | £29.12 | 211367 |
| 13.0mm - 12.0mm (1/2")     | £8.94   | £7.45  | 910215 |
| 8.0mm - 7.0mm (8mm)        | £8.94   | £7.45  | 910210 |
| 7.0mm - 6.0mm (1/4")       | £8.94   | £7.45  | 910209 |
| 4.0mm - 3.0mm (1/8")       | £8.94   | £7.45  | 910206 |
| Combination Spanner - 27mm | £10.14  | £8.45  | 423927 |

## Bosch Centring Cone

BOSCH



When mounting a router into a router table or positioning a guide bush accurately in a router base, some sort of centring device can be a really useful aid. The Bosch Centring Cone is an excellent aid for accurate set-up. The cone is supplied with two interchangeable shafts which have a different diameter on each end. This allows fitting to a range of collets to suit your router. They will fit the following sizes: 1/2"(12.7mm), 1/4"(6.35mm), 8mm and 12mm.

|               | Inc.vat | Ex.vat | Code   |
|---------------|---------|--------|--------|
| Centring Cone | £22.25  | £18.54 | 504673 |

## Axminster Router Table Fence



This substantial fence is fitted to the smaller models of the Axminster spindle moulder but it would also make a great fence if you wanted to make up your own router table. Made from cast alloy with extruded alloy fence wings, it includes a 100mm dust extraction port. The wings can be individually adjusted for depth and width, and have grub screws to allow adjustments to ensure that the wings are parallel with each other. Easily fitted to a table with just two holes to be drilled. Optional accessories include segmented fence wings and a hold down/guide set.

|                        | Inc.vat | Ex.vat  | Code   |
|------------------------|---------|---------|--------|
| Spindle Moulder Fence  | £122.94 | £102.45 | 953434 |
| WS-C/1F Integral Fence | £64.94  | £54.12  | 951688 |
| Work Guides            | £61.94  | £51.62  | 953437 |

## Axminster Push Stick



A strong rigid plastic push stick suitable for use with many machines.

|            | Inc.vat | Ex.vat | Code   |
|------------|---------|--------|--------|
| Push Stick | £2.75   | £2.29  | 100237 |

## Axminster Router Table Mitre Fence



A solid and well made mitre fence with a 19mm wide x 9.5mm x 320mm long steel bar and a very robust die-cast body. Suited for use in a plain routed slot, aluminium track or a grooved machine bed. The vertical face is some 130mm wide and 40mm high and has two recessed slots used for fixing a wooden sub fence.

|             | Inc.vat | Ex.vat | Code   |
|-------------|---------|--------|--------|
| Mitre Fence | £17.94  | £14.95 | 510317 |



## UJK Technology Professional Router Tables

The UJK Technology professional router table is a solid, dependable unit that will give many years of useful service. The benefits of using cast iron for the manufacture of machine tables are well known especially where vibration damping and stability are paramount. The quality of the surface grinding on this table is superb, offering little resistance when passing stock across the table during use. If you have room in your workshop for a full sized router table, you will wonder how you managed without one. There are many complex routing operations that can only be carried out using a table set-up. The aperture in the table top is designed to accept our router elevator and when fitted with this unit you will have yourself an excellent versatile set-up. Top measures 812 x 610mm.

The fence is a superb quality single aluminium section supplied with a transparent dust port for efficient extraction from above the table. Provision is made for the fitting of guards and accessories with a T-slot at both the top and front of the fence. An adjustable transparent guard is included for your safety. Adjustable scales are provided for attachment at either side of the table and the fence is attached to these and locks into place at the required position. A scale is also provided for the top of the fence with the zero position at the centre. Adjustable in-feed and out-feed fences attach to either side of the aluminium section and the central aperture can be opened and closed according to the diameter of the cutter in use. Fence measures 904 x 90mm high.



The UJK Technology 'professional' leg stand is of sturdy construction with a foot operated retractable castor for excellent mobility around the workshop. A neat rack is provided for keeping your most popular router cutters to hand and provision is made for storage of the supplied mitre fence assembly. Stand height including cast iron top 930mm.



Optional dust extraction box available

|                        | Inc.vat | Ex.vat  | Code   |
|------------------------|---------|---------|--------|
| Professional Phenolic  | £399.95 | £333.29 | 717204 |
| Professional MDF       | £309.95 | £258.29 | 717205 |
| Professional Cast Iron | £449.95 | £374.96 | 717127 |



## UJK Technology Compact Router Tables

The UJK Technology compact router tables are solid, dependable units that should give many years of useful service. Three table top options are available in cast iron, phenolic and MDF, all sharing the same fence and leg stand. The benefits of using cast iron for the manufacture of machine tables are well known especially where vibration damping and stability are paramount. The cast iron 686 x 406 x 40mm top is finely ground offering minimum resistance to the workpiece as it is passed over the surface. The slightly smaller 600 x 400 x 22mm phenolic top is a great choice especially if your workshop or shed suffers from

Shown with optional UJK dust extraction box fitted (not included)



dampness or condensation. This very stable material is also used in the manufacture of our worktop jigs. Finally, the 600 x 400 x 32mm MDF top version is our great value option for the cost conscious woodworker. If you don't have room in your workshop for a full sized router table then the 'compact' would be a great choice. There are many complex routing operations that can only be carried out using a table set-up and, although smaller than its bigger brothers, these little gems still offer some excellent features. The aperture in the table top is designed to accept the UJK router elevator and a range of other dedicated insert options.

The fence is a beautifully made, single piece aluminium section supplied with a transparent dust port for efficient extraction from above the table. Provision is made for the fitting of guards and accessories with a T-slot at both the top and front of the fence. An adjustable transparent guard is included for your safety. Adjustable scales are provided for attachment at either side of the table and the fence is attached to these and locks into place



Graduated adjustment scale supplied with fence

in the required position. A scale is also provided for the top of the fence with the zero position at the centre. Adjustable in-feed and out-feed fences attach to either side of the aluminium section and the central aperture can be opened and closed according to the diameter of the cutter in use. Measures 789 x 90mm.

The compact leg stand is of sturdy construction and provision is made for storage of the supplied mitre fence assembly. Measuring 370mm high, with a footprint of 580 x 390mm, this leg stand is such a useful size and could also be used for mounting many other machines.

|                   | Inc.vat | Ex.vat  | Code   |
|-------------------|---------|---------|--------|
| Compact Phenolic  | £264.96 | £220.80 | 717206 |
| Compact MDF       | £229.96 | £191.63 | 717207 |
| Compact Cast Iron | £284.95 | £237.46 | 717126 |

## Featherboards

### Axminster Arched Featherboard

Featherboards are a great accessory for the safe and efficient use of router tables, circular saws and spindle moulders. The Axminster arched featherboard offers increased functionality for the machining of wider boards and is well suited for use on a router table set-up. This clever robust design also acts as an efficient guard during use and has a natural tendency to pull the material towards the fence. Dimensions are 260 x 115 x 60mm and the vertical slots are 238mm between centres.



|                     | Inc.vat | Ex.vat | Code   |
|---------------------|---------|--------|--------|
| Arched Featherboard | £7.25   | £6.04  | 950028 |

### UJK Technology Vertical Featherboards

These featherboards are an excellent accessory for safer routing. They simply attach to your router table fence with the supplied T-bolts and provide extra support for the workpiece as it is being passed across the cutter. The amount of applied pressure is sustained over a wide area so you are less likely to experience breakout or chatter on the workpiece. The UJK Technology vertical featherboards should be positioned at each side of the cutter offering downward pressure on both the infeed and outfeed sides of the table.



|                               | Inc.vat | Ex.vat | Code   |
|-------------------------------|---------|--------|--------|
| Vertical Featherboards (Pair) | £8.45   | £7.04  | 502751 |

### UJK Technology Double Horizontal Featherboards

Featherboards are an excellent accessory for safer routing. They simply attach to your router table with the supplied T-bolts and provide extra support for the workpiece as it is being passed across the cutter. The amount of applied pressure is sustained over a wide area so you are less likely to experience breakout or chatter on the workpiece. The UJK Technology horizontal featherboards can be used as singles at either side of the cutter or doubled up for extra support when machining a larger section of timber. Each featherboard offers 20mm depth of support and when stacked together, using the supplied spacers, the depth increases to 66mm.



|                                 | Inc.vat | Ex.vat | Code   |
|---------------------------------|---------|--------|--------|
| Horizontal Featherboards (Pair) | £12.95  | £10.79 | 502750 |

We recently launched the **UJK Technology Professional and Compact cast iron router tables**. They have proved to be very popular and we are now able to offer some alternative options for these robust high specification units.

A professional router table in the workshop opens up a whole new range of projects that you can tackle and the compact option would make taking a router table on site a viable proposition. So once you have decided which size of table you require and then selected the appropriate leg stand and fence, you can then decide whether a cast iron, phenolic or MDF top would be best for your needs. For mounting your router we also have three options of table inserts to choose from: 6mm aluminium, 10mm phenolic and a 10mm aluminium version with a universal base attachment, not forgetting the UJK router elevator is designed to fit these tables too. Space doesn't allow full details of all these products but in-depth information can be found on our website [www.axminster.co.uk/routing](http://www.axminster.co.uk/routing).

## UJK Technology Professional Router Table Leg Stand



The UJK Technology Professional Leg Stand is of sturdy construction with a foot operated retractable castor for excellent mobility around the workshop. A neat rack is provided for keeping your most popular router cutters to hand and provision is made for storage of the supplied mitre fence assembly. Stand height approximately 890mm.

|                        | Inc.vat | Ex.vat  | Code   |
|------------------------|---------|---------|--------|
| Professional Leg Stand | £129.95 | £108.29 | 502536 |

## UJK Technology Compact Router Table Leg Stand



The UJK Technology Compact Leg Stand with splayed legs is of sturdy construction, very stable and of a size that offers portability around the workshop or on site. Provision is made for storage of the supplied mitre fence assembly. Measuring 370mm high, with a footprint of 580 x 390mm, this leg stand is such a useful size and could also be used for mounting many other small machines.

|                   | Inc.vat | Ex.vat | Code   |
|-------------------|---------|--------|--------|
| Compact Leg Stand | £79.94  | £66.62 | 502533 |


## UJK Technology Professional Router Table Fences



- Fences to fit UJK Technology router tables
- Adjustable infeed and outfeed fences
- T-slot for accessories at the top and front of the fences
- Graduated scale provided along top of fences
- Transparent dust port for efficient extraction
- The professional fence measures 904 x 90mm high
- The compact fence measures 789 x 90mm

|                        | Inc.vat | Ex.vat | Code   |
|------------------------|---------|--------|--------|
| Pro Fence Assembly     | £89.94  | £74.95 | 502537 |
| Compact Fence Assembly | £79.94  | £66.62 | 502534 |

## UJK Technology Professional Router Table Tops



- UJK Professional Cast Iron Router Table Top
- Designed to accept UJK leg stand and fence
- Top measures 815 x 615 x 40mm
- Range of insert options available
- Dust collection box available

|                            | Inc.vat | Ex.vat  | Code   |
|----------------------------|---------|---------|--------|
| Cast Iron 815 x 615 x 40mm | £254.94 | £212.45 | 502535 |
| Phenolic 800 x 600 x 22mm  | £199.94 | £166.62 | 502745 |
| MDF 800 x 600 x 32mm       | £119.94 | £99.95  | 502743 |


## UJK Technology Compact Router Table Tops



- UJK Technology Compact Cast Iron Router Table Top
- Designed to accept UJK leg stand and fence
- Top measures 686 x 406 x 40mm
- Range of insert options available
- Dust collection box available

|                           | Inc.vat | Ex.vat  | Code   |
|---------------------------|---------|---------|--------|
| Compact Cast Iron         | £139.94 | £116.62 | 502532 |
| Phenolic 600 x 400 x 22mm | £109.94 | £91.62  | 502746 |
| MDF 600 x 400 x 32mm      | £74.94  | £62.45  | 502744 |

## UJK Technology Router Table Insert Plates



- UJK Technology router table insert plates
- Threaded lead-in pin
- To fit 230 x 306mm aperture
- Twist lock insert ring supplied with wrench
- Range of central insert rings available
- 10mm aluminium fitted with universal mounting base

|                | Inc.vat | Ex.vat | Code   |
|----------------|---------|--------|--------|
| 6mm Aluminium  | £49.94  | £41.62 | 502749 |
| 10mm Aluminium | £94.94  | £79.12 | 502748 |
| 10mm Phenolic  | £47.94  | £39.95 | 502747 |

## UJK Technology Dust Extraction Box



- Dust collection device
- Efficient extraction from above and below the table
- Access door with magnetic catch
- 63mm extraction hose included
- 100mm outlet

|                     | Inc.vat | Ex.vat | Code   |
|---------------------|---------|--------|--------|
| Dust Extraction Box | £59.94  | £49.95 | 502538 |

## UJK Technology Quick Stop



- A hinged stop to fit the UJK Technology router tables
- An excellent device for stopped chamfers or rebates
- Attaches to the top of the router table fence
- Simply flips up out of the way when not required

|            | Inc.vat | Ex.vat | Code   |
|------------|---------|--------|--------|
| Quick Stop | £15.44  | £12.87 | 502569 |

## Power Tool NVR Switch



- Versatile NVR switch for remote switching of table mounted power tools
- Offers very convenient solution


|                 | Inc.vat | Ex.vat | Code   |
|-----------------|---------|--------|--------|
| NVR Switch 230V | £18.95  | £15.79 | 910065 |

## UJK Technology Inserts



The standard central insert supplied with the router elevator and other UJK Technology router table insert plates has a 38mm diameter central hole. We are now able to offer a replacement for this plus some alternative sizes so that the space between the cutter being used and the edge of the insert can be kept as close as possible. We also offer a blank insert with no hole in case you want to create your own custom fit. Another option is a guide bush adaptor to enable the fitting of American style threaded guide bushes. The stepped central hole provides a secure accurate mount for your guide bush when carrying out template routing operations or curved work. Also available is a set of four inserts offering a considerable saving on the individual inserts. Set includes 12.6mm, 38mm, 63.4mm plus a guide bush adaptor.

|                     | Inc.vat | Ex.vat | Code   |
|---------------------|---------|--------|--------|
| Set of Four Inserts | £46.96  | £39.13 | 717135 |
| 12.6mm dia hole     | £13.45  | £11.21 | 502565 |
| 38mm dia hole       | £13.45  | £11.21 | 502566 |
| 63.4mm dia hole     | £13.45  | £11.21 | 502567 |
| Guide Bush Adaptor  | £14.45  | £12.04 | 502525 |
| Blank Insert        | £11.45  | £9.54  | 951187 |



## UJK Technology Router Elevator

Raising and lowering a router in a table set-up can be a chore if you have to reach under the table each time you need to change the depth of cut. Being able to carry out this operation from above the table makes life so much easier, allowing height adjustments to be made quickly and accurately. The UJK Technology router elevator is a logical solution for fast, accurate production on many router table installations. This compact design was developed by us to fit straight into our own router tables and most table set-ups can accommodate this size of insert (305 x 229 x 6mm). The unit can be made to fit flush into the tabletop by the

## Router Elevator



provision of levelling screws at each corner of the table insert. Height adjustment is carried out by inserting a handle through a measurement dial set into the machine table. Each rotation of the handle raises or lowers the cutter by exactly 2mm and the integral scale is graduated into increments enabling very accurate adjustments to be carried out. The router elevator is supported on all four corners by a substantial threaded rod which means that the router stays very stable in use. A locking mechanism is fitted so that the height of the router can be securely locked in any desired position. The rise and fall mechanism is chain driven which is an endless loop connecting the sprockets and is both easy and positive in action. Routers are attached to the router elevator either directly or with the use of the supplied adaptor plate. N.B. Machine screws will be required to attach your router to this product and the thread size will vary according to router type.

|                 | Inc.vat | Ex.vat  | Code   |
|-----------------|---------|---------|--------|
| Router Elevator | £239.94 | £199.95 | 502701 |

## Axcaliber Router Cutters

These premium brand router cutters are produced using advanced technology on up-to-the-minute multi axis CNC machinery. Shanks are made from SAE4140 steel hardened to Rockwell 45RC, renowned for its hardness and strength, and the tips are made from diamond ground micrograin tungsten carbide. A polished finish ensures a durable, clean cutter capable of holding a sharp edge and a thick Teflon coating enables the cutters to remain free of resin. All cutters are produced with high shearing angles.



### Axcaliber 12 Piece 1/2" (12.7mm) Long Shank Router Cutter Set

- 12 piece set consists of:
- 3 x Two Flute straight cutters 6.3, 12.7 & 19mm dia
- 1 x 6.3mm Radius Box cutter
- 1 x 12.7mm Template Profile cutter with bearing
- 1 x 45° Vee Groove cutter
- 1 x 12.7mm Radius Rounding Over cutter with bearing
- 1 x 12.7mm Radius Cove cutter with bearing
- 1 x 45° Chamfer cutter with bearing
- 1 x 9.5mm Rebate cutter with bearing
- 1 x 6.3mm Radius Roman Ogee cutter
- 1 x 12.7mm 14° Dovetail cutter



1/2" (12.7mm) shank cutters are less susceptible to vibration or chatter making them a good choice if you have a router with a 1/2" (12.7mm) collet. The 48mm long shanks of these cutters are very useful for many other applications where reach of standard shank cutters is insufficient, for example router table use or when a sub base is in use. A comprehensive range of cutters are included in this set.

#### 1/2" (12.7mm) Shank

|                             | Inc.vat | Ex.vat  | Code   |
|-----------------------------|---------|---------|--------|
| Cutter Set - S=1/2"(12.7mm) | £134.94 | £112.45 | 666066 |



### 24 Piece Value Router Cutter Set

Two impressive looking collections of TCT cutters with either 6.3mm (1/4") or 12.7mm (1/2") shanks. Both sets include cutters for a wide range of routing applications, from basic rebating and grooving through to decorative moulding and dovetailing. Supplied in an aluminium carry case, each with its designated storage position. An excellent starter set for those new to routing and wishing to explore the potential of their router.

|                     | Inc.vat | Ex.vat | Code   |
|---------------------|---------|--------|--------|
| 1/4" Shank (24 Pce) | £35.94  | £29.95 | 610166 |
| 1/2" Shank (24 Pce) | £37.94  | £31.62 | 152001 |

### Axcaliber Single Flute Straight Router Cutters

A range of useful single flute 1/4" (6.3mm) shank cutters in metric and imperial sizes. Single flute cutters allow smaller cutting diameters and are useful for inlays/stringing etc. The tips are made from diamond ground micrograin tungsten carbide for durability.

#### 1/4" (6.35mm) Shank

| D     | X     | Inc.vat | Ex.vat | Code   |
|-------|-------|---------|--------|--------|
| 3     | 8     | £8.45   | £7.04  | 666248 |
| 4     | 10    | £8.45   | £7.04  | 666249 |
| 5     | 12    | £8.45   | £7.04  | 666250 |
| 3.175 | 9.53  | £8.45   | £7.04  | 666111 |
| 3.175 | 12.7  | £8.75   | £7.29  | 666112 |
| 6.35  | 19.05 | £8.75   | £7.29  | 666115 |
| 6.35  | 25.4  | £8.94   | £7.45  | 666116 |



### Axcaliber Kitchen Worktop Cutter (Long Shank)

Bulk discount available

When fitting kitchen worktops using a worktop jig, it is necessary for the router cutter to be long enough to extend below the bottom of the worktop but retain a sufficient length of shank in the router collet. This can be difficult to achieve with some routers and with this in mind we have introduced a worktop cutter featuring a longer shank than usually found on this type of cutter. These cutters also feature a bottom cut insert for efficient plunge cuts. Available individually or in packs of five. 50mm depth of cut, 12.7mm diameter and 107mm overall in length.

#### 1/2" (12.7mm) Shank

| D    | X  | Each      | Inc.vat | Ex.vat | Code   |
|------|----|-----------|---------|--------|--------|
| 12.7 | 50 | Each      | £20.45  | £17.04 | 502523 |
| 12.7 | 50 | Pack of 5 | £83.94  | £69.95 | 502524 |



### Axcaliber Kitchen Fitter's Router Cutter Set

This set comprises four of the cutters most commonly used by kitchen fitters. These include: 2 x 60mm long x 12.7 mm (1/2") diameter, 2 flute 1/2" shank straight cutters for cutting worktop joints using a Postform jig, 1 x 50mm long x 12.7 mm (1/2") diameter, 2 flute 1/2" shank straight cutter with bottom cut for plunge cutting through laminated and melamine faced board for sink and hob cut-outs etc, 1 x 25mm long x 12.7 mm (1/2") diameter, 2 flute 1/2" shank flush bearing trimming cutter, for trimming laminates, lippings and for template following applications.

1/2" shank only. An economical way of purchasing four very useful high quality cutters.

|                             | Inc.vat | Ex.vat | Code   |
|-----------------------------|---------|--------|--------|
| Cutter Set - S=1/2"(12.7mm) | £56.95  | £47.46 | 719615 |



Bulk discount available

### Axcaliber Kitchen Worktop Router Cutters Trade Pack

This pack of five TCT cutters represent fantastic value for the kitchen fitter, but don't forget, you can use them for many other routing tasks too. 50 x 12.7mm x 1/2" (12.7mm) shank.

|                                    | Inc.vat | Ex.vat | Code   |
|------------------------------------|---------|--------|--------|
| Kitchen Worktop Cutters Trade Pack | £39.95  | £33.29 | 951808 |

### Axcaliber Metric High Speed Steel Cutters

A range of Axcaliber metric twin flute HSS cutters offered as an alternative to the more common tungsten tipped cutters. Although high speed steel cutters are not suitable for machining abrasive materials, they do offer a superior finish when used on softwoods.

#### 1/4" (6.35mm) Shank

| D  | X  | Inc.vat | Ex.vat | Code   |
|----|----|---------|--------|--------|
| 5  | 11 | £10.44  | £8.70  | 502674 |
| 6  | 16 | £11.94  | £9.95  | 502675 |
| 8  | 20 | £12.44  | £10.37 | 502676 |
| 10 | 20 | £12.95  | £10.79 | 502677 |
| 12 | 20 | £16.00  | £14.12 | 502678 |



### Axcaliber Twin Flute Straight Router Cutters with Bottom Cut Insert

These shank cutters with a bottom cut insert would be a good choice for plunging type cuts such as those used for stopped grooves or morticing.

#### 1/2" (12.7mm) Shank

| D     | X     | Inc.vat | Ex.vat | Code   |
|-------|-------|---------|--------|--------|
| 9.53  | 25.4  | £15.95  | £13.29 | 666081 |
| 12.7  | 31.75 | £16.44  | £13.70 | 666082 |
| 12.7  | 50.8  | £20.45  | £17.04 | 666083 |
| 15.88 | 25.4  | £19.44  | £16.20 | 666084 |
| 19.05 | 38.1  | £23.45  | £19.54 | 666085 |
| 25.4  | 31.75 | £23.45  | £19.54 | 666110 |



### Axcaliber Twin Flute Straight Router Cutters - 1/4" (6.35mm)

If you are looking for dependable high performance twin flute cutters, then we offer an excellent range of Axcaliber individual cutters in both metric and imperial sizes with either 1/4" (6.35mm) or 1/2" (12.7mm) shank sizes.

#### 1/4" (6.35mm) Shank

| D     | X     | Inc.vat | Ex.vat | Code   |
|-------|-------|---------|--------|--------|
| 4.76  | 12.7  | £9.95   | £8.29  | 666119 |
| 6     | 20    | £9.44   | £7.87  | 666251 |
| 6.35  | 19.05 | £9.95   | £8.29  | 666122 |
| 6.35  | 25.4  | £9.95   | £8.29  | 666123 |
| 7     | 20    | £9.44   | £7.87  | 502559 |
| 7.94  | 25.4  | £10.44  | £8.70  | 666125 |
| 8     | 20    | £9.44   | £7.87  | 666252 |
| 9     | 20    | £13.94  | £11.62 | 666254 |
| 9.53  | 19.05 | £10.44  | £8.70  | 666002 |
| 9.53  | 31.75 | £10.94  | £9.12  | 666127 |
| 10    | 25    | £15.95  | £13.29 | 666260 |
| 11    | 20    | £14.94  | £12.45 | 666261 |
| 12    | 25    | £16.94  | £14.12 | 666262 |
| 12.7  | 19.05 | £10.94  | £9.12  | 666130 |
| 12.7  | 31.75 | £11.45  | £9.54  | 666131 |
| 14    | 20    | £16.94  | £14.12 | 666253 |
| 15.88 | 25.4  | £17.45  | £14.54 | 341159 |
| 16    | 25    | £19.94  | £16.62 | 666255 |
| 18    | 20    | £19.94  | £16.62 | 666256 |
| 19    | 20    | £19.94  | £16.62 | 666257 |
| 19.05 | 19.05 | £12.95  | £10.79 | 666132 |
| 20    | 20    | £19.94  | £16.62 | 666258 |
| 25    | 20    | £21.95  | £18.29 | 666259 |



## Axcaliber Twin Flute Straight Router Cutters - 1/2" (12.7mm)

A high quality range of twin flute 1/2" (12.7mm) shank cutters available in metric and imperial sizes, the metric having a bottom cut insert for improved plunge cutting. The larger shank of these cutters helps eliminate vibration and chatter under load and if your router will accept a 1/2" (12.7mm) collet these cutters are a good choice for many different applications.



### 1/2" (12.7mm) Shank

| D     | X     | Inc.vat | Ex.vat | Code   |
|-------|-------|---------|--------|--------|
| 4.76  | 12.7  | £9.95   | £8.29  | 666133 |
| 6.35  | 25.4  | £9.95   | £8.29  | 666137 |
| 7.94  | 25.4  | £10.44  | £8.70  | 666139 |
| 9.5   | 31.75 | £10.94  | £9.12  | 666140 |
| 12.7  | 38.1  | £12.44  | £10.37 | 666142 |
| 12.7  | 63.5  | £15.44  | £12.87 | 666144 |
| 15.88 | 38.1  | £13.94  | £11.62 | 666146 |
| 15.88 | 50.8  | £16.94  | £14.12 | 666147 |
| 18.26 | 25.4  | £12.95  | £10.79 | 666148 |
| 19.05 | 25.4  | £12.95  | £10.79 | 666058 |
| 19.05 | 50.8  | £18.95  | £15.79 | 666059 |
| 22.22 | 31.75 | £14.94  | £12.45 | 666060 |
| 25.4  | 25.4  | £15.44  | £12.87 | 666134 |
| 25.4  | 38.1  | £18.95  | £15.79 | 666135 |
| 6     | 20    | £9.74   | £8.12  | 951229 |
| 8     | 20    | £9.74   | £8.12  | 951230 |
| 10    | 25    | £15.96  | £13.30 | 951231 |
| 12    | 37    | £18.74  | £15.62 | 951232 |
| 12    | 50    | £20.45  | £17.04 | 951233 |
| 15    | 25    | £20.94  | £17.45 | 951244 |
| 16    | 25    | £19.94  | £16.62 | 951234 |
| 18    | 20    | £19.94  | £16.62 | 951235 |
| 20    | 20    | £20.45  | £17.04 | 951236 |
| 25    | 20    | £21.95  | £18.29 | 951237 |

## Axcaliber Flush Trim Router Cutter with Down Shear

An excellent choice for flush trimming or following a template, these cutters have the cutting edges placed at an angle to give a downward shearing action. This results in a very clean cut with minimum breakout. Top bearing or bottom bearing cutter types are available, both with 1/2" shank, 19mm diameter and 50mm depth of cut.



### 1/2" (12.7mm) Shank

| D     | X    |                  | Inc.vat | Ex.vat | Code   |
|-------|------|------------------|---------|--------|--------|
| 18.95 | 50.8 | (Bottom Bearing) | £27.95  | £23.29 | 951296 |
| 18.95 | 50.8 | (Top Bearing)    | £27.95  | £23.29 | 951297 |

## Axcaliber Hinge Recessing Router Cutters

These 1/4" shank cutters are great for use in a small palm router when recessing hinge mortises or similar applications. Just follow up with one of our corner chisels for chopping out the radius in the corners to ensure a perfect fit.



### 1/4" (6.35mm) Shank

| D     | X     | Inc.vat | Ex.vat | Code   |
|-------|-------|---------|--------|--------|
| 12.7  | 19.05 | £10.00  | £8.33  | 666087 |
| 19.05 | 19.05 | £11.26  | £9.38  | 666095 |

## Axcaliber Flush Trim Router Cutters Bottom Bearing

A range of cutters in both 1/4" (6.35mm) and 1/2" (12.7mm) shank sizes which are excellent for the flush trimming of laminates and template type routing operations.



### 1/4" (6.35mm) Shank

| D    | X    | Inc.vat | Ex.vat | Code   |
|------|------|---------|--------|--------|
| 6.35 | 19   | £11.45  | £9.54  | 666098 |
| 9.52 | 25.4 | £11.45  | £9.54  | 666099 |
| 12.7 | 13   | £11.45  | £9.54  | 666100 |
| 12.7 | 25.4 | £11.45  | £9.54  | 666101 |
| 12.7 | 32   | £12.44  | £10.37 | 666102 |

### 1/2" (12.7mm) Shank

| D    | X    | Inc.vat | Ex.vat | Code   |
|------|------|---------|--------|--------|
| 12.7 | 25.4 | £11.45  | £9.54  | 666103 |
| 12.7 | 38.1 | £12.95  | £10.79 | 666104 |
| 12.7 | 50.8 | £13.44  | £11.20 | 666105 |

## Axcaliber Flush Trim Router Cutters Top Bearing - 1/4" (6.35mm)

For template routing where the template is attached to the top of the workpiece, these cutters are an excellent choice. As with all Axcaliber cutters, the quality is superb with micrograin tungsten carbide tips and hardened steel shanks.



### 1/4" (6.35mm) Shank


| D     | X     | Inc.vat | Ex.vat | Code   |
|-------|-------|---------|--------|--------|
| 12.7  | 19.05 | £13.94  | £11.62 | 666106 |
| 12.7  | 25.4  | £13.94  | £11.62 | 666107 |
| 15.88 | 19.05 | £15.44  | £12.87 | 666108 |
| 15.88 | 25.4  | £16.44  | £13.70 | 666109 |
| 19.05 | 25.4  | £17.94  | £14.95 | 666088 |

### 1/2" (12.7mm) Shank

| D     | X     | Inc.vat | Ex.vat | Code   |
|-------|-------|---------|--------|--------|
| 19.05 | 25.4  | £17.94  | £14.95 | 666089 |
| 19.05 | 31.75 | £18.95  | £15.79 | 666090 |

## Axcaliber Milling Cutter

The Axcaliber milling cutter is the perfect bit for sign making or any kind of recessed work.



### 1/2" (12.7mm) Shank

| D    | X    | Inc.vat | Ex.vat | Code   |
|------|------|---------|--------|--------|
| 31.7 | 12.7 | £22.44  | £18.70 | 952562 |

## Axcaliber Milling Cutter with Top Bearing

This Axcaliber milling cutter with a tight radius and top bearing is the perfect bit for sign making or many kinds of template or recessed work.



### 1/4" (6.35mm) Shank

| D    | X | Inc.vat | Ex.vat | Code   |
|------|---|---------|--------|--------|
| 12.7 | 8 | £18.44  | £15.37 | 952561 |

## Axcaliber Pierce and Trim Cutter

For cutting out apertures in panelling, drywall, doors, veneering and laminates. The point plunges smoothly through the surface and the cutting edges quickly form the required cut-out. Perfect for trimming off the edges of laminates. Has a double cutting edge.



### 1/2" (12.7mm) Shank

| D    | X    | Inc.vat | Ex.vat | Code   |
|------|------|---------|--------|--------|
| 12.7 | 31.7 | £17.94  | £14.95 | 952560 |

## Axcaliber Bevel Trim Router Cutter

For flush trimming laminates where a bevel is required this bearing guided cutter will give consistently good performance. A good choice for use in palm routers or laminate trimmers.




### 1/4" (6.35mm) Shank

| D  | X    | K°  | Inc.vat | Ex.vat | Code   |
|----|------|-----|---------|--------|--------|
| 23 | 9.53 | 30° | £13.44  | £11.20 | 666093 |

## Axcaliber Bevel & Flush Trim Router Cutter

A small 45° trimming cutter suitable for chamfers or trimming work. N.B. a guide fence will be required as this cutter is not bearing guided.




### 1/4" (6.35mm) Shank

| D    | X    | K°  | Inc.vat | Ex.vat | Code   |
|------|------|-----|---------|--------|--------|
| 12.7 | 12.7 | 45° | £9.95   | £8.29  | 666094 |

## Axcaliber Vee Groove Router Cutters

Vee groove cutters are useful where large panels need to give the appearance of tongue and groove construction or freehand carving and lettering for signs. 1/4" or 1/2" shank versions available.



### 1/4" (6.35mm) Shank

| D     | X     | K°  | Inc.vat | Ex.vat | Code   |
|-------|-------|-----|---------|--------|--------|
| 12.7  | 12.7  | 45° | £12.95  | £10.79 | 666173 |
| 12.7  | 15.88 | 60° | £13.44  | £11.20 | 666272 |
| 19.05 | 15.88 | 45° | £15.95  | £13.29 | 666269 |

### 1/2" (12.7mm) Shank

| D    | X    | K°  | Inc.vat | Ex.vat | Code   |
|------|------|-----|---------|--------|--------|
| 25.4 | 19   | 45° | £19.94  | £16.62 | 666270 |
| 38.1 | 25.4 | 45° | £26.45  | £22.04 | 666271 |

## Axcaliber Bearing Guided Vee Groove Router Cutter - 1/4" (6.35mm)

A very useful 1/4" shank cutter, especially suited for working with templates. Numerous applications can be carried out, including chamfering, lettering and vee grooving. Axcaliber are a premium quality cutter using micrograin tungsten tips and hardened steel shanks.



### 1/4" (6.35mm) Shank

| D    | X    | K°  | Inc.vat | Ex.vat | Code   |
|------|------|-----|---------|--------|--------|
| 12.7 | 12.7 | 45° | £14.94  | £12.45 | 666042 |

## Axcaliber Round Nose/Radius Router Cutters

A good selection of single flute and twin flute cutters which are excellent for cutting coves in draining boards, decorative work on furniture or the edge moulding of timber components.



### 1/4" (6.35mm) Shank

| D     | X     | R     | Flute | Inc.vat | Ex.vat | Code   |
|-------|-------|-------|-------|---------|--------|--------|
| 3.175 | 7.94  | 1.6   | 1     | £9.44   | £7.87  | 666005 |
| 4.76  | 7.94  | 2.38  | 1     | £9.44   | £7.87  | 666006 |
| 6.35  | 7.94  | 3.175 | 2     | £10.94  | £9.12  | 666007 |
| 9.53  | 12.7  | 4.765 | 2     | £11.94  | £9.95  | 666008 |
| 12.7  | 15.88 | 6.35  | 2     | £13.44  | £11.20 | 666009 |
| 15.88 | 15.88 | 7.94  | 2     | £14.94  | £12.45 | 666010 |
| 19.05 | 19.05 | 9.525 | 2     | £16.94  | £14.12 | 666011 |

### 1/2" (12.7mm) Shank

| D     | X     | R      | Flute | Inc.vat | Ex.vat | Code   |
|-------|-------|--------|-------|---------|--------|--------|
| 25.4  | 19    | 12.7   | 2     | £19.94  | £16.62 | 666273 |
| 31.75 | 19.05 | 15.875 | 2     | £21.74  | £18.12 | 666274 |
| 38.1  | 22.22 | 19.05  | 2     | £25.94  | £21.62 | 666003 |
| 50    | 31.7  | 25.4   | 2     | £35.94  | £29.95 | 666004 |
| 12.7  | 31.75 | 6.35   | 2     | £20.94  | £17.45 | 952563 |

## Axcaliber Bearing Guided Round Nose Router Cutter - 1/4" (6.35mm)

Indispensable for use with templates, this cutter could be used for coves on picture frames, wooden draining boards or defining panelled areas on sheet materials.



### 1/4" (6.35mm) Shank

| D    | X    | R    | Inc.vat | Ex.vat | Code   |
|------|------|------|---------|--------|--------|
| 12.7 | 12.7 | 6.35 | £14.94  | £12.45 | 666043 |

## Axcaliber Bearing Guided Cove Router Cutters

A simple cove moulding can make an attractive feature when used for enhancing furniture, trim around cupboards or laminate flooring. This 1/2" radius bearing guided cutter is available in either 1/4" or 1/2" shank sizes.



### 1/4" (6.35mm) Shank

| D     | X     | R    | Inc.vat | Ex.vat | Code   |
|-------|-------|------|---------|--------|--------|
| 34.93 | 15.88 | 12.7 | £22.94  | £19.12 | 666156 |

### 1/2" (12.7mm) Shank

| D     | X     | R    | Inc.vat | Ex.vat | Code   |
|-------|-------|------|---------|--------|--------|
| 34.93 | 15.88 | 12.7 | £22.94  | £19.12 | 666157 |

## Axcaliber Bead Ovolo Router Cutter - 1/4" (6.35mm)

A variation on the standard ovolo cutter adding a double bead to the moulding. Suitable for straight or curved work as the bearing will follow the contours of the workpiece.



### 1/4" (6.35mm) Shank

| D     | X    | R    | Inc.vat | Ex.vat | Code   |
|-------|------|------|---------|--------|--------|
| 28.58 | 12.7 | 3.97 | £20.94  | £17.45 | 666151 |

## Axcaliber Ovolo Router Cutters

The ovolo moulding is widely used in many joinery and furniture applications and these are among our most popular moulding cutters. These versatile dual purpose cutters are supplied with two bearings for both ovolo and roundover use. Available in a range of radii with a choice of 1/4" or 1/2" shank sizes.



### 1/4" (6.35mm) Shank

| D     | X     | R    | Inc.vat | Ex.vat | Code   |
|-------|-------|------|---------|--------|--------|
| 15.88 | 9.53  | 1.59 | £16.44  | £13.70 | 666046 |
| 19.05 | 9.53  | 3.2  | £16.44  | £13.70 | 666047 |
| 20.64 | 9.53  | 3.96 | £17.45  | £14.54 | 666048 |
| 22.2  | 9.53  | 4.76 | £17.94  | £14.95 | 666049 |
| 25.4  | 11.11 | 6.35 | £19.44  | £16.20 | 666050 |
| 28.58 | 12.7  | 7.94 | £19.94  | £16.62 | 666051 |
| 31.75 | 15.88 | 9.53 | £21.95  | £18.29 | 666052 |
| 38.1  | 19.05 | 12.7 | £24.95  | £20.79 | 666053 |

### 1/2" (12.7mm) Shank


| D     | X     | R    | Inc.vat | Ex.vat | Code   |
|-------|-------|------|---------|--------|--------|
| 31.75 | 15.88 | 9.53 | £21.95  | £18.29 | 666054 |
| 38    | 19    | 12.7 | £24.95  | £20.79 | 666055 |
| 44.5  | 22.2  | 16   | £29.94  | £24.95 | 666149 |
| 50.8  | 25.4  | 19   | £34.94  | £29.12 | 666150 |

### Bearings

| D     | X    | R     | Inc.vat | Ex.vat | Code   |
|-------|------|-------|---------|--------|--------|
| 9.525 | 4.76 | 3.175 | £3.65   | £3.04  | 666236 |
| 12.7  | 4.76 | 5     | £3.65   | £3.04  | 666238 |

## Axcaliber Round Over Router Cutters

A range of roundover profile cutters offering three of the most popular radii. As these cutters are not bearing guided, they would need to be used with a side fence for hand held use or used inverted in a router table utilising the fence.



### 1/4" (6.35mm) Shank

| D    | X     | R     | Inc.vat | Ex.vat | Code   |
|------|-------|-------|---------|--------|--------|
| 19   | 15.93 | 6.35  | £15.95  | £13.29 | 666035 |
| 25.4 | 19.1  | 9.525 | £18.44  | £15.37 | 666036 |

### 1/2" (12.7mm) Shank

| D     | X     | R    | Inc.vat | Ex.vat | Code   |
|-------|-------|------|---------|--------|--------|
| 34.93 | 25.45 | 12.7 | £25.94  | £21.62 | 666037 |

## Axcaliber Bearing Guided Ogee Fillet Router Cutter

A nicely shaped bearing guided 1/4" (6.3mm) shank ogee fillet cutter suitable for the manufacture of furniture plinths, cornices and many other decorative components.



### 1/4" (6.35mm) Shank

| D  | X    | R   | Inc.vat | Ex.vat | Code   |
|----|------|-----|---------|--------|--------|
| 35 | 14.3 | 4.8 | £25.44  | £21.20 | 666167 |

## Axcaliber Bearing Guided Chamfer Router Cutters

One of the most useful cutters to have in your collection, the 45° chamfer cutters are excellent for just removing the sharp edges from your joinery work or making a wider more defined chamfer. Bearing guided cutters are an asset for curved work, as the cutter will follow the shape of the workpiece.



### 1/4" (6.35mm) Shank

| D     | X    | K°  | Inc.vat | Ex.vat | Code   |
|-------|------|-----|---------|--------|--------|
| 30.16 | 11   | 45° | £16.94  | £14.12 | 666158 |
| 36.5  | 14.5 | 45° | £21.44  | £17.87 | 666159 |

### 1/2" (12.7mm) Shank

| D    | X  | K°  | Inc.vat | Ex.vat | Code   |
|------|----|-----|---------|--------|--------|
| 41.3 | 17 | 45° | £22.94  | £19.12 | 666160 |
| 47.6 | 20 | 45° | £27.95  | £23.29 | 666161 |

## Axcaliber Bearing Guided Roman Ogee Router Cutter

The Ogee mould or Cyma Reversa consists of a concave arc flowing into a convex arc. It has been widely used in ancient architecture and is commonly used on the plinths and cornices of fine furniture. This cutter is bearing guided making it suitable for curved or straight sections of moulding.



### 1/2" (12.7mm) Shank

| D     | X    | R    | Inc.vat | Ex.vat | Code   |
|-------|------|------|---------|--------|--------|
| 34.92 | 16.8 | 6.35 | £22.44  | £18.70 | 666165 |

## Axcaliber Bearing Guided Classic Roman Ogee Router Cutter - 1/2"

Similar to the Roman ogee cutter, this one introduces a small fillet between the two radii which gives a variation on the standard ogee moulding. Used for similar applications to the standard ogee it is also bearing guided.



### 1/4" (6.35mm) Shank

| D    | X    | R     | Inc.vat | Ex.vat | Code   |
|------|------|-------|---------|--------|--------|
| 25.4 | 12.7 | 3.175 | £22.94  | £19.12 | 666169 |

### 1/2" (12.7mm) Shank

| D    | X     | R    | Inc.vat | Ex.vat | Code   |
|------|-------|------|---------|--------|--------|
| 38.1 | 19.05 | 6.35 | £29.45  | £24.54 | 666171 |

## Axcaliber Bearing Guided Ogee Router Cutter

A nicely proportioned cutter which will produce a beautiful classic ogee profile suitable for many applications in joinery or furniture making. Suitable for free hand or router table use, the bottom bearing allows curved or straight work to be undertaken.




### 1/2" (12.7mm) Shank

| D     | X    | R   | H     | Inc.vat | Ex.vat | Code   |
|-------|------|-----|-------|---------|--------|--------|
| 44.45 | 12.7 | 9.5 | 15.88 | £34.94  | £29.12 | 951299 |

### Axcaliber Bearing Guided Classic Ogee Router Cutter



This cutter offers a variation to the classic Roman ogee cutter having the convex and concave radii reversed with a small fillet between the two. Available in 1/2" (12.7mm) shank only.




**1/2" (12.7mm) Shank**

| D    | X    | R    | Inc.vat | Ex.vat | Code   |
|------|------|------|---------|--------|--------|
| 38.1 | 17.5 | 6.35 | £27.44  | £22.87 | 666168 |

### Axcaliber French Traditional Table Router Cutter



This is a very attractive moulding when used on table edges and could be further enhanced by using a roundover cutter of the same radius for the underside of the table top. Bearing guided for curved or straight mouldings. Available in 1/2" (12.7mm) shank only.




**1/2" (12.7mm) Shank**

| D    | X    | R    | Inc.vat | Ex.vat | Code   |
|------|------|------|---------|--------|--------|
| 38.1 | 15.8 | 3.18 | £28.44  | £23.70 | 666057 |

### Axcaliber Edge Beading Router Cutters



Produce decorative beaded edges without the need for a guide fence. By setting the cutter carefully on both faces of the material a fully round corner bead can be made.



**1/4" (6.35mm) Shank**


| D    | X    | R    | Inc.vat | Ex.vat | Code   |
|------|------|------|---------|--------|--------|
| 20.6 | 12.7 | 2.4  | £17.45  | £14.54 | 666056 |
| 22.2 | 14.3 | 3.2  | £18.95  | £15.79 | 666175 |
| 23.8 | 15.9 | 3.97 | £20.94  | £17.45 | 666176 |
| 25.4 | 17.5 | 4.8  | £23.45  | £19.54 | 666177 |
| 28.6 | 19   | 6.3  | £25.44  | £21.20 | 666178 |

**1/2" (12.7mm) Shank**

| D    | X    | R   | Inc.vat | Ex.vat | Code   |
|------|------|-----|---------|--------|--------|
| 31.7 | 25.4 | 8   | £28.44  | £23.70 | 666179 |
| 35   | 25.4 | 9.5 | £30.95  | £25.79 | 666180 |

### Axcaliber Multi-Radius Beading Router Cutter

Produce three different sizes of bead with this triple radii cutter. A small fillet introduced either side of the bead, can be used to produce attractive astragal type glazing bars used in furniture making.



**1/4" (6.35mm) Shank**

| D    | X    | Inc.vat | Ex.vat | Code   |
|------|------|---------|--------|--------|
| 22.2 | 28.6 | £24.44  | £20.37 | 666182 |

### Axcaliber Convex Multi-Bead Router Cutter (Bearing Guided)



Used with either the fence or without (self guided) this cutter produces a very attractive triple beaded edge in one simple pass, stopping the moulding short creates a good looking edge for shelving.



**1/4" (6.35mm) Shank**

| D    | X    | R     | Inc.vat | Ex.vat | Code   |
|------|------|-------|---------|--------|--------|
| 22.4 | 25.4 | 3.175 | £27.44  | £22.87 | 666183 |

### Axcaliber Victorian Torus Moulding Router Cutter



This cutter will produce a traditional classic moulding of the type used on skirting boards and similar applications. Bottom bearing guidance also allows curved work to be carried out.



**1/2" (12.7mm) Shank**

| D    | X    | R    | Inc.vat | Ex.vat | Code   |
|------|------|------|---------|--------|--------|
| 31.8 | 36.5 | 9.53 | £33.95  | £28.29 | 666181 |

### Axcaliber Extended Shank Beading Cutter

The addition of decorative beads can add interest to your furniture projects but it is not easy to apply a bead set in from the edge of a rail using a router. The traditional method was by using a scratch stock, but by using this cutter and a router you will tackle the job faster with consistent results. With a 1/2" shank 76mm long this beading cutter will allow you to position your beads inset from the rail edge producing some attractive design options. Also useful for producing tongue and groove boarding with a vee groove.




**1/2" (12.7mm) Shank**

| D    | X  | R   | Inc.vat | Ex.vat | Code   |
|------|----|-----|---------|--------|--------|
| 22.2 | 16 | 3.2 | £32.45  | £27.04 | 952559 |

### Axcaliber Flute and Bead Cutter Set


This matched pair of cutters is the perfect way to make strip planking for dinghy or canoe construction. The width of cut is only 6.35mm (1/4") so to ensure accuracy we recommend the use of a router table.



| D  | X  | R   | Inc.vat | Ex.vat | Code   |
|----|----|-----|---------|--------|--------|
| 38 | 12 | 3.2 | £46.94  | £39.12 | 952566 |

### Axcaliber Staff Bead & Nosing Router Cutters - 1/4" (6.35mm)

Round edges on boards either to size or slightly over to create a decorative edge moulding, ideally used in a router table for a greater degree of accuracy.



**1/4" (6.35mm) Shank**

| D     | X     | R    | Inc.vat | Ex.vat | Code   |
|-------|-------|------|---------|--------|--------|
| 19.05 | 16    | 3.2  | £15.95  | £13.29 | 666187 |
| 22.2  | 17.46 | 4.76 | £18.95  | £15.79 | 666188 |
| 25.4  | 22.2  | 6.3  | £20.94  | £17.45 | 666189 |

**1/2" (12.7mm) Shank**

| D    | X    | R    | Inc.vat | Ex.vat | Code   |
|------|------|------|---------|--------|--------|
| 31.8 | 25.4 | 7.94 | £24.44  | £20.37 | 666190 |
| 34.9 | 28.2 | 9.5  | £27.44  | £22.87 | 666191 |
| 38.1 | 32   | 11.1 | £29.94  | £24.95 | 666192 |
| 41.3 | 35   | 12.7 | £32.94  | £27.45 | 666193 |

### Axcaliber Classic Moulding Router Cutter



This cutter produces a really neat moulding that can be used as a small applied moulding to decorate plane doors or flat panels.



**1/4" (6.35mm) Shank**

| D     | X     | R    | Br  | Inc.vat | Ex.vat | Code   |
|-------|-------|------|-----|---------|--------|--------|
| 19.05 | 25.81 | 1.98 | 9.5 | £22.94  | £19.12 | 666194 |

**1/2" (12.7mm) Shank**

| D  | X    | R     | Br   | Inc.vat | Ex.vat | Code   |
|----|------|-------|------|---------|--------|--------|
| 27 | 41.3 | 3.175 | 12.7 | £30.95  | £25.79 | 666196 |

### Axcaliber Traditional Moulding Router Cutter



A deeper profile than the Classic moulding, this profile has many uses in joinery or furniture making. Some very attractive picture frames could also be produced using this cutter.



**1/4" (6.35mm) Shank**

| D    | X    | R    | Br  | Inc.vat | Ex.vat | Code   |
|------|------|------|-----|---------|--------|--------|
| 22.2 | 25.6 | 1.98 | 9.5 | £27.44  | £22.87 | 666195 |


**1/2" (12.7mm) Shank**

| D    | X     | R     | Br  | Inc.vat | Ex.vat | Code   |
|------|-------|-------|-----|---------|--------|--------|
| 34.9 | 41.43 | 3.175 | 9.5 | £40.94  | £34.12 | 666197 |

### Axcaliber Edge Moulding Router Cutter



A good looking cutter that can be used to decorate edges or create an attractive moulding. Part use of the profile can create a classic edge moulding for window boards or similar.




**1/2" (12.7mm) Shank**

| D  | X    | R    | Br   | Inc.vat | Ex.vat | Code   |
|----|------|------|------|---------|--------|--------|
| 50 | 25.4 | 6.35 | 12.7 | £43.94  | £36.62 | 666204 |

## Axcaliber Bearing Guided Panel Router Cutter 1

An excellent choice for creating a panelled look in sheet materials this 1/4"(6.3mm) shank cutter is bearing guided for use with suitable templates. It could also be used for creating attractive edge mouldings.




### 1/4" (6.35mm) Shank

| D  | X    | R     | Inc.vat | Ex.vat | Code   |
|----|------|-------|---------|--------|--------|
| 22 | 9.98 | 3.175 | £23.94  | £19.95 | 666044 |

## Axcaliber Bearing Guided Panel Router Cutter 2

An alternative profile for creating a panelled look in sheet materials this bearing guided cutter features an attractive bottom radius. Attractive edge mouldings could also be produced using this cutter.



### 1/4" (6.35mm) Shank

| D  | X    | R1   | R2   | Inc.vat | Ex.vat | Code   |
|----|------|------|------|---------|--------|--------|
| 22 | 12.7 | 3.96 | 5.55 | £23.94  | £19.95 | 666045 |

## Axcaliber Classical Panel Router Cutter

Available in 1/4"(6.3mm) or 1/2"(12.7mm) shank versions, this cutter is suitable for creating a panelled look in sheet materials. As these cutters are not bearing guided, they would work well when used in conjunction with a suitable template and guide bush.



### 1/4" (6.35mm) Shank


| D    | X    | R    | Inc.vat | Ex.vat | Code   |
|------|------|------|---------|--------|--------|
| 12.7 | 9.53 | 2.38 | £14.94  | £12.45 | 666032 |

### 1/2" (12.7mm) Shank

| D    | X     | R    | Inc.vat | Ex.vat | Code   |
|------|-------|------|---------|--------|--------|
| 25.4 | 15.88 | 5.56 | £21.44  | £17.87 | 666033 |

## Axcaliber Panel Mould Beading Router Cutters - 1/4" (6.35mm)

A pair of panel mould beading cutters which could be used with a suitable guide bush for decorative panel work or edge mouldings.




### 1/4" (6.35mm) Shank

| D    | X     | R     | Inc.vat | Ex.vat | Code   |
|------|-------|-------|---------|--------|--------|
| 9.5  | 7.94  | 3.175 | £11.94  | £9.95  | 666028 |
| 12.7 | 11.11 | 4.76  | £12.95  | £10.79 | 666029 |

## Axcaliber Thumb Mould Router Cutter

Place your thumb on the bench and then divide the shape in two and you have a lovely gently rounded cutter profile which is great for the edges of work tops handrails etc.



### 1/4" (6.35mm) Shank


| D    | X   | Br  | Inc.vat | Ex.vat | Code   |
|------|-----|-----|---------|--------|--------|
| 30.2 | 9.5 | 9.5 | £24.44  | £20.37 | 666198 |

### 1/2" (12.7mm) Shank

| D    | X     | Br   | Inc.vat | Ex.vat | Code   |
|------|-------|------|---------|--------|--------|
| 66.9 | 19.05 | 12.7 | £41.94  | £34.95 | 666199 |

## Axcaliber Table Top Moulding Router Cutter

A large diameter bearing guided cutter suitable for a variety of applications. A great looking cutter that makes an ordinary edge into a stunning one. Bearing guided the cutter is suitable for all types of curved or straight work.




### 1/2" (12.7mm) Shank

| D    | X     | R1   | R2    | Br   | Inc.vat | Ex.vat | Code   |
|------|-------|------|-------|------|---------|--------|--------|
| 63.5 | 19.85 | 6.35 | 9.525 | 12.7 | £49.94  | £41.62 | 666201 |

## Axcaliber Drawer Pull Router Cutter 1

A variety of cutters for producing finger pulls or recesses on drawer and door fronts.




### 1/4" (6.35mm) Shank

| D     | X  | R1   | R2   | Inc.vat | Ex.vat | Code   |
|-------|----|------|------|---------|--------|--------|
| 19.05 | 14 | 4.76 | 2.38 | £20.94  | £17.45 | 666225 |

## Axcaliber Drawer Pull Router Cutter 2

Drawer pull cutters offer the opportunity to create flush fitting cabinet doors and drawers and are easier to use if used in a router table set-up.




### 1/2" (12.7mm) Shank

| D    | X  | R1 | R2   | Inc.vat | Ex.vat | Code   |
|------|----|----|------|---------|--------|--------|
| 38.1 | 19 | 6  | 1.59 | £30.95  | £25.79 | 666226 |

## Axcaliber Drawer Pull Router Cutter 3

Another variation to the drawer pull cutters which remove the need to have protruding handles on your cabinets.




### 1/2" (12.7mm) Shank

| D     | X  | R1   | R2   | Inc.vat | Ex.vat | Code   |
|-------|----|------|------|---------|--------|--------|
| 44.45 | 23 | 6.35 | 3.18 | £43.94  | £36.62 | 666227 |

## Axcaliber Handrail Router Cutter

Used to mould the main finger grooves on each side of hand rail sections. Leaving a roundover cutter to add the radii for the top edges.




### 1/2" (12.7mm) Shank

| D    | X  | R1  | R2   | Inc.vat | Ex.vat | Code   |
|------|----|-----|------|---------|--------|--------|
| 31.7 | 38 | 9.5 | 25.4 | £39.95  | £33.29 | 666202 |

## Axcaliber Classic Cornice Profile Router Cutter

A small and attractive decorative cornice cutter for producing cornice up to 50mm wide. We recommend that this cutter is used in a router table only.




### 1/2" (12.7mm) Shank

| D     | X  | Inc.vat | Ex.vat | Code   |
|-------|----|---------|--------|--------|
| 31.75 | 58 | £49.44  | £41.20 | 666205 |



## Axcaliber Cornice Moulding Router Cutter

A substantial cornice profile cutter for producing a classic moulding commonly used at the top of cupboards and shelving units.




### 1/2" (12.7mm) Shank

| D     | X    | R1   | R2   | Inc.vat | Ex.vat | Code   |
|-------|------|------|------|---------|--------|--------|
| 31.75 | 76.2 | 22.2 | 21.5 | £67.44  | £56.20 | 951289 |


## Axcaliber Cornice Edging Router Cutter

When preparing a cornice moulding, it can be quite time consuming making separate cuts to make up the edging angles. This cutter will save you a lot of time if you have a quantity of this moulding to produce, as it cuts two faces at the same time. Simply run the stock face up for one edge and face down for the other to give a matching angle on the top and bottom of the cornice.




### 1/2" (12.7mm) Shank

| D    | X     | K°  | H     | Inc.vat | Ex.vat | Code   |
|------|-------|-----|-------|---------|--------|--------|
| 60.3 | 34.92 | 90° | 20.65 | £62.94  | £52.45 | 951290 |



## Axcaliber Bearing Guided Architrave Router Cutter

Softwood architrave may be easy to source but hardwood is not so easy to obtain, so why not produce your own architrave with this classic profile cutter? Designed for router table use, the cutter is bearing guided, 38mm diameter with 50mm depth of cut.




### 1/2" (12.7mm) Shank

| D    | X    | R    | K° | H    | Inc.vat | Ex.vat | Code   |
|------|------|------|----|------|---------|--------|--------|
| 38.1 | 50.8 | 6.35 | 8° | 12.7 | £53.94  | £44.95 | 951300 |

### Axcaliber Ogee Panel Raising Router Cutter (Bearing Guided)



Ogee style panel raising cutter for use only in a router table with a maximum speed of 12,000rpm. The cutter is bearing guided and is suitable for use on curved head panels.



1/2" (12.7mm) Shank

| D    | X    | H    | Inc.vat | Ex.vat | Code   |
|------|------|------|---------|--------|--------|
| 76.2 | 15.9 | 31.7 | £45.44  | £37.87 | 666206 |

### Axcaliber Bevel Panel Raising Router Cutter (Bearing Guided)



A wide bevel style panel raising cutter for use only in a router table with a maximum speed of 12,000 rpm. The cutter is bearing guided and is suitable for use on curved head panels.




1/2" (12.7mm) Shank

| D    | X    | H     | Inc.vat | Ex.vat | Code   |
|------|------|-------|---------|--------|--------|
| 76.2 | 15.9 | 31.75 | £45.44  | £37.87 | 666208 |

### Axcaliber Radiused Panel Raising Router Cutter (Bearing Guided)



A radiused or rounded style panel raising cutter for use only in a router table with a maximum speed of 12,000 rpm. The cutter is bearing guided and is suitable for use on curved head panels.



1/2" (12.7mm) Shank

| D  | X  | Y    | Inc.vat | Ex.vat | Code   |
|----|----|------|---------|--------|--------|
| 75 | 16 | 31.7 | £45.44  | £37.87 | 666212 |

### Axcaliber Ogee Style Vertical Panel Raising Router Cutter




A classic 40mm profile can be cut with ease when using this cutter however the vertical use eliminates the cutting of curved headed panels. This cutter is intended for use only in a router table.



1/2" (12.7mm) Shank

| D     | X    | Inc.vat | Ex.vat | Code   |
|-------|------|---------|--------|--------|
| 31.75 | 41.3 | £31.94  | £26.62 | 666207 |



### Axcaliber Kitchen Door Router Cutter Sets



Two-piece TCT sets used to produce cabinet and lightweight internal raised panel doors. The sets include a 76mm panel raising cutter and a double stile and rail cutter in a choice of two styles, bevel and ogee. Maximum timber thickness 22mm, minimum 19mm.

Available in 1/2" (12.7mm) shank only. Must only be used in a router table.

1/2" (12.7mm) Shank

|                | Inc.vat | Ex.vat | Code   |
|----------------|---------|--------|--------|
| Ogee Door Set  | £89.94  | £74.95 | 666069 |
| Bevel Door Set | £89.94  | £74.95 | 666068 |



### Axcaliber Stile and Rail Router Cutter (Shaker)

This Axcaliber stile and rail cutter offers an attractive Shaker style profile with the advantage of having just one cutter for both the moulding and scribing cuts. Excellent for making your own kitchen unit doors.




1/2" (12.7mm) Shank

| D  | X    | C   | K°  | H   | Inc.vat | Ex.vat | Code   |
|----|------|-----|-----|-----|---------|--------|--------|
| 41 | 22.8 | 6.3 | 15° | 9.5 | £49.94  | £41.62 | 951288 |

### Axcaliber Reversible Stile & Rail Router Cutter (Ogee)



This two-piece cutter set offers an economical way of producing the profile and scribe cuts used in the manufacture of frames for panelled cabinet doors and drawer fronts. The cutters and bearing are arranged on the arbor to produce the profile cut on both the stiles and the rails and repositioned to cut the scribe, or counter profile on the ends of the rails. Please note that for reasons of accuracy and safety these cutters should only be used in a router table. The timber should be positioned to face down on the table for the profiling cut and face up for the scribe cut.



Recommended Timber Thickness: 18 to 22mm.

1/2" (12.7mm) Shank

| D  | X    | C   | H   | Inc.vat | Ex.vat | Code   |
|----|------|-----|-----|---------|--------|--------|
| 41 | 16.9 | 6.4 | 9.5 | £36.44  | £30.37 | 666216 |

### Axcaliber Reversible Stile & Rail Router Cutter (Bevel)



An attractive bevelled profile giving a simple but effective moulding to frame and panel constructed doors. Please note that for reasons of accuracy and safety these cutters should only be used in a router table.



Recommended Timber Thickness: 18 to 22mm.

1/2" (12.7mm) Shank

| D  | X    | C   | Inc.vat | Ex.vat | Code   |
|----|------|-----|---------|--------|--------|
| 41 | 16.9 | 6.4 | £36.44  | £30.37 | 666217 |

### Axcaliber Reversible Stile & Rail Router Cutter (Classic)



A classic Roman ogee style profiled cutter which offers an attractive moulding plus an easy and reliable way of producing cabinet doors. Please note that for reasons of accuracy and safety these cutters should only be used in a router table. The timber should be positioned to face down on the table for the profiling cut and face up for the scribe cut.



Recommended Timber Thickness: 18 to 22mm.


1/2" (12.7mm) Shank

| D  | X    | C   | H   | Inc.vat | Ex.vat | Code   |
|----|------|-----|-----|---------|--------|--------|
| 41 | 16.9 | 6.4 | 9.5 | £36.44  | £30.37 | 666219 |

### Axcaliber Stile & Rail Router Cutter (Ogee)



This Axcaliber stile and rail cutter offers an attractive ogee style profile with the advantage of having just one cutter for both the moulding and scribing cuts. Excellent for making your own kitchen cabinet doors. Please note that for reasons of accuracy and safety these cutters should only be used in a router table. The timber should be positioned to face down on the table for the profiling cut and face up for the scribe cut.



1/2" (12.7mm) Shank

| D  | X    | C   | H   | Inc.vat | Ex.vat | Code   |
|----|------|-----|-----|---------|--------|--------|
| 41 | 23.3 | 6.4 | 9.5 | £50.94  | £42.45 | 666220 |

An Axcaliber Router Cutter Wall Chart is also available

Download at [axminster.co.uk/wallchart](http://axminster.co.uk/wallchart)

or call **03332 406406**






## Axcaliber Keyhole Router Cutters

A useful cutter for creating a keyhole type recess and to attach frames and fitments flush to the wall.



### 1/4" (6.35mm) Shank

| D    | X     | E   | C   | Inc.vat | Ex.vat | Code   |
|------|-------|-----|-----|---------|--------|--------|
| 9.5  | 10.8  | 6.3 | 3.2 | £9.95   | £8.29  | 666222 |
| 9.5  | 9.76  | 4.8 | 4.8 | £10.44  | £8.70  | 666223 |
| 12.7 | 12.76 | 6.3 | 4.8 | £10.94  | £9.12  | 666224 |



## Axcaliber Sash Bar Ovolo Router Cutter Set

A pair of matched cutters used for the fast, accurate and efficient manufacture of sash windows using a router table set-up. The profile cutter will produce the moulding on the stiles and rails and the matching cutter produces the scribe at the ends of the rails and sash bars to fit over it. The profile cutter is 22mm diameter, 10mm radius, with a 18mm depth of cut and the scribing cutter is 25mm diameter, 10mm radius, with a 20mm depth of cut. Available in 1/4" (6.35mm) shank only.

### 1/4" (6.35mm) Shank

|                 | Inc.vat | Ex.vat | Code   |
|-----------------|---------|--------|--------|
| Sash Ovolo Set  | £41.95  | £34.96 | 718730 |
| Ovolo Cutter    | £21.95  | £18.29 | 952414 |
| Scribing Cutter | £23.94  | £19.95 | 952416 |



## Axcaliber Bearing Guided Sash Bar Ovolo Router Cutter Set

A pair of matched cutters used for the fast, accurate and efficient manufacture of sash windows using a router table set-up. The bearing guided profile cutter will produce the moulding on the stiles and rails and the matching cutter produces the scribe at the ends of the rails and sash bars to fit over it. Curved rails can also be machined using the bearing guided cutter. Profile cutter is 28mm diameter, 10mm radius and 19mm depth of cut and the scribing cutter is 25mm diameter, 10mm radius and 20mm depth of cut. Available in 1/4" (6.35mm) shank only.

### 1/4" (6.35mm) Shank

|                               | Inc.vat | Ex.vat | Code   |
|-------------------------------|---------|--------|--------|
| Bearing Guided Ovolo Set      | £49.96  | £41.63 | 718731 |
| Ovolo Cutter (Bearing Guided) | £30.95  | £25.79 | 952415 |
| Scribing Cutter               | £23.94  | £19.95 | 952416 |

## Axcaliber Router Cutters for Leigh Jigs

A range of Axcaliber router cutters for use with Leigh 'D' series and Leigh Superjigs with 1/4" (6.35mm), 8mm and 1/2" (12.7mm) shanks. Cutter numbers denoted by -8 are 8mm shank and the others 1/4" (6.35mm) or 1/2" (12.7mm). Cutters available include Leigh part numbers: 50-8, 60-8, 70-8, 75-8, 80-8, 90, 100, 140-8, 150, 160, 128-8, 120-8, 112-8, 101-8. Produced using advanced technology on up-to-the-minute multi axis CNC machinery. Shanks made from SAE4140 steel hardened to Rockwell 45RC, renowned for its hardness and strength. A finely ground edge ensures a durable efficient cutter and a thick Teflon coating reduces the build up of resin.



### Dovetail

| D      | X      | K°  | S      | Ln    | Inc.vat | Ex.vat | Code   |
|--------|--------|-----|--------|-------|---------|--------|--------|
| 13/16" | 1.1/4" | 8°  | 12.7mm | 100   | £13.94  | £11.62 | 666025 |
| 6.6    | 6.9    | 8°  | 8mm    | 50-8  | £10.94  | £9.12  | 952401 |
| 7.94   | 10.16  | 8°  | 8mm    | 60-8  | £11.45  | £9.54  | 952402 |
| 9.52   | 13.5   | 8°  | 8mm    | 70-8  | £11.94  | £9.95  | 952403 |
| 11.11  | 16.5   | 8°  | 8mm    | 75-8  | £12.44  | £10.37 | 952404 |
| 12.7   | 20.96  | 8°  | 8mm    | 80-8  | £13.44  | £11.20 | 952405 |
| 17.46  | 26.04  | 8°  | 12.7mm | 90    | £16.44  | £13.70 | 952406 |
| 12.7   | 10.54  | 18° | 8mm    | 128-8 | £11.94  | £9.95  | 952410 |
| 12.7   | 13.5   | 14° | 8mm    | 120-8 | £12.44  | £10.37 | 952411 |
| 12.7   | 15.11  | 12° | 8mm    | 112-8 | £12.95  | £10.79 | 952412 |
| 12.7   | 16.5   | 10° | 8mm    | 101-8 | £12.95  | £10.79 | 952413 |

### Straight Twin Flute

| D     | X     | K° | S      | Ln    | Inc.vat | Ex.vat | Code   |
|-------|-------|----|--------|-------|---------|--------|--------|
| 7.94  | 26.16 | -  | 8mm    | 140-8 | £11.94  | £9.95  | 952407 |
| 11.11 | 31.75 | -  | 12.7mm | 150   | £12.95  | £10.79 | 952408 |
| 12.7  | 31.75 | -  | 12.7mm | 160   | £12.95  | £10.79 | 952409 |

## Axcaliber Additional Router Cutter Set for Leigh D Series Jigs

A set of additional cutters for all owners of the Leigh "D" Series dovetail jigs including the latest D4R Pro. Not including the cutters supplied with the jig, this comprehensive set includes Leigh ref: 50-8, 60-8, 70-8, 75-8, 90, 100, 150, 160, 128-8, 112-8, 101-8. 1/2"-8mm reduction sleeve included. N.B. This set contains both 8mm and 1/2" shank cutters. The 1/2" shank cutters are not suitable for use with Leigh Super Jigs.



|                           | Inc.vat | Ex.vat  | Code   |
|---------------------------|---------|---------|--------|
| Additional Cutter Set D4R | £124.96 | £104.13 | 718733 |

## Axcaliber Additional Router Cutter Set for Leigh Super Jigs

This Axcaliber cutter set contains additional through dovetail and half blind dovetail 8mm shank cutters to expand the range of your Leigh Super Jig. Contains Leigh ref: 50-8, 60-8, 70-8, 75-8, 128-8, 112-8, 101-8. 1/2"-8mm reduction sleeve included.



|                           | Inc.vat | Ex.vat | Code   |
|---------------------------|---------|--------|--------|
| Cutter Set for Super Jigs | £74.95  | £62.46 | 718734 |

## Axcaliber Router Cutter Set for Leigh D Series Jigs

A complete Axcaliber set of cutters for all owners of the Leigh D Series dovetail jigs including the latest D4R Pro. This comprehensive set includes Leigh ref: 50-8, 60-8, 70-8, 75-8, 80-8, 90, 100, 140-8, 150, 160, 128-8, 120-8, 112-8, 101-8. 1/2"-8mm reduction sleeve included. N.B. This set contains both 8mm and 1/2" shank cutters. The 1/2" shank cutters are not suitable for use with Leigh Super Jigs.



|                | Inc.vat | Ex.vat  | Code   |
|----------------|---------|---------|--------|
| Cutter Set D4R | £154.96 | £129.13 | 718732 |

## Axcaliber Dovetail Router Cutters

A range of precision dovetail cutters offering differing diameters, depths of cut and angles suitable for many applications requiring tight reliable joints.



### 1/4" (6.35mm) Shank

| D    | X    | K°  | Inc.vat | Ex.vat | Code   |
|------|------|-----|---------|--------|--------|
| 12.7 | 12.7 | 14° | £9.44   | £7.87  | 666015 |
| 16   | 22.2 | 7°  | £11.45  | £9.54  | 666017 |

### 1/2" (12.7mm) Shank

| D    | X    | K°  | Inc.vat | Ex.vat | Code   |
|------|------|-----|---------|--------|--------|
| 22.2 | 22.2 | 14° | £12.95  | £10.79 | 666019 |

## Replacement Router Cutter for Axcaliber Dovetail Jigs

This is a replacement cutter for the Axcaliber, Axminster and Perform dovetail jigs and best suited for a material thickness of approx 13-19mm.



### 1/4" (6.35mm) Shank

| D  | X    | K°  | Inc.vat | Ex.vat | Code   |
|----|------|-----|---------|--------|--------|
| 15 | 11.5 | 14° | £13.44  | £11.20 | 666039 |

## Additional Router Cutter for Axcaliber Dovetail Jigs

With a greater cutting depth this cutter is offered as an alternative to the standard cutter supplied with the Axcaliber and Axminster dovetail jigs and is suitable for a material thickness of approx 19-30mm.




### 1/4" (6.35mm) Shank

| D  | X  | K°    | Inc.vat | Ex.vat | Code   |
|----|----|-------|---------|--------|--------|
| 15 | 16 | 8.72° | £14.45  | £12.04 | 951241 |



## Axcaliber Mitre Lock Router Cutter

Dual purpose cutters which can be used for producing either a neat 90° corner joint or a joint for edge jointing boards together. The corner joint is produced by machining one piece with the inside face flat on the surface of the table and the other piece with the inside vertically against the fence. These cutters should only be used in a router table. Available with 1/4" (6.3mm) or 1/2" (12.7mm) shank. Range of timber thickness: 666229 - 9mm to 13mm, 666230 - 10mm to 18mm, 666231 - 13mm to 25mm.




### 1/4" (6.35mm) Shank


| D    | X    | Inc.vat | Ex.vat | Code   |
|------|------|---------|--------|--------|
| 38.1 | 14.5 | £30.44  | £25.37 | 666229 |

### 1/2" (12.7mm) Shank

| D    | X     | Inc.vat | Ex.vat | Code   |
|------|-------|---------|--------|--------|
| 44.5 | 20.55 | £35.94  | £29.95 | 666230 |
| 69.9 | 20.6  | £44.45  | £37.04 | 666231 |



### Axcaliber 22.5 Degree Mitre Lock Router Cutter Set



A very useful pair of cutters for producing a combined 45° tongue and grooved joint that would make up an octagonal column or the joint used at the front of corner cupboards etc. An easy joint to produce and can be held together with a simple strap clamp upon gluing up.

#### 1/2" (12.7mm) Shank

| D    | X    | K°  | Inc.vat | Ex.vat | Code   |
|------|------|-----|---------|--------|--------|
| 37.3 | 23.2 | 45° | £82.94  | £69.12 | 951293 |

### Axcaliber Double Rebate Cutters

When designing bookcases it is useful to incorporate some adjustable shelving. Metal strips often referred to as "Tonk" strips are recognised as one of the most neat and reliable ways of achieving this. Two strips are recessed flush into each side of the bookcase and supports are used to locate the shelves at whatever height is required. At 19mm diameter these router cutters are designed to make the double groove necessary to accommodate the metal strip and fittings and they are available in 1/4" or 1/2" shank versions.



#### 1/4" (6.35mm) Shank

| D  | X  | H    | Inc.vat | Ex.vat | Code   |
|----|----|------|---------|--------|--------|
| 19 | 19 | 4.75 | £21.44  | £17.87 | 502512 |

#### 1/2" (12.7mm) Shank

| D  | X  | H    | Inc.vat | Ex.vat | Code   |
|----|----|------|---------|--------|--------|
| 19 | 19 | 4.75 | £21.44  | £17.87 | 502513 |

### Axcaliber Rebate Router Cutter Set

A very popular rebate set available in 1/4" (6.35mm) or 1/2" (12.7mm) shank sizes, which include four different bearing sizes offering the following depths of rebate: 12.7mm (1/2"), 11mm (7/16"), 9.5mm (3/8"), 8mm (5/16"), with a depth of cut up to 12.7mm (1/2"). The carbide tips are set at an angle to give a clean shearing cut and this set represents excellent value.

#### 1/4" (6.35mm) Shank

| D     | X    | Inc.vat | Ex.vat | Code   |
|-------|------|---------|--------|--------|
| 34.92 | 12.7 | £26.45  | £22.04 | 666162 |

#### 1/2" (12.7mm) Shank

| D     | X    | Inc.vat | Ex.vat | Code   |
|-------|------|---------|--------|--------|
| 34.92 | 12.7 | £26.45  | £22.04 | 666163 |

### Axcaliber Biscuit Jointing Cutter

This cutter is a great option for those who wish to utilise their router for biscuit jointing. Supplied with three sizes of bearing for 0, 10 and no. 20 biscuit, this is a very useful addition to your cutter collection. Excellent for use in a router table, this 1/2" shank cutter would also be suitable for bearing guided grooving operations.




| D    | X | Inc.vat | Ex.vat | Code   |
|------|---|---------|--------|--------|
| 37.2 | 4 | £23.45  | £19.54 | 952567 |

### Axcaliber Biscuit Jointing Router Cutter Sets



A unique biscuit jointing set that is truly universal, accepting Numbers 0, 10 and 20 biscuits both singly or in pairs for extra strength when making tenon type joints in thicker material. The complete sets comprise 2 x 4mm groovers, 3 x bearings, (one for each of the biscuit sizes) and a 6.3 spacer. 1/4" (6.35mm) shank. Overall diameter 40mm. Cutter thickness 4mm.

|                                 | Inc.vat | Ex.vat | Code   |
|---------------------------------|---------|--------|--------|
| Cutter Set - S=1/4" (6.35mm)    | £45.95  | £38.29 | 666001 |
| No. 0 Biscuits (Pkt 80)         | £5.75   | £4.79  | 144500 |
| No. 10 Biscuits (Pkt 80)        | £5.75   | £4.79  | 144510 |
| No. 20 Biscuits (Pkt 80)        | £5.75   | £4.79  | 144520 |
| 400 (240 x 20s, 80 ea 10s & 0s) | £30.44  | £25.37 | 610920 |



### Axcaliber Two Wing Slotting Router Cutters

A range of Axcaliber quality 2 wing slotting cutters suitable for machining grooves for plywood etc. Available sizes are 2, 3, 4, 5 and 6mm. Cutter diameter of 47.6mm with 22mm bearing gives a 12.7mm groove depth. For biscuit joints use 4mm slot cutter 666277. N.B. Suitable arbors are available in 1/4" (6.35mm) and 1/2" (12.7mm) shank sizes.




|                           | Inc.vat | Ex.vat | Code   |
|---------------------------|---------|--------|--------|
| 2mm 2 Wing Slot Cutter    | £18.95  | £15.79 | 666275 |
| 3mm 2 Wing Slot Cutter    | £18.95  | £15.79 | 666276 |
| 4mm 2 Wing Slot Cutter    | £18.95  | £15.79 | 666277 |
| 5mm 2 Wing Slot Cutter    | £18.95  | £15.79 | 666278 |
| 6mm 2 Wing Slot Cutter    | £18.95  | £15.79 | 666279 |
| 1/4" (6.35mm) Shank Arbor | £9.24   | £7.70  | 666280 |
| 1/2" (12.7mm) Shank Arbor | £9.24   | £7.70  | 666281 |

### Axcaliber Finger Joint Router Cutter

The extra gluing area produced by using this cutter makes for an incredibly strong edge to edge joint. With a maximum cutting depth of up to 38mm, most board thicknesses can be accommodated. Recommended for router table use only.

#### 1/2" (12.7mm) Shank

| D     | X    | Inc.vat | Ex.vat | Code   |
|-------|------|---------|--------|--------|
| 34.92 | 38.1 | £49.94  | £41.62 | 666228 |



### Axcaliber Three Wing Slot Cutter Set



Designed for router table use, this set can be used to create slots, grooves and rebates from 3.2mm to 18mm in depth. The set includes: 4 x three winged cutters 3.2, 4, 4.8, and 6.4mm in width. 1/2" shank arbor. 17 shims (8 x 0.1mm, 4 x 0.5mm, 3 x 1mm and 2 x 4mm).

N.B. The carbide edges of the cutters should never touch; arrange the cutters to prevent this. Use only the thicknesses provided in the set. Be sure all cutters are assembled in the correct rotational direction.

**Safety tips:** Never use the slot cutter set without shims between the cutters. The distance between the cutters can vary from 1mm to 1.7mm. A shim must also be positioned between the ball bearing and the cutters.

| D    | X      | Inc.vat | Ex.vat | Code   |
|------|--------|---------|--------|--------|
| 47.6 | 3.2-18 | £64.94  | £54.12 | 952565 |

### Axcaliber Intumescent Strip Router Cutters

To comply with current fire regulations, intumescent strips must be fitted to fire check doors or frames to delay the passage of fire between different areas in a building. Although the grooves for the Intumescent strip can be cut with standard twin flute cutters, these bearing guided cutters will make a cleaner cut and the router has a larger support area by working from the face or back of the door. Available with 10mm or 15mm cutting widths and in either 1/4" (6.35mm) or 1/2" (12.7mm) shank sizes.



#### 1/4" (6.35mm) Shank

| D  | X  | H    | Inc.vat | Ex.vat | Code   |
|----|----|------|---------|--------|--------|
| 24 | 10 | 4.06 | £24.44  | £20.37 | 951278 |
| 24 | 15 | 4.06 | £26.45  | £22.04 | 951280 |

#### 1/2" (12.7mm) Shank

| D  | X  | H    | Inc.vat | Ex.vat | Code   |
|----|----|------|---------|--------|--------|
| 40 | 10 | 3.45 | £32.94  | £27.45 | 951279 |
| 40 | 15 | 3.45 | £34.94  | £29.12 | 951281 |



### Axcaliber Offset Tenoning Router Cutters

If you intend producing rebated frames, these cutters offer an excellent solution for cutting the tenons. Giving an offset of 6.4mm (1/4") to the shoulders there is a choice of cutters which give a tenon thickness of either 9.5mm (3/8") or 6.4mm (1/4"). N.B. These cutters are for use in a router table set-up.

#### 1/2" (12.7mm) Shank

| D    | X      | C    | H    | Inc.vat | Ex.vat | Code   |
|------|--------|------|------|---------|--------|--------|
| 72.8 | 22.23  | 6.35 | 25.4 | £49.94  | £41.62 | 951291 |
| 72.8 | 28.575 | 9.53 | 25.4 | £52.44  | £43.70 | 951292 |



## Axcaliber Weather Seal Router Cutter for Aquamac 21 (Wiping Seal)

A long shank enables the cutter to reach into rebates for slotting door frame timber sections, this cutter is intended for the insertion of Aquamac 21 Door Seal. Aquamac 21 Door Seal provides excellent draught protection and performs equally as well on external door sets. Resistant to decay including the effects of contemporary preservatives and finishes, the seal is available in either white or bronze and in rolls of 10m or 25m.

1/2" (12.7mm) Shank

|                                   | Inc.vat | Ex.vat | Code   |
|-----------------------------------|---------|--------|--------|
| Door Seal Cutter - S=1/2"(12.7mm) | £43.94  | £36.62 | 666074 |
| Bronze 10m Seal (Aquamac 21)      | £20.94  | £17.45 | 310276 |
| Bronze 25m Seal (Aquamac 21)      | £43.44  | £36.20 | 310277 |
| White 10m Seal (Aquamac 21)       | £20.94  | £17.45 | 310278 |
| White 25m Seal (Aquamac 21)       | £43.44  | £36.20 | 310279 |




## Axcaliber Weather Seal Router Cutter for Aquamac 63 (Compression Seal)

Designed with a long shank to reach into rebates and supplied fitted with a bearing to limit the depth of cut. This cutter is specifically made for use with the Aquamac 63 compression seal that can be used on either flush casement or storm proof window production. The Aquamac 63 weather seal provides excellent draught protection on all types of window, compressing slightly into the rebate. Resistant to decay including the effects of nearly all surface treatments, the seal is available in either white or bronze in packs of either 10m or 25m.

1/2" (12.7mm) Shank

|                              | Inc.vat | Ex.vat | Code   |
|------------------------------|---------|--------|--------|
| Cutter - S=1/2"(12.7mm)      | £52.94  | £44.12 | 666268 |
| Bronze 10m Seal (Aquamac 63) | £15.14  | £12.62 | 310360 |
| Bronze 25m Seal (Aquamac 63) | £28.94  | £24.12 | 310361 |
| White 10m Seal (Aquamac 63)  | £15.14  | £12.62 | 310362 |
| White 25m Seal (Aquamac 63)  | £28.94  | £24.12 | 310363 |



## Axcaliber Tapered Tongue and Groove Set

**NEW!**

Designed for router table use, these matching 1/2" shank cutters are excellent for quickly producing a tongue and groove joint in material up to 31mm thick. Each cutter is 32mm in diameter with a 16mm bearing which produces a tapered tongue or groove 8mm long by 8.7mm wide tapering to 6.35mm. This cutter set would be excellent for jointing thicker material as used on table tops, for example, and being bearing guided, curved or template type work could be undertaken.

|                 | Inc.vat | Ex.vat | Code   |
|-----------------|---------|--------|--------|
| Tapered T&G Set | £69.95  | £58.29 | 504670 |

## Axcaliber Dish Carving Router Cutter

A bottom cut with a nicely curved radius makes this cutter a good choice for producing trays or dishes. For use with a template, a suitable guide bush should be used.



1/4" (6.35mm) Shank

| D    | X    | R    | Inc.vat | Ex.vat | Code   |
|------|------|------|---------|--------|--------|
| 25.4 | 12.7 | 6.35 | £17.94  | £14.95 | 666038 |



## Axcaliber Tongue and Groove Set


Designed for router table use, this matching pair of cutters are excellent for quickly producing a tongue and groove joint in material up to 19mm thick. Each cutter is 47.6mm in diameter with a 22mm bearing which produces a tongue or groove 12.8mm long by 6.35mm wide. (1/2" shank only).

1/2" (12.7mm) Shank

| D    | X    | H    | Inc.vat | Ex.vat | Code   |
|------|------|------|---------|--------|--------|
| 47.6 | 19.2 | 12.8 | £72.95  | £60.79 | 952564 |



## Axcaliber Offset Tongue & Groove Router Cutter

A very positive way of aligning and providing extra surface gluing area when jointing boards. As with all Axcaliber cutters they are manufactured using the very latest technology and represent excellent value for money.



1/2" (12.7mm) Shank

| D    | X    | C    | Inc.vat | Ex.vat | Code   |
|------|------|------|---------|--------|--------|
| 41.3 | 25.4 | 12.7 | £29.94  | £24.95 | 666233 |




## Axcaliber T&G Edge Banding Router Cutter Set

This pair of bearing guided cutters will produce a Vee groove with a tongue on one side of the joint and a matching profile to fit it. When attaching edging strips to board materials it is beneficial to increase the surface area for gluing, the extra gluing area that this cutter provides will make for a really strong joint with positive alignment.

1/2" (12.7mm) Shank

|                        | Inc.vat | Ex.vat | Code   |
|------------------------|---------|--------|--------|
| Cutters 30° with T & G | £82.94  | £69.12 | 951295 |



## Axcaliber Edge Banding Router Cutter Set

When attaching edging strips to board materials it is beneficial to increase the surface area for gluing if possible, as it gives a much stronger bond and positive positioning. This pair of bearing guided cutters will produce a 90° Vee groove on one side of the joint and a matching profile to fit into it.

1/2" (12.7mm) Shank

|                                | Inc.vat | Ex.vat | Code   |
|--------------------------------|---------|--------|--------|
| Cutter Set D=46, X=27mm, K=90° | £82.94  | £69.12 | 951294 |


## Miniature HSS Router Cutters



## Proxxon Wood Router Bits - Set 10

A very useful set of 10 router bits with 3.2mm shanks for those that work in miniature. Suitable for use with machines like the Proxxon MOF micro router or MT 300 shaper, they can be used for a variety of tasks such as dolls house furniture, mouldings and picture frames. Set includes: 3.2mm, 5mm, 6.5mm straight, 3.2mm radius veining, 3mm radius beading, 6.5mm vee groove, 2.4mm guided beading, 3.2mm guided beading, 4.8mm guided cove and 3.3mm guided rebate cutter. Also available individually.


|                         | Inc.vat | Ex.vat | Code   |
|-------------------------|---------|--------|--------|
| Router Bit Set (10 Pce) | £30.74  | £25.62 | 475319 |



## Proxxon Wood Router Bits

Molybdenum-chrome Vanadium steel router bits with 3.2mm shanks. A range consisting of: 3.2mm, 5mm, 6.5mm straight, 3.2mm radius veining, 3mm radius beading, 6.5mm vee groove, 2.4mm guided beading, 3.2mm guided beading, 4.8mm guided cove and 3.3mm guided rebate cutter. Also available as set of 10.

|                                 | Inc.vat | Ex.vat | Code   |
|---------------------------------|---------|--------|--------|
| 1 Straight Bit 3.2mm dia        | £3.95   | £3.29  | 610989 |
| 2 Straight Bit 5mm dia          | £3.95   | £3.29  | 610990 |
| 3 Straight Bit 6.5mm dia        | £3.95   | £3.29  | 610991 |
| 4 Core Bit 3.2mm radius         | £3.95   | £3.29  | 610992 |
| 5 Vee Bit 6.5mm dia             | £3.95   | £3.29  | 610993 |
| 6 Combi Router Bit 2.5mm radius | £3.95   | £3.29  | 610994 |
| 7 Roundover Bit 3.2mm radius    | £3.95   | £3.29  | 610995 |
| 8 Rebate Bit 6.4mm dia          | £3.95   | £3.29  | 610996 |



## Router Cutter Bearings

A range of quality ball bearings suitable for bearing guided cutters and many other applications.

| D     | X     | C     | Inc.vat | Ex.vat | Order No |
|-------|-------|-------|---------|--------|----------|
| 6.35  | 3.175 | 2.38  | £3.65   | £3.04  | 666234   |
| 9.525 | 3.175 | 3.96  | £3.65   | £3.04  | 666235   |
| 9.525 | 4.76  | 3.175 | £3.65   | £3.04  | 666236   |
| 9.52  | 6.35  | 3.18  | £3.65   | £3.04  | 666237   |
| 12.7  | 4.76  | 5     | £3.65   | £3.04  | 666238   |
| 12.7  | 6.35  | 4.76  | £3.65   | £3.04  | 666239   |
| 15.87 | 6.35  | 5     | £4.55   | £3.79  | 666240   |
| 15.88 | 4.76  | 5     | £4.34   | £3.62  | 666241   |
| 19.05 | 6.35  | 7.14  | £4.94   | £4.12  | 666242   |
| 19.05 | 12.7  | 5     | £4.94   | £4.12  | 666244   |
| 28.58 | 12.7  | 7.94  | £4.94   | £4.12  | 666245   |
| 22    | 8     | 7     | £3.14   | £2.62  | 666246   |
| 28    | 8     | 9     | £6.44   | £5.37  | 666247   |

## Router Bearing Retaining Collar



Available in 1/4"(6.35mm) or 1/2"(12.7mm) shank diameters, these bearing retaining collars are supplied with a grub screw and suitable hex key.

|                    | Inc.vat | Ex.vat | Code   |
|--------------------|---------|--------|--------|
| 1/4"(6.35mm) Shank | £3.24   | £2.70  | 666040 |
| 1/2"(12.7mm) Shank | £3.24   | £2.70  | 666041 |

## Trend Cutter & Collet Care Kit

A real winner from Trend, a complete kit to keep your router cutters and collets in pristine condition. Comprising: DMT whetstone, Rust Buster anti-corrosion agent, PTFE dry lubricant, four brass wire brushes 1/4", 8mm, 3/8" and 1/2" to help keep the inside of your collets perfectly clean and a 56 page booklet on how to keep your cutters in perfect order.



|                 | Inc.vat | Ex.vat | Code   |
|-----------------|---------|--------|--------|
| Collet Care Kit | £23.94  | £19.95 | 400080 |



## Trend Collet Brush Kit

Four brushes, used to remove deposits of resin, dust and corrosion from the inside of collets. Made from brass to prevent score damage. Sizes 1/4", 8mm, 3/8" and 1/2".

|                  | Inc.vat | Ex.vat | Code   |
|------------------|---------|--------|--------|
| Collet Brush Kit | £4.94   | £4.12  | 400051 |



## Router Cutter Presenter

To keep your cutters in good un-chipped order it is necessary to store them separately to prevent the tips from knocking against each other. Foam cutter presenters have the advantages that they grip the tool, display the cutters for easy selection and can be sprayed with thin oil (i.e. MetalGuard Spray) to protect the cutters. Use the presenter complete or cut to fit into cabinets, drawers, racks etc. The size is 275 x 325mm and there are 50 x 1/2" and 50 x 1/4" storage holes.

|                | Inc.vat | Ex.vat | Code   |
|----------------|---------|--------|--------|
| Foam Presenter | £12.74  | £10.62 | 810029 |



Cutters not included

## Router Bit Holders - Packs 6

Although produced with router cutters in mind, these advanced polymer mouldings are equally useful to securely grip any 1/4" or 1/2" shanked bit such as forstner or sawtooth bits. The holders can be mounted using a single screw, either horizontally or vertically on shelves, in drawers or cabinets. Cutter shanks are held firmly keeping often expensive tooling tidy, separated and out of harm's way. Supplied in packs of 6.

|                    | Inc.vat | Ex.vat | Code   |
|--------------------|---------|--------|--------|
| 1/4"(6.35mm) Shank | £2.15   | £1.79  | 202399 |
| 1/2" Shank         | £3.95   | £3.29  | 202401 |



## Axcaliber Router Collet Extension (1/2" Shank)

The problem that most customers encounter when using a router inverted in a table set-up is that, even when fully plunged, the router collet is still some way below the surface of the table limiting the depth of cut. We decided that we would produce a very accurate and precise collet extension that would overcome this problem by using standard ER20 engineering collets. These precision collets have the unique ability to grip over a diameter range of 1mm without any loss of accuracy. The Axcaliber extension is supplied with a collet suitable for 1/2" shank cutters with collets available for 8mm, 1/4"(6.35mm) and 1/8"(3.2mm) shank sizes. A much improved grip all round the cutter shank is provided giving safer routing with less vibration, and the collet nut incorporates an ejection ring to release the shank for easy cutter changes. Dimensions are 75mm overall with body length of 40mm. N.B. Collet nut requires a 27mm spanner.



|                            | Inc.vat | Ex.vat | Code   |
|----------------------------|---------|--------|--------|
| Collet Extension           | £34.94  | £29.12 | 211367 |
| 13.0mm - 12.0mm (1/2")     | £8.94   | £7.45  | 910215 |
| 8.0mm - 7.0mm (8mm)        | £8.94   | £7.45  | 910210 |
| 7.0mm - 6.0mm (1/4")       | £8.94   | £7.45  | 910209 |
| 4.0mm - 3.0mm (1/8")       | £8.94   | £7.45  | 910206 |
| Combination Spanner - 27mm | £10.14  | £8.45  | 423927 |



## DMT Dia-Sharp Diamond Sharpening Card

Forget gold cards or platinum cards, get yourself a diamond card. A credit card sized (80 x 50mm) steel plate coated on one side with a continuous diamond surface, keep one in your wallet for sharpening knives and tools. Available in a choice of three grades: Coarse 325 grit = 45 micron, Fine 600 grit = 25 micron and Extra Fine 1,200 grit = 9 micron.

|                       | Inc.vat | Ex.vat | Code   |
|-----------------------|---------|--------|--------|
| Coarse 325 Grit       | £17.75  | £14.79 | 410122 |
| Fine 600 Grit         | £17.75  | £14.79 | 410124 |
| Extra Fine 1,200 Grit | £17.75  | £14.79 | 410123 |

## Axcaliber Router Collet Reduction Sleeves

These precision sleeves enable 3/8", 8mm or 1/4" shanked cutters to be used in 1/2" collets.



|           | Inc.vat | Ex.vat | Code   |
|-----------|---------|--------|--------|
| 1/2"-3/8" | £3.14   | £2.62  | 340305 |
| 1/2"-1/4" | £3.14   | £2.62  | 666079 |
| 1/2"-8mm  | £3.14   | £2.62  | 340306 |

## Axcaliber Dry Lubricant

Ideal for all woodworking machinery and recommended for woodturning chucks. Formulated to minimise wear and reduce corrosion. Dry PTFE based lubricating film, unaffected by water, oil or solvents and will not attract dust. (400ml).



|                         | Inc.vat | Ex.vat | Code   |
|-------------------------|---------|--------|--------|
| Axcaliber Dry Lubricant | £8.15   | £6.79  | 503468 |

## Axcaliber Blade and Bit Cleaner

Router cutters, sawblades and machine beds can be prone to resin build-up over time especially when used with softwoods or timbers of a resinous nature. This can drastically reduce the ability of the blade or cutter to perform its task and a reliable solvent is required that will dissolve the resin and restore its performance. Axcaliber blade and bit cleaner excels at dissolving resin, pitch and adhesive residue and it also contains rust inhibiting agents that further prolong the life of your expensive tooling. Available in a convenient 600ml (21 fl oz) spray bottle. Give your TCT some TLC, no workshop should be without some.



|                   | Inc.vat | Ex.vat | Code   |
|-------------------|---------|--------|--------|
| Bit Cleaner 600ml | £11.45  | £9.54  | 951145 |



## Axminster 148 Piece Jig Making Set

If you need to make up jigs for routing or sawing operations, then this is the kit for you. It contains a comprehensive selection of knobs and fittings, both male and female, which offers a wide range of jig making solutions. Kit contains 10 x 90mm tee bolts, 10 x 65mm tee bolts, 20 x 40mm tee bolts, 20 x 25mm tee bolts, 26 female knobs in various sizes, 10 male knobs with 25mm threaded rod, 20 x 16mm diameter washers with 6mm hole, 16 x screw in threaded inserts, 16 x spiked nut inserts. N.B. All fittings are threaded 1/4" Whitworth.

|                  | Inc.vat | Ex.vat | Code   |
|------------------|---------|--------|--------|
| Jig Hardware Set | £36.95  | £30.79 | 950114 |